

Kept at *Pinhay*
in the County of *Devon*
Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Lev

1813
PINHAY
1931 — 40

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.14	—	.04	.10	—	.13	.00	—	—	1
2	.22	.10	—	.16	—	—	—	—	.16	.02	—	—	2
3	.10	—	.18	—	—	—	.10	—	.16	—	—	.10	3
4	.10	—	.12	—	.11	.11	.13	.14	.08	—	.14	.08	4
5	—	.13	.10	.06	—	.16	.13	.10	—	.10	.10	—	5
6	—	.10	—	.10	.10	.12	—	—	.13	—	.10	.19	6
7	—	—	—	—	.12	.12	.10	.13	—	.12	.12	.13	7
8	—	.12	—	.12	—	.14	—	.10	—	.10	.14	.15	8
9	—	.14	—	—	—	.10	.10	—	—	—	.10	.19	9
10	.10	.10	—	—	.10	.10	.10	.10	.12	—	.13	—	10
11	.15	.15	—	—	—	.12	—	—	.10	—	.16	—	11
12	.10	.10	—	—	.10	—	.10	—	.11	—	.14	—	12
13	—	—	.10	—	.10	—	.16	.10	—	.10	—	—	13
14	.10	.10	.10	—	.10	.13	.16	.10	.10	—	—	—	14
15	—	.10	—	.10	.11	—	—	.12	—	—	.10	—	15
16	—	.10	—	.10	.10	.16	—	.10	.10	—	—	.10	16
17	.10	.10	—	.10	—	.12	.15	—	.10	—	—	—	17
18	.10	—	.10	.10	—	.15	.10	.10	—	—	—	—	18
19	.10	.10	.10	.10	—	.10	.10	.10	—	—	.10	—	19
20	—	.16	.12	.10	—	—	—	.13	—	—	.13	—	20
21	.12	—	—	—	.14	—	—	—	—	—	.10	.10	21
22	.13	—	.10	.14	.11	—	—	—	—	—	.10	—	22
23	.13	.10	—	.10	.19	—	—	.10	—	—	—	—	23
24	.14	—	—	.10	.15	—	.17	.15	—	—	.13	—	24
25	.15	.10	—	.12	.10	—	.16	—	—	—	.10	—	25
26	—	.10	—	.10	—	—	.13	—	—	—	.12	—	26
27	.13	.13	—	—	.13	—	.16	—	—	—	.15	.10	27
28	.10	.11	.10	—	.10	—	—	.10	—	—	.10	—	28
29	.10	—	.14	—	.10	—	.15	.18	—	—	—	.14	29
30	—	X	.10	—	.14	—	—	—	.10	.10	.12	.10	30
31	.14	X	.10	X	.10	X	.10	—	X	—	X	—	31
TOTAL	2.72	2.52	1.57	3.05	2.76	3.31	3.47	4.55	1.94	1.41	5.96	2.30	34.56
*Days with or more.	19	20	13	16	19	14	19	16	12	7	20	11	186
*Days with or more.	14	11	5	13	15	13	12	14	9	2	18	7	129

FORM 1090.

REGISTER OF RAINFALL IN 193 /.

Kept at *Pinhay*
in the County of *Devon*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *11* in.
Ground Sea Level *465* ft.

any other

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.14	—	.04	.10	—	.37	.00	—	—	1
2	.22	.10	—	.16	—	—	—	—	.16	.02	—	—	2
3	.10	—	.18	—	—	—	.10	—	.11	—	—	.10	3
4	.10	—	.12	—	.11	.11	.25	.40	.03	—	.48	.08	4
5	—	.35	.10	.06	—	.63	.03	.10	—	.63	.04	—	5
6	—	.10	—	.04	.10	.25	—	—	.18	—	.04	.19	6
7	—	—	—	—	.20	.27	.10	.39	—	.27	.22	.57	7
8	—	.29	—	.22	—	.49	—	.05	—	.06	.44	.15	8
9	—	.17	—	—	—	.05	.03	—	—	—	.20	.90	9
10	.10	.10	—	—	.04	.09	.01	.40	.24	—	.37	—	10
11	.15	.52	—	—	—	.20	—	—	.15	—	.61	—	11
12	.11	.10	—	—	.10	—	.10	—	.11	—	.41	—	12
13	—	—	.10	—	.02	—	.16	.10	—	.10	—	—	13
14	.10	.10	.10	—	.03	.13	.66	.10	.10	—	—	—	14
15	—	.10	—	.10	.11	—	—	.22	—	—	.10	—	15
16	—	.10	—	.10	.10	.69	—	.08	.10	—	—	.10	16
17	.10	.10	—	.10	—	.20	.32	—	.10	—	—	—	17
18	.10	—	.10	.10	—	.15	.10	.17	—	—	—	—	18
19	.10	.10	.10	.10	—	.10	.10	.10	—	—	.30	—	19
20	—	.16	.23	.01	—	—	—	.43	—	—	.38	—	20
21	.26	—	—	—	.17	—	—	—	—	—	.10	.01	21
22	.35	—	.10	.42	.11	—	—	—	—	—	.10	—	22
23	.33	.10	—	.10	.19	—	—	.10	—	—	—	—	23
24	.14	—	—	.52	.15	—	.79	.54	—	—	.38	—	24
25	.15	.10	—	.26	.10	—	.16	—	—	—	.10	—	25
26	—	.10	—	.10	—	—	.30	—	—	—	.23	—	26
27	.31	.37	—	—	.38	—	.16	—	—	—	.52	.01	27
28	.10	.17	.10	—	.10	—	—	.10	—	—	.10	—	28
29	.10	—	.14	—	.10	—	.10	.18	—	—	—	.14	29
30	—	×	.10	—	.04	—	—	—	.10	.10	.12	.10	30
31	.44	×	.10	×	.10	×	.10	—	×	—	×	—	31
TOTAL	2.72	2.52	1.57	3.05	2.76	3.31	3.47	4.55	1.94	1.41	5.96	2.30	YEAR'S TOTAL 34.56
*Days with or in. or more.	19	20	13	16	19	14	19	16	12	7	20	11	186
*Days with .04 in. or more.	14	11	5	13	15	13	12	14	9	2	18	7	129

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Finlay Type Regs*
in the County of *Bedford*Diameter of Funnel of Gauge *5* inch
Height of top of Gauge above Ground *1* ft. *11* in.
Ground Sea Level *465* ft.

W.D. 108

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	—	—	—	.01	.04	.19	.01	—	.88	.02	.84	1
2	—	—	—	.18	.02	.03	—	.16	—	—	.21	—	2
3	.03	—	—	.14	.01	—	—	.05	.20	—	.03	.39	3
4	—	—	—	—	—	.86	.03	—	.28	.04	.03	.04	4
5	.01	—	—	—	—	.20	—	.07	—	—	.21	—	5
6	.14	—	—	—	—	—	—	—	.28	—	—	—	6
7	.47	—	.02	.31	—	—	.01	—	.49	—	—	—	7
8	.01	—	—	.04	.05	—	—	—	.41	.82	—	.01	8
9	—	—	.65	.07	.19	—	—	—	.24	.11	—	—	9
10	.75	.04	—	.28	.01	—	—	—	—	.05	—	—	10
11	.20	—	—	.23	.08	—	—	—	—	.15	.01	—	11
12	.03	—	—	.08	.05	—	—	—	.04	.17	—	.05	12
13	.53	—	—	—	.32	—	.02	—	.02	.16	—	.05	13
14	.10	—	—	.11	.02	—	.25	.10	—	.76	—	.15	14
15	.27	—	—	.22	.13	—	—	—	—	.03	.01	—	15
16	.01	—	—	.11	.21	—	.07	—	—	.05	.15	.06	16
17	.15	—	—	.08	—	—	—	—	—	—	—	—	17
18	.02	—	—	.01	—	—	—	—	.04	.08	—	—	18
19	.01	—	—	—	.35	—	—	—	.03	—	.20	—	19
20	.01	—	—	—	.26	—	—	—	.05	.53	—	.01	20
21	—	—	.01	—	1.45	—	.01	.09	—	.72	.22	.05	21
22	.03	—	.14	.47	.02	—	—	.08	.29	.31	.06	.12	22
23	—	—	.01	—	.01	—	—	.06	.77	.45	.28	—	23
24	—	.01	—	—	.17	.07	.74	—	.02	.95	.01	.08	24
25	—	—	—	—	.02	—	.63	—	.20	.05	.04	.01	25
26	—	—	.27	.01	—	—	.02	—	.21	.25	.02	.02	26
27	—	—	.16	.04	—	—	.20	—	.02	.72	.02	—	27
28	—	—	.28	.45	.48	—	.28	—	—	.36	.01	.25	28
29	—	—	.01	.11	.40	—	.12	—	—	—	—	.09	29
30	—	×	.43	.07	.34	.54	—	.97	.40	.69	.11	.31	30
31	—	×	.02	×	—	×	.70	.01	×	.03	×	.20	31
TOTAL	8.34	.05	2.10	2.83	4.00	1.73	4.28	1.55	3.99	7.51	1.73	2.72	YEAR'S TOTAL 35.93
*Days with ".01 in. or more.	18	2	11	19	22	8	14	10	18	23	18	18	179
*Days with ".04 in. or more.	9	1	6	17	14	5	9	7	14	21	9	14	126

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. F. Phillips

P. T. O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Pirbright

in the County of

Surbiton

Diameter of Funnel of Gauge

5

in

the

Height of top of Gauge above Ground

1

ft

11

in.

Ground

Sea Level

185

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.57	.12	—	.20	—	.02	—	—	—	.25	.03	—	—	1
2	.60	.70	.08	.01	.04	.15	—	—	—	—	.17	.37	—	2
3	.29	—	.94	—	.48	.01	—	—	—	—	.01	.01	—	3
4	.04	.17	.21	—	.05	—	—	—	—	—	—	—	—	4
5	.26	.02	.10	—	.09	—	—	—	—	—	—	—	—	5
6	.02	—	.24	—	.01	—	.07	—	—	—	.02	—	—	6
7	.01	.46	—	—	.15	—	.04	—	—	.20	—	—	—	7
8	.01	.15	—	—	.10	—	.11	—	—	.34	—	—	—	8
9	—	—	.01	—	.04	—	.27	.01	—	.01	—	—	—	9
10	—	.02	—	—	.46	.01	.12	—	—	.12	.01	—	—	10
11	—	.46	—	—	—	.02	.00	.99	—	.38	.01	—	—	11
12	.10	—	—	—	—	—	—	—	—	—	—	—	—	12
13	—	—	—	.13	.06	.07	.35	.51	.48	.07	—	—	—	13
14	—	—	—	—	.05	—	.41	.33	—	.08	.02	—	—	14
15	—	—	—	—	—	—	.10	.02	—	.39	.27	—	—	15
16	.54	—	.21	—	—	.04	—	.02	—	.06	.04	—	—	16
17	—	—	.95	—	—	.06	—	—	.04	.08	—	—	—	17
18	—	.15	.23	—	—	.09	.02	—	.13	.40	—	—	—	18
19	.04	—	.16	—	—	—	—	—	—	—	.02	—	—	19
20	.07	—	.16	—	—	.13	—	.03	.05	—	.46	.06	—	20
21	—	.02	—	—	—	.09	—	.04	.10	—	.02	.02	—	21
22	—	.02	—	—	.08	.36	—	.35	.02	.08	.01	—	—	22
23	—	—	—	.07	.03	.23	—	—	.31	.05	—	—	—	23
24	—	.40	—	.58	—	—	—	—	.49	.23	—	—	—	24
25	—	1.21	—	.35	—	.45	—	—	.31	.02	—	—	—	25
26	—	1.02	—	.32	.01	.03	—	—	.04	.02	—	.16	—	26
27	—	.44	—	.23	.38	—	—	—	.23	.02	—	.01	—	27
28	—	.04	—	—	.03	—	.46	—	—	.28	—	.35	—	28
29	—	—	—	.32	.16	—	.03	—	.02	.31	—	.01	—	29
30	.31	×	—	.02	—	—	.02	—	—	—	—	.07	—	30
31	.01	×	—	×	—	×	—	—	×	—	×	.07	—	31
TOTAL	2.88	5.40	3.19	2.23	2.22	1.66	2.08	2.30	2.22	3.39	1.09	1.13	Year's total	29.79
*Days with .01 in. or more.	18	16	11	10	17	15	13	9	12	19	13	10		148
*Days with .04 in. or more.	10	12	10	8	13	10	10	5	10	16	4	6		114

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. F. Shillcock

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Penryn*in the County of *Dorset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *11* in.,, Ground ,, Sea Level *465* ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.02	—	—	.10	.02	.66	1.02		1
2	.02	—	—	—	—	—	—	.68	.06	.05	.06	.35		2
3	.28	—	.04	—	—	—	—	—	1.25	.36	—	.18		3
4	.06	—	—	—	—	—	—	—	—	.02	—	—		4
5	.06	.01	.35	.07	—	—	—	—	.05	.12	.01	.46		5
6	—	—	.08	—	.06	—	—	1.07	—	.63	—	.63		6
7	.03	—	.33	.03	.28	—	—	—	.02	.21	.03	.58		7
8	.03	—	—	—	—	—	—	.09	—	—	.66	.17		8
9	—	—	—	—	.27	—	—	—	.02	—	.36	.13		9
10	.03	—	.22	—	—	—	—	—	.03	—	.10	.15		10
11	.22	.01	.09	.33	—	—	—	.13	—	—	—	.44		11
12	.43	—	.09	.28	—	—	.02	.03	—	—	—	.16		12
13	.07	.02	—	—	—	—	.01	.31	—	.02	.54	.31		13
14	.26	—	—	.34	—	—	—	—	—	.01	.03	.43		14
15	.27	—	.37	.03	—	—	—	—	—	.27	.16	.35		15
16	.05	—	.09	.01	.10	—	—	—	—	—	.11	.27		16
17	.11	—	.26	.01	—	—	—	—	.01	.13	—	.32		17
18	.11	—	—	.27	.12	—	—	—	.09	—	—	.25		18
19	.07	—	.20	.20	—	—	—	—	.07	—	—	.07		19
20	—	—	.13	.11	—	.07	—	.11	.05	.02	—	—		20
21	—	—	.05	.21	—	—	—	—	.06	.42	—	.26		21
22	—	—	.06	.01	—	.28	—	.02	—	—	.01	.85		22
23	—	—	.07	.01	—	—	—	.20	.50	.08	—	.31		23
24	.11	—	.01	.39	—	.42	—	.11	.39	.05	—	.05		24
25	—	.12	.07	.09	—	.09	.06	.04	.05	.15	—	.83		25
26	.44	.02	—	.20	—	—	—	—	—	—	.02	.06		26
27	.02	—	.07	.32	—	.31	—	—	.10	.02	.01	.34		27
28	—	—	—	—	—	.05	—	.01	.17	—	.01	.70		28
29	—	—	—	.18	—	—	—	.68	.12	.01	.02	.03		29
30	—	X	—	—	—	—	—	.08	.17	.05	—	.41		30
31	.03	X	—	X	—	X	—	.01	X	—	X	.08		31
TOTAL	2.70	.18	2.52	3.09	.83	4.23	.09	3.52	3.29	2.68	2.09	10.66	32.94	32.94
* Days with .01 in. or more.	20	5	18	19	5	7	3	15	19	19	16	30	176	
* Days with .04 in. or more.	14	1	17	13	5	6	1	10	15	13	7	28	130	

40-9999

* See Instruction 2 (f) on other side.

123 † Spare column, no entries required.

(Signed) *N. F. Thorneycroft*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Parkway*

in the County of *Devon*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft *11* in.

Ground Sea Level *465* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

(.45)

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.01	.54	—	—	—	.01	—	.02	.09	.80	.48		1
2	—	.02	.03	—	—	.32	.04	—	.10	.08	.13	.20		2
3	—	.05	.12	—	—	.04	—	—	.12	.31	.10	.03		3
4	—	.21	—	.08	.11	.23	—	—	.29	.22	.25	—		4
5	—	.20	—	.04	.01	.11	—	—	.06	.28	.27	.34		5
6	—	.08	—	.26	—	.07	—	—	.28	.04	—	—		6
7	—	—	—	.39	—	1.27	—	—	—	.01	.25	.15		7
8	—	—	—	.40	—	.11	—	—	—	.28	.11	.04		8
9	—	—	—	.40	—	—	—	—	.42	.02	.37	.02		9
10	.06	—	.48	.03	—	—	—	—	—	.66	.36	—		10
11	.25	—	—	—	—	.01	—	—	—	—	.01	.05		11
12	.02	.06	—	—	—	.40	—	—	.14	.05	.44	.01		12
13	.05	.18	.01	.61	—	.27	—	—	.05	—	.27	—		13
14	—	.09	—	.27	—	.12	—	—	—	—	.18	—		14
15	—	.15	—	.72	—	.02	—	—	.03	.02	.76	.50		15
16	—	.06	.01	.12	.05	.13	—	—	.19	—	.17	.12		16
17	—	—	—	.02	—	.13	.01	—	.32	.02	1.30	.01		17
18	—	.04	—	.35	.82	.34	.14	.27	.06	—	.03	—		18
19	—	.15	—	.02	.02	.02	.15	—	.41	.04	—	.10		19
20	—	.21	—	.17	.40	.08	.02	—	.17	.12	.40	—		20
21	—	.53	—	.14	.03	.03	.01	—	.01	.02	.25	—		21
22	—	.03	.02	.01	—	.01	—	—	.08	.03	.01	—		22
23	—	—	.06	—	—	—	—	.05	.32	.04	—	—		23
24	.04	.49	.12	—	.09	—	—	.37	.13	.45	—	.38		24
25	.28	.46	.02	—	.07	—	—	.75	.45	.06	—	.27		25
26	—	.39	—	—	—	.07	—	—	—	—	—	.20		26
27	—	.13	—	—	.01	.02	—	.30	.08	—	.03	.85		27
28	—	.05	.01	—	—	—	—	—	.06	.06	.07	.53		28
29	—	—	—	—	.04	—	—	.28	.11	.02	.05	.07		29
30	.05	X	—	—	—	—	—	.04	.07	—	.04	.40		30
31	—	X	—	X	—	.01	—	1.02	X	.28	X	.60		31
TOTAL	.78	3.59	1.42	3.93	1.65	3.88	.38	3.08	3.98	3.19	6.45	5.15		38.93
* Days with .01 in. or more.	3	21	11	17	11	22	7	8	24	23	24	21		197
* Days with .04 in. or more.	6	18	5	13	7	15	3	8	22	16	20	17		150

Section

A

for the entry of Daily Observations

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at

Pirbright

in the County of

Surrey

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft. 11.....in.

,, Ground ,,

Sea Level 4.65.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.72	.10	.03	.83	—	.14	1.08	.09	—	—	.12	—		1
2	.09	.10	—	.23	—	.38	.35	—	—	—	.02	.05		2
3	—	—	—	.10	—	.03	.26	.05	.02	—	.07	.01		3
4	—	—	—	1.33	—	.01	.17	.03	.50	—	.02	—		4
5	—	—	.36	.02	—	.36	.04	—	.39	—	.03	.07		5
6	.73	—	.02	—	—	—	.10	.03	.08	—	.50	.20		6
7	.26	—	.02	—	—	.09	.12	.02	.13	—	.11	.01		7
8	.20	—	.67	—	—	—	.36	—	—	—	.24	.05		8
9	.42	—	.79	—	—	—	.35	—	—	—	.03	.02		9
10	.54	—	.32	—	—	—	.22	—	.19	—	.09	—		10
11	.79	.10	—	—	—	—	.34	—	—	—	.19	—		11
12	.36	.03	.01	—	—	.09	.22	—	.15	—	.11	.04		12
13	.03	—	—	.02	.02	.30	.58	—	.26	—	.20	—		13
14	.11	—	.01	—	—	—	.10	—	.01	.02	.01	.66		14
15	—	.03	—	—	—	.02	.45	—	.06	.02	.07	.67		15
16	.02	.04	—	—	.09	—	.10	—	.11	—	.11	.15		16
17	.02	.14	—	.27	.38	—	.43	—	—	—	.08	.18		17
18	—	.77	—	—	.25	—	.51	—	—	.04	—	.36		18
19	.09	.34	.02	—	—	.31	.48	—	—	.03	—	.17		19
20	.50	.03	.11	.23	—	.03	.03	.03	—	—	—	—		20
21	.08	.35	.16	.03	—	.05	.03	—	.21	—	—	—		21
22	—	.21	.06	.50	—	.07	—	—	.01	—	—	—		22
23	.19	.37	.42	—	—	—	.19	—	—	—	—	.01		23
24	.07	.02	.10	.12	.04	—	.13	—	.01	.06	.01	—		24
25	.31	.04	.09	.02	.11	—	.31	—	.16	.28	—	—		25
26	.10	—	.48	.17	—	—	.15	—	.05	.34	—	—		26
27	.35	.09	.21	—	—	—	.09	—	.08	.04	—	—		27
28	.68	.33	.13	—	—	—	.27	—	.02	.22	.01	—		28
29	.77	.01	.64	—	—	—	.18	—	—	.01	.08	.24		29
30	.02	✕	.08	—	—	.05	—	—	—	.23	.02	.10		30
31	.21	✕	—	✕	—	✕	.01	—	✕	.20	✕	—		31
TOTAL	7.36	3.10	4.66	3.57	.89	1.98	6.83	.25	2.44	1.49	3.02	2.84	Year's Total	
* Days with .01 in. or more.	25	18	21	13	6	14	29	6	18	12	21	17	38.38	
* Days with .04 in. or more.	21	13	14	9	5	9	25	2	14	8	13	13	200	
													146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. F. SHILLABEER [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Priddy, W. W. Rogers*in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *11* in.,, Ground ,, Sea Level *465* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.55	.23	.15	—	—	—	.03	—	—	—	.89	.29		1
2	.08	.02	—	.35	—	—	—	—	.07	.02	.06	1.38		2
3	.08	.42	—	.26	—	—	—	—	.21	—	—	.12		3
4	.01	.27	.08	.04	—	—	.02	—	—	—	—	—		4
5	.12	.62	—	—	—	—	—	—	—	—	—	.36		5
6	.24	—	—	.05	—	—	.76	.01	—	—	—	—		6
7	.10	.43	.33	.19	.06	—	.45	—	—	—	—	—		7
8	—	.99	.03	.04	—	—	—	—	.01	—	.02	.27		8
9	—	.02	—	—	1.01	—	.10	—	—	—	.19	—		9
10	—	—	.07	.15	.11	—	.05	—	.83	—	—	—		10
11	.33	.02	.57	.21	.22	.30	.02	.06	.01	—	—	.30		11
12	.05	—	.18	.13	.30	.01	.45	—	—	—	—	—		12
13	.60	.40	.01	.10	—	.35	.11	.79	.09	—	—	.37		13
14	—	.07	.69	.15	—	.03	—	.41	.03	—	—	.02		14
15	—	.02	.40	.01	—	—	.11	—	.02	—	—	.02		15
16	—	.14	.11	.56	—	—	.38	—	.17	—	.02	.29		16
17	.06	.05	.50	.05	—	—	.05	.14	.90	—	.30	—		17
18	.51	.12	.55	—	—	—	—	—	.27	—	.16	—		18
19	.04	.13	.10	—	—	.02	—	—	.01	—	.03	.26		19
20	.11	.10	.02	.27	.10	—	—	—	—	—	—	.06		20
21	.24	.14	.03	.24	.04	—	—	—	—	—	.47	.50		21
22	.49	.47	.06	.06	.24	—	.05	—	.23	—	.56	.03		22
23	.17	—	.09	—	.39	.29	.26	—	.14	.35	.30	.06		23
24	.28	.27	.01	—	.26	—	—	—	—	.17	.02	.04		24
25	.13	.71	.02	—	—	—	—	—	.02	.91	—	.02		25
26	.01	.50	.37	—	.42	—	—	—	.02	.12	—	.02		26
27	—	.81	.03	—	.15	—	—	—	—	.06	—	.04		27
28	—	.35	—	—	—	—	—	—	—	.37	—	—		28
29	.58	—	—	—	—	—	—	—	—	.24	—	—		29
30	—	~~X~~	—	—	—	.01	—	—	—	.61	.25	—		30
31	.45	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.03	~~X~~	—		31
TOTAL	5.18	6.77	4.02	2.86	3.30	1.21	2.84	1.44	3.33	2.88	3.07	4.34	Year's Total	41.24
* Days with .01 in. or more.	22	24	22	17	12	7	14	5	16	10	13	19		181
* Days with .04 in. or more.	19	15	15	16	11	3	11	4	9	9	9	14		135

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at

in the County of

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....14.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.26	.12	—	—	.23	.50	—	—	.36	.37	.18		1
2	—	.10	—	—	—	.19	—	.01	—	.54	.02	.09		2
3	—	—	—	—	—	—	.13	—	—	.25	.05	.16		3
4	—	—	—	—	—	—	.02	.01	—	.41	.24	—		4
5	—	—	—	—	.18	.02	.07	1.44	—	.14	—	.13		5
6	.02	—	—	—	.01	.02	.08	—	.03	.31	.07	—		6
7	.07	—	—	—	—	.08	.49	—	.13	.06	.05	.11		7
8	.07	—	—	—	—	.18	.29	—	.08	.07	.05	.08		8
9	.30	.02	—	—	—	.07	.07	.07	—	.26	—	.01		9
10	.13	.06	—	—	—	.01	—	—	—	.01	—	.71		10
11	.08	—	—	—	—	—	.10	—	—	—	—	.82		11
12	.10	—	—	—	—	—	.05	—	—	—	.32	.04		12
13	.39	—	—	—	.15	—	—	.02	—	.27	.12	.02		13
14	.28	—	—	—	.05	—	.01	.01	—	.03	.25	.67		14
15	.54	—	—	—	.07	—	1.08	.01	—	—	.01	—		15
16	.15	—	—	—	.11	—	.31	.04	—	.27	.07	.40		16
17	.18	.02	.02	—	.12	—	—	.03	—	.02	.50	.02		17
18	—	.10	.03	—	.01	—	—	—	.06	.20	.05	—		18
19	.15	—	—	—	.14	.12	—	.02	.13	.03	.25	—		19
20	—	—	—	—	—	—	—	.02	.50	—	.62	—		20
21	—	—	—	—	—	—	—	—	.01	—	.40	—		21
22	—	—	—	—	—	—	—	.09	.07	—	.33	.22		22
23	.06	—	—	.01	—	.04	—	.59	—	—	.53	.09		23
24	.01	—	—	.04	—	—	—	—	.03	—	.04	—		24
25	—	—	.19	—	.04	—	—	—	.08	—	.34	—		25
26	.10	.40	.01	—	.21	—	.70	—	—	.02	1.31	.07		26
27	.38	.36	—	—	.41	—	.03	—	—	.12	—	.39		27
28	.03	.02	—	—	.06	.21	.68	.38	—	.16	.35	—		28
29	.15	—	.01	—	.22	.04	—	.73	.23	—	—	.02		29
30	.10	X	—	—	.34	—	—	—	.63	.34	.92	.05		30
31	.10	X	—	X	.02	X	.03	—	X	—	X	.07		31
TOTAL	3.84	1.34	.38	.05	2.13	1.21	4.64	3.47	2.03	3.89	6.67	4.29	Year's Total	5
* Days with .01 in. or more.	21	9	6	2	16	12	17	15	12	20	24	21	33.54	✓
* Days with .04 in. or more.	19	6	2	1	12	9	13	7	9	15	22	17	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1873

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Purham*

in the County of *Devon*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...1...ft...11...in.

„ Ground „ Sea Level...4.65...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.38	—	.06	—	.25	—	.04	—	.09	—	.69	.05		1
2	.08	—	.05	.01	.02	—	—	.63	.29	—	.07	.04		2
3	—	—	—	.26	.02	—	.03	.46	.30	—	.11	.07		3
4	.70	—	.07	.60	—	—	.01	.16	—	—	.37	.37		4
5	—	—	.35	.10	.22	—	.29	.16	—	.56	.09	.20		5
6	—	.01	.06	.20	—	—	.13	—	—	.28	.96	—		6
7	.65	—	.09	.20	—	—	.33	.10	—	.08	.32	—		7
8	—	.98	—	—	—	—	.01	.02	—	—	.40	.50		8
9	.05	.27	.06	—	.12	—	.15	.26	—	1.63	.27	.15		9
10	.05	.02	.03	—	—	—	—	.07	—	.16	.25	.09		10
11	.20	—	—	—	—	.03	—	.24	.03	.02	.01	.16		11
12	—	.02	.10	—	—	—	—	—	—	.48	.02	—		12
13	—	.05	—	.02	—	.01	—	—	.01	—	.04	—		13
14	.02	—	—	.05	—	.03	.40	—	.12	1.30	.04	—		14
15	.71	—	—	.08	—	.11	.34	—	.01	.61	.39	—		15
16	.38	—	.01	.02	.31	1.30	.16	—	—	.01	.68	.07		16
17	.29	—	—	.10	.02	—	.12	—	—	.02	.12	—		17
18	.44	.08	—	—	.01	.12	.53	—	—	.05	.02	—		18
19	.02	—	.01	—	—	.10	.33	—	—	—	.66	.06		19
20	.36	—	—	—	—	—	.02	—	—	—	—	.14		20
21	.44	—	—	—	—	.15	.10	.06	—	—	—	—		21
22	.04	.20	.06	—	—	.13	.03	—	—	—	—	—		22
23	.64	.30	.12	—	—	.70	.30	—	—	—	.70	—		23
24	—	—	—	.22	—	—	.07	—	—	—	1.03	—		24
25	.56	—	.05	.02	—	.50	.13	—	—	.02	.01	—		25
26	1.09	.07	—	—	—	—	.12	.17	—	.14	.31	.02		26
27	.09	.03	—	.06	—	—	—	.12	—	.17	.24	—		27
28	—	.13	.02	.02	—	.11	.03	.02	—	—	.20	—		28
29	—	—	—	.05	—	.01	.74	—	—	—	.53	—		29
30	—	✗	.66	.04	—	.15	.12	—	—	.18	.04	—		30
31	—	✗	—	✗	—	✗	.02	.14	✗	.33	✗	—		31
TOTAL	7.14	2.13	1.80	2.05	.97	3.45	4.80	2.53	1.04	5.99	8.54	1.92	Year's Total	42.41
* Days with .01 in. or more.	20	12	16	17	8	14	25	14	7	14	27	13	190	
* Days with .04 in. or more.	17	8	11	11	4	10	18	12	4	11	23	12	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

1813

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at *Pinhay, W. Lymington Regis.*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*3*.ft...*0*.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

-32

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.08	.13	.04	.02	—	—	—	—	—	.55	—		1
2	—	.03	—	—	.02	—	—	—	—	—	.17	—		2
3	—	.11	—	.23	—	—	.03	—	—	—	.60	.04		3
4	.03	.52	—	.01	—	—	—	—	—	.10	.86	.32		4
5	.03	.17	—	—	—	—	.09	—	—	.28	.22	.02		5
6	.01	.01	—	—	—	—	—	—	—	.05	.45	.12		6
7	.24	.67	—	—	.04	—	.04	—	—	.17	.04	.24		7
8	.16	.01	—	.01	—	—	—	—	—	.08	—	.08		8
9	.01	—	—	—	—	—	.04	—	—	.39	.31	.34		9
10	—	—	—	—	—	—	.39	.10	—	.10	.45	.11		10
11	—	—	—	—	—	—	.43	—	—	.04	.08	.23		11
12	—	—	.04	.02	—	—	.14	—	—	—	.97	.09		12
13	—	—	.20	—	—	.12	.34	—	.74	—	.07	—		13
14	—	—	.45	—	—	—	.15	—	.03	.40	1.55	.25		14
15	—	—	.10	.04	1.88	—	.01	—	.10	.36	.02	.23		15
16	—	—	—	.06	.18	.01	.14	—	.36	.15	.61	.01		16
17	—	.92	.67	.16	—	—	.08	—	.03	1.10	.34	.04		17
18	—	—	.40	—	—	—	.02	—	—	.01	.45	—		18
19	.13	.36	.28	1.12	—	—	.16	—	—	.09	—	.04		19
20	—	.03	.08	.14	—	—	.07	—	.64	—	.18	—		20
21	—	—	—	.04	—	—	—	—	—	.09	.02	—		21
22	—	.01	.03	—	.21	.04	—	—	.09	—	.75	—		22
23	—	—	.10	.04	—	.44	—	—	.02	—	—	—		23
24	—	.07	.28	.15	.02	—	—	—	—	.18	.03	—		24
25	—	—	.01	—	—	—	.33	—	—	—	—	—		25
26	.20	—	.12	.09	.02	.02	.01	—	—	—	—	—		26
27	1.14	.58	—	.03	.28	—	—	—	—	—	.01	—		27
28	.27	.11	—	—	.34	—	.02	.02	—	—	—	—		28
29	.35	.13	—	.01	.02	—	—	—	.01	—	—	.01		29
30	.17	~~X~~	.21	.67	—	.07	—	—	—	.08	—	.28		30
31	.01	~~X~~	.01	~~X~~	—	~~X~~	—	—	~~X~~	.56	~~X~~	.18		31
TOTAL	.08	.13	.04	.02	3.08	.70	24.9	.12	2.02	.55	.32		Year's Total	
* Days with .01 in. or more.	14	16	16	17	~~X~~ 10	6	18	2	9	18	22	19	167	
* Days with .04 in. or more.	9	11	13	~~X~~ 13	6	4	13	1	5	18	18	16	126	

† Spare column, no entries required.

(Signed)

R. Paulk

[P.T.O.]

* See Instruction 3 (f) on other side.

COLYTON (COLYFORD)

Section **A** for the entry of Daily
AIR MINISTRY.

FORM 1090

REGISTRATION

Kept at Colyton (Colyford)

in the County of Devon

Diameter of Funnel of Gauge.....

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this form
year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

1813/5
NIZATION

COLYFORD

1939-40.

780309

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										-	57	03		1
2										-	05	05		2
3										-	11	12		3
4										-	30	28		4
5										-	15	28		5
6										14	82	005		6
7										-	20	-		7
8										03	38	56		8
9									(1.10)	1.50	21	10		9
10										10	08	09		10
11										06	04	13		11
12										16	02	01		12
13										-	04	-		13
14										1.23	03	-		14
15										06	31	-		15
16										09	55	04		16
17									-	02	13	-		17
18									-	03	04	-		18
19									-	-	6	07		19
20									-	-	-	12		20
21									-	-	-	-		21
22									-	-	-	-		22
23									6	-	57	-		23
24									-	-	90	-		24
25									-	005	-	-		25
26									-	10	28	-		26
27									-	17	03	-		27
28									-	005	18	08		28
29									-	6	60	-		29
30		X							-	22	02	-		30
31		X		X		X			X	25	03	-		31
TOTAL									(1.10)	4.74	6.07	1.96	Year's Total	
* Days with .01 in. or more.										17	25			
* Days with .04 in. or more.										13	20			

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

MRS M. A. FINCH [P.T.O.]

COLYTON (COLYFORD)

Section



for the entry of Daily Observations

Station No. 1813/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Colyton (Colyford)

in the County of Devon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	.57	.03		1
2										-	.05	.05		2
3										-	.11	.12		3
4										-	.30	.28		4
5										-	.15	.28		5
6										.14	.82	.005		6
7										-	.20	-		7
8										.03	.38	.56		8
9									(1.10)	1.50	.21	.10		9
10									/	.10	.08	.09		10
11										.06	.04	.13		11
12										.16	.02	.01		12
13										-	.04	-		13
14										1.23	.03	-		14
15										.06	.31	-		15
16										.09	.55	.04		16
17									-	.02	.13	-		17
18									-	.03	.04	-		18
19									-	-	tr	.07		19
20									-	-	-	.12		20
21									-	-	-	-		21
22									-	-	-	-		22
23									tr	-	.57	-		23
24									-	-	.90	-		24
25									-	.005	-	-		25
26									-	.10	.28	-		26
27									-	.17	.03	-		27
28									-	.005	.18	.08		28
29									-	tr	.60	-		29
30		X							-	.22	.02	-		30
31		X		X		X			X	.25	.03	-		31
TOTAL									(1.10)	4.74	6.07	1.96	Year's Total	
* Days with .01 in. or more.										17	25			
* Days with .04 in. or more.										13	20			

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) MRS M. A. FINCH [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

217/5
1813/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Greenhayes (Olyford)
in the County of Devon

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....8.....in.
„ Ground „ Sea Level.....2.0.....ft.

Monthly + Annual totals
corrected for B.A. + 763372/2
Decs. totals. up 1939 imp
obs. moved to 1813/5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	.14	—		1
2	—	.13	—	.27	—	—	—	—	—	—	.56	.11		2
3	.02	.61	—	—	—	—	tr	—	—	.07	.78	.25		3
4	.02	.19	—	—	—	—	tr	—	—	.06	.03	.02		4
5	.03	—	—	—	tr	—	—	—	—	tr	.39	.15		5
6	.22	.75	—	—	—	—	.04	—	—	.05	.07	.30		6
7	.10	—	—	—	—	—	.03	—	—	tr	—	.09		7
8	—	—	—	—	—	—	—	—	—	.12	.23	.31		8
9	—	—	—	—	—	—	.28	—	—	.05	.49	.20		9
10	—	—	—	—	—	—	.16	.01	—	tr	.15	.32		10
11	—	—	—	tr	—	—	.13	—	—	—	.24	.08		11
12	—	—	.27	—	—	.04	.24	—	.08	—	.18	.40		12
13	—	.01	.48	tr	1.11	—	.42	—	.005	.12	1.58	.31		13
14	—	—	tr	.04	.52	—	.02	—	.05	.05	—	—		14
15	—	.09	—	.09	—	—	.09	—	.12	tr	.45	.01		15
16	—	1.08	.65	.13	—	.005	.06	—	.02	.05	.23	—		16
17	.43	.15	.30	tr	—	—	.01	—	—	—	.31	—		17
18	—	.28	.21	1.44	—	—	.07	—	—	—	.01	—		18
19	—	.03	.10	.12	—	—	.13	tr	.05	—	.18	—		19
20	—	—	tr	.02	—	—	—	—	—	.05	.03	—		20
21	—	—	—	—	.13	—	—	—	.01	—	.54	—		21
22	—	—	.05	.11	—	.18	—	—	.02	—	tr	—		22
23	tr	.06	.26	.08	tr	—	tr	—	tr	.20	—	—		23
24	—	—	.005	—	—	—	.23	—	—	—	—	—		24
25	.32	—	.10	.03	—	tr	tr	—	—	—	—	—		25
26	1.05	.09	—	.02	.33	—	tr	—	—	tr	.02	—		26
27	.23	.11	—	—	.27	—	—	—	—	—	—	—		27
28	.24	.13	—	tr	—	—	—	—	—	—	—	—		28
29	.12	.07	.26	.60	—	.06	—	—	—	.08	.38	.32		29
30	.19	✕	.01	.04	—	—	—	—	—	.38	—	.14		30
31	—	✕	—	✕	—	✕	—	—	✕	.55	✕	.32		31
TOTAL	2.67	3.78	2.69	2.72	2.36	2.85	.91	.01	.40	.18	.73	.33	Year's Total	29.90
* Days with .01 in. or more.	12	15	11	13	5	3	14	1	7	13	21	16	131	
* Days with .04 in. or more.	98	13	10	10	5	3	11	—	4	13	17	14	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

The following register of month &c., is NOT required if daily values are given on the other side.

RAINFALL IN 19

At Yawl - Uplyme

In the County of Devon

Rain Gauge (Diameter of Funnel 5 in. Height of Top above Ground 18 in. Height of Ground above Sea Level 344 ft.)

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	3.92	.68	14 21 18
FEB.	1.32	.52	25 9 6
MAR.	.32	.17	24 4 1
APRIL	.07	.04	23 3 1
MAY	2.73	.51	29 15 11
JUNE	1.90	.44	30 15 10
JULY	4.35	.84	27 16 13
AUG.	3.06	.88	4 12 8
SEPT.	2.67	.62	29 13 10
OCT.	4.68	.83	1 19 17
NOV.	7.35	8 absent	23 (21) 3 (2)
DEC.	4.60	.79	13 19 16
TOTAL	37.03		169 132

Signature E. A. C. Stowell Esq.

* See Instruction 3 (f) below.


1814/2 UPLYME, YAWL 1938-40

Nearest Railway Station: Uplyme Distance: 1 1/4 mile Direction from S. (SSE)
Nearest Parish Church at: Uplyme Distance: 1 mile Direction from S.S.E.
Nature of objects nearest to gauge: Yew trees, Stone wall
Height of objects: about 20 ft, 6 ft
Distances: about 30 ft, 12 ft
Directions from gauge: S.E., S

If gauge has been moved during the year state -

Date of move: Distance: Direction:

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:


H. K. Munnish Esq. Woolcombe, Uplyme, Devon

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:-

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

1814/2



D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:-

- (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash - (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 658/91

S.O. Code No. 40-9999

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Yawl - Uplyme
In the County of Devon

Rain Gauge { Diameter of Funnel.....5 in.
Height of Top above Ground.....ft. 10 in.
Height of Ground above Sea Level.....344 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	3.92	.68	14	21
FEB.	1.32	.52	25	9
MAR.	.32	.17	24	4
APRIL	.07	.04	23	3
MAY	2.73	.51	29	15
JUNE	1.90	.44	30	15
JULY	4.35	.84	27	16
AUG.	3.06	.88	4	12
SEPT.	2.67	.62	29	13
OCT.	4.68	.83	1	19
NOV.	7.35	8 absent	23	21
DEC.	4.60	.79	13	19
TOTAL	37.03		169	132

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

E. A. C. Stowell
Uplyme
Devon

Hour of observation by the clock—in Winter.....9.20 am in Summer.....9.20 am (ST)

Nearest Railway Station.....Lyng Regis Distance.....1 1/4 miles Direction from gauge.....S. (SSE)

Nearest Parish Church at.....Uplyme Distance.....1 mile Direction from gauge.....SSE

Nature of objects nearest to gauge.....Yew trees Stone wall

Height of objects.....about 20 ft 6 ft

Distances.....about 30 ft 12 ft


Directions from gauge.....SE S

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

H. K. Morish Woolcombe Uplyme Devon

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?

(b) What note was made of the times of beginning and end of this fall?

(c) When was the measurement made?

Est. Nov. Days

9 FEB. 1939

1814/2

Signature E. A. C. Stowell Esq.

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25.500 12/37 W.H. & S. 633/91 S.O. Code No. 40-9999

Section



for the entry of Daily Observations

Station No.

1814/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Listonall, Liphyma
in the County of Devon
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....ft. 11.....in.
,, Ground ,, Sea Level 344.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	~~.02~~	.02	.02	—	—	.14	.26	—	.03	.07		1
2	—	—	^h —	.32	.01	—	.04	~~.41~~	~~.56~~	—	.13	.08		2
3	.90	—	.09	~~.69~~	—	—	—	.19	—	—	.44	.41		3
4	.01	—	~~.44~~	.18	~~.29~~	—	.30	~~.34~~	^h —	.54	.14	.16		4
5	—	—	.07	.21	—	—	.23	^h —	—	.74	.91	^h —		5
6	.79	—	.06	.12	—	—	.59	.10	—	.04	.41	—		6
7	.02	~~.22~~	—	—	—	—	.01	.01	—	—	.49	~~.76~~		7
8	.06	.37	.04	—	.08	—	.14	.14	—	~~.73~~	.21	.15		8
9	.07	.01	.02	—	—	—	—	.10	—	.17	.20	.14		9
10	.18	—	—	—	—	.04	—	.24	.02	.06	.06	.18		10
11	^h —	—	.10	~~.10~~	—	—	—	—	—	.36	.03	^h —		11
12	^h —	.06	—	~~.10~~	—	.01	—	—	—	.05	.01	—		12
13	^h —	—	—	~~.02~~	—	.02	.49	—	^h —	~~1.34~~	.07	—		13
14	.91	—	—	~~.04~~	^h —	.06	.50	—	.18	.07	.44	—		14
15	.44	—	.01	.02	.26	~~1.38~~	.14	—	^h —	.04	.62	~~.05~~		15
16	.26	—	—	.10	.04	—	.31	—	—	.02	.13	^h —		16
17	.62	.04	—	—	.05	.06	.47	—	—	.05	.02	^h —		17
18	.03	^h —	.01	—	—	.27	~~.75~~	—	—	—	.58	.04		18
19	.53	—	—	—	—	—	.04	^h —	—	—	^h —	.10		19
20	.54	—	—	—	—	.75	.15	.30	—	—	—	^h —		20
21	.03	.18	.05	^h —	^h —	.18	.04	—	—	~~.10~~	—	—		21
22	.69	.30	.17	—	—	.40	.17	.01	.01	—	.71	—		22
23	—	—	—	.23	—	^h —	.06	—	—	—	~~1.39~~	—		23
24	.77	—	.03	.08	—	.47	.16	^h —	—	^h —	—	—		24
25	~~1.04~~	.08	—	^h —	—	—	.09	.14	—	.14	.34	—		25
26	.18	.08	^h —	.05	—	—	—	.10	—	.16	.33	—		26
27	—	.16	.04	^h —	—	.01	.02	^h —	—	^h —	.22	—		27
28	—	.08	.02	.09	—	.07	.43	—	—	—	.51	.14		28
29	—	—	.04	.07	—	.01	.13	—	—	.28	.04	—		29
30	—	~~X~~	^h —	.29	—	.03	—	.15	—	.21	.06	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	^h —	.18	~~X~~	.88	~~X~~	^h —		31
TOTAL	8.09	2.25	1.27	2.62	.75	3.76	5.26	2.55	1.03	6.38	8.62	2.28	Year's Total	44.86 ✓
* Days with .01 in. or more.	20	11	16	16	7	15	22	15	5	18	26	12	183	✓
* Days with .04 in. or more.	15	10	11	14	5	10	20	13	3	17	22	12	152	✓

† Spare column, no entries required.

(Signed) Ernest A C Howell

P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

1814/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Upland*in the County of *Devon*Diameter of Funnel of Gauge *5 1/4* in.Height of top of Gauge above Ground *11* ft. *11* in.,, Ground ,, Sea Level *344* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	.4	—	—	—	—	—	.13	—		1
2	—	.11	—	.38	—	—	.4	—	—	—	.62	.04		2
3	.07	.47	—	.4	—	—	.4	—	—	.14	.85	.14		3
4	—	.22	—	—	—	—	.09	—	—	.24	.19	.01		4
5	.01	<i>to mist</i>	—	—	—	—	—	—	—	.06	.53	.16		5
6	.35	.95	—	—	—	—	.4	—	—	.28	.07	.19		6
7	.09	.4	—	.01	—	—	.06	—	—	.04	.4	.10		7
8	.4	—	—	—	—	—	.16	—	—	.42	.22	.29		8
9	—	—	—	—	—	—	.30	.04	.4	.07	.52	.15		9
10	—	—	—	—	—	—	.57	—	.02	.06	.10	.15		10
11	—	.4	.03	.4	—	—	.28	—	.51	—	1.20	.07		11
12	—	—	.24	—	—	.06	.22	—	.03	—	.18	.4		12
13	—	<i>to sun</i>	.41	—	—	—	.04	—	—	.32	1.50	.09		13
14	—	<i>to sun</i>	.14	.06	1.71	—	.4	—	.10	.48	—	.85		14
15	<i>to sun</i>	.12	—	.05	.28	.4	.14	—	.22	.14	.77	.01		15
16	—	1.16	.70	.11	—	.4	.09	—	.07	.98	.36	—		16
17	—	.08	.38	—	—	—	.4	—	—	.4	.41	.02		17
18	.16	.41	.22	1.03	—	—	.13	—	.4	.11	.01	.04		18
19	—	.02	.09	.18	—	—	.11	—	.70	—	.22	—		19
20	—	<i>to mist</i>	.03	.04	—	—	—	.03	.03	.07	.05	—		20
21	—	<i>to mist</i>	.4	—	.33	—	—	—	.09	—	.80	—		21
22	—	<i>to mist</i>	.09	.01	—	.48	—	—	.06	—	<i>to sun</i>	—		22
23	—	.02	.38	.15	.01	.4	—	—	—	.06	.02	.4		23
24	.4	—	.03	—	—	.4	.29	—	—	—	—	—		24
25	.26	—	.73	.06	—	.02	.4	—	—	—	—	—		25
26	1.17	.78	—	.01	.29	—	.02	—	—	—	.4	—		26
27	.30	.15	.4	—	.35	—	.01	.4	—	—	—	—		27
28	.32	.16	—	.4	.4	—	—	.4	—	—	—	—		28
29	.23	.16	.30	.73	—	.05	—	—	—	.13	—	.24		29
30	.03	~~X~~	.01	.07	—	—	—	—	—	.53	—	.15		30
31	.06	~~X~~	.07	~~X~~	—	~~X~~	—	—	~~X~~	.60	~~X~~	.61		31
TOTAL	3.05	4.83	32.5	2.89	2.97	.61	2.51	.07	1.82	4.73	8.75	3.61	Year's Total	39.09
* Days with .01 in. or more.	12	15	16	14	6	4	15	2	10	18	20	18		150
* Days with .04 in. or more.	10	12	12	11	5	3	13	1	7	18	18	15		125

† Spare column, no entries required.

(Signed)

Ernest A. C. Howell

P.T.O.

* See Instruction 3 (f) on other side.

Kept at S. Mary's, Upl.
in the County of Devon
Diameter of Funnel of Gauge.....5
Height of top of Gauge above Gro
,, Ground ,, Sea

1814/3
UPLHME, ST MARYS'
1931-38

31.

19/36

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.08	.18	.50	-	.02	.04	-	.39	-	-	-		1
2	.30	-	-	.56	-	-	-	-	.62	.03	-	-		2
3	.9 ⁰⁹	-	.79	-	-	-	-	-	.15	-	1.65	.10		3
4	-	-	.12	-	.23	.20	.43	.20	.03	.05	.02	-		4
5	-	.57	-	.10	.06	.73	-	.12	-	-	-	.32		5
6	-	.12	-	.03	-	.11	-	-	.08	.22	.28	.63		6
7	-	-	-	-	.40	.48	.04	.34	-	.09	.71	.16		7
8	-	.50	-	.23	-	.46	-	.05	-	-	-	.05		8
9	-	.25	-	-	-	.09	.03	-	-	-	.45	-		9
10	-	-	-	-	.04	.13	.05	.08	.33	-	.80	-		10
11	.25	.50	-	-	-	.23	.24	-	-	-	.41	-		11
12	-	-	-	-	-	-	.14	-	.10	-	-	-		12
13	-	-	-	-	.05	.05	-	.04	-	.03	.17	-		13
14	-	-	-	-	.04	.04.17	.78	-	.05	-	-	-		14
15	-	-	-	.03	.18	.18	-	.20	-	-	-	.02		15
16	-	.06	-	.04	.16	1.06	-	.04	.15	-	-	-		16
17	.08	.15	-	.07	-	.09	.44	-	.08	-	-	-		17
18	-	-	.04	.04	-	.26	.03	1.62	-	-	.52	-		18
19	.03	.02	.03	.09	-	.03	.09	-	-	-	.37	-		19
20	-	.16	.24	-	-	-	-	.45	-	-	.10	-		20
21	.36	-	-	-	.26	.26	-	-	-	-	-	-		21
22	.50	-	.02	.24	.13	.13	-	-	-	-	-	-		22
23	.33	-	-	-	.96	.96	-	-	-	-	.44	-		23
24	.08	-	-	.07	.22	.22	1.20	.72	-	-	.08	-		24
25	.20	.06	-	.60	-	-	.05	-	-	-	.37	-		25
26	-	.08	-	.36	-	-	.39	-	-	-	.62	-		26
27	.33	.33	-	-	.36	.36	.04	-	-	-	.03	-		27
28	.13	-	-	-	-	-	-	.02	-	-	-	.12		28
29	.03	-	.20	-	-	-	.05	.15	-	.02	.11	-		29
30	-	~~X~~	.01	-	.20	-	-	.05	.10	-	-	-		30
31	.75	~~X~~	-	~~X~~	.10	~~X~~	.04	-	~~X~~	-	~~X~~	.36		31
TOTAL	2	1	3	2	-	2	2	1	1	3	2	1	19	Year's Total
* Days with .01 in. or more.	3.46	2.78	1.63	2.96	3.39	4.06	4.08	4.05	2.08	4.4	7.13	1.75	37.8	37.94
* Days with .04 in. or more.	12	12	6	12	15	12	15	13	10	3	15	7	119	

Section



for the entry of Daily Observations.

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *S. Mary's, Liphyme*

in the County of *Devon*

Diameter of Funnel of Gauge *5.0* in.

Height of top of Gauge above Ground *1.0* ft. *0* in.

„ Ground „ Sea Level *6.50* ft.

497879/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.08	.18	.50	-	.02	.04	-	.39	-	-	-		1
2	.30	-	-	.56	-	-	-	-	.62	.03	-	-		2
3	.99	-	.79	-	-	-	-	-	.15	-	1.65	.10		3
4	-	-	.12	-	.23	.20	.43	.20	.03	.05	.02	-		4
5	-	.57	-	.10	.06	.73	-	.12	-	-	-	.32		5
6	-	.12	-	.03	-	.11	-	-	.08	.22	.28	.63		6
7	-	-	-	-	.40	.48	.04	.34	-	.09	.71	.15		7
8	-	.50	-	.23	-	.46	-	.05	-	-	-	.05		8
9	-	.25	-	-	-	.09	.03	-	-	-	.45	-		9
10	-	-	-	-	.04	.13	.05	.08	.33	-	.80	-		10
11	.25	.50	-	-	-	.23	.24	-	-	-	.41	-		11
12	-	-	-	-	-	-	.14	-	.10	-	-	-		12
13	-	-	-	-	.05	.05	-	.04	-	.03	.17	-		13
14	-	-	-	-	.04	.17	.78	-	.05	-	-	-		14
15	-	-	-	.03	.18	.18	-	.20	-	-	-	.02		15
16	-	.06	-	.04	.16	1.06	-	.04	.15	-	-	-		16
17	.08	.15	-	.07	-	.09	.44	-	.08	-	-	-		17
18	-	-	.04	.04	-	.26	.03	1.62	-	-	.52	-		18
19	.03	.02	.03	.09	-	.03	.09	-	-	-	.37	-		19
20	-	.16	.24	-	-	-	-	.45	-	-	.10	-		20
21	.36	-	-	-	.26	.26	-	-	-	-	-	-		21
22	.50	-	.02	.24	.13	.13	-	-	-	-	-	-		22
23	.33	-	-	-	.96	.96	-	-	-	-	.44	-		23
24	.08	-	-	.07	.22	.22	1.20	.72	-	-	.08	-		24
25	.20	.06	-	.60	-	-	.05	-	-	-	.37	-		25
26	-	.08	-	.36	-	-	.39	-	-	-	.62	-		26
27	.33	.33	-	-	.36	.36	.04	-	-	-	.03	-		27
28	.13	-	-	-	-	-	-	.02	-	-	-	.12		28
29	.03	-	.20	-	-	-	.05	.15	-	.02	.11	-		29
30	-	~~0.01~~	.01	-	.20	-	-	.05	.10	-	-	-		30
31	.75	~~0.01~~	-	~~0.01~~	.10	~~0.01~~	.04	-	~~0.01~~	-	~~0.01~~	.36		31
TOTAL	2.34	1.8	3	2	-	2	2.8	1	1	3	2	1	19	
* Days with .01 in. or more.	3.4	2.78	1.63	2.96	3.39	4.06	4.08	4.08	2.13	4.4	7.13	1.75	37.8	37.94
* Days with .04 in. or more.	12	12	86	12	15	12	15	13	10	3	15	7	119	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at ... SAINT MARY'S ... UPL YME ...

in the County of ... DEVONSHIRE ...

Diameter of Funnel of Gauge ... 5.0 ... in.

Height of top of Gauge above Ground ... 1 ... ft. 0 ... in.

,, Ground ,, Sea Level ... 6.50 ... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.14	.02	-	.04	.13	-	-	-	-		1
2	.06	-	-	.16	.05	-	-	-	-	-	-	.26		2
3	-	-	-	-	-	.64	-	-	.60	-	-	-		3
4	.04	-	-	-	-	.20	-	.07	-	-	.45	-		4
5	.23	-	-	-	-	-	-	-	.21	-	-	-		5
6	.49	-	-	.25	-	-	.07	-	.50	-	-	-		6
7	.05	.04	-	.09	.27	-	-	-	.51	1.41	-	-		7
8	-	-	.66	.03	-	-	-	-	.45	.08	-	-		8
9	.88	-	-	.07	.05	-	-	-	-	.10	-	-		9
10	.32	-	-	.40	-	-	-	-	-	.08	-	-		10
11	.08	-	-	.05	-	-	-	-	-	.16	-	.11		11
12	.66	-	-	-	.46	-	-	-	-	1.57	-	.07		12
13	.09	-	-	.20	-	-	.29	-	-	.69	-	.23		13
14	.30	-	-	.18	.22	-	.19	-	-	.09	1.0	.06		14
15	-	-	-	.21	.25	-	.09	-	-	-	-	.06		15
16	-	-	-	-	-	-	1.0	-	-	-	-	-		16
17	.19	-	-	-	-	-	-	-	-	-	-	-		17
18	-	-	-	-	.50	-	-	-	.26	-	.34	.03		18
19	-	-	-	-	.32	-	-	-	.06	.38	-	-		19
20	.04	-	-	.23	1.41	-	-	-	-	.74	.24	.65		20
21	-	.01	.14	-	-	-	-	.20	-	.15	-	-		21
22	.05	-	-	-	-	-	.03	.05	1.17	.57	.30	.18		22
23	-	-	-	-	.12	-	.27	-	.02	.75	.04	-		23
24	-	-	-	-	-	-	.70	-	.20	.15	-	-		24
25	-	-	.35	.02	-	-	-	-	.11	.20	.08	-		25
26	-	-	-	.04	-	-	.16	-	-	.12	-	-		26
27	-	-	.59	.72	.22	-	.12	-	-	.46	-	.34		27
28	-	-	-	.13	.07	-	.14	-	-	-	-	-		28
29	-	-	.43	.10	.40	1.00	-	.90	.63	.57	.20	.79		29
30	-	X	.03	-	-	1.52	.50	.93	.93	-	1.17	.10		30
31	-	X	.08	X	-	X	.4	-	X	-	X	.30		31
TOTAL	3.45	.05	2.30	3.02	4.36	3.36	3.45	1.35	5.65	6.85	2.92	3.12	Year's Total	39.91
* Days with .01 in. or more.	-	1	-	1	1	+	1	-	1	-	-	1	6	
* Days with .04 in. or more.	14	1	7	15	13	4	12	5	12	18	9	11	121	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SAINT MARYS, UPLYME

in the County of DEVONSHIRE

Diameter of Funnel of Gauge 5.0 in.

Height of top of Gauge above Ground 1.0 ft. 0 in.

,, Ground ,, Sea Level 65.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.10	.48	.11	-	-	-	-	-	-	-	.20	.49		1
2	.22	-	1.14	-	.51	-	-	-	-	-	-	-		2
3	.05	.18	.28	-	.2	.2	-	-	-	-	-	-		3
4	.17	-	-	-	.11	-	-	-	-	-	-	-		4
5	-	.03	.37	-	.20	-	-	-	-	-	.05	-		5
6	-	.58	-	-	-	-	-	-	-	.23	.02	-		6
7	-	.10	-	-	-	-	.10	-	-	.25	-	-		7
8	.07	-	-	-	-	-	.21	-	-	-	-	-		8
9	-	.04	-	-	.63	.55	.27	-	-	.23	-	-		9
10	-	.50	-	-	-	-	.27	-	-	.45	-	-		10
11	.07	-	-	-	-	-	.22	.51	-	-	-	-		11
12	-	-	-	.13	-	-	.28	-	.49	-	-	-		12
13	-	-	-	-	.09	-	.24	-	-	.14	-	-		13
14	-	-	-	-	-	-	.50	-	-	.30	.43	-		14
15	.67	-	-	-	-	-	.30	-	-	.07	-	-		15
16	-	-	1.32	-	-	-	-	-	-	.10	-	-		16
17	-	.52	-	-	-	.15	-	-	.27	-	-	-		17
18	.05	-	.41	-	-	-	-	-	-	-	-	-		18
19	.08	-	.20	-	-	.09	-	-	.05	-	.63	-		19
20	-	-	-	-	-	-	-	.13	-	-	.05	-		20
21	-	-	-	-	-	.41	-	-	-	.07	-	-		21
22	-	-	-	-	.12	.18	-	-	-	-	-	-		22
23	-	.30	-	.45	-	.09	-	-	.96	.30	-	-		23
24	-	.50	-	.80	-	.20	-	-	.04	-	-	-		24
25	-	1.56	-	.36	-	.26	-	-	.19	-	-	-		25
26	-	.29	-	.18	.40	.06	-	-	-	-	-	.26		26
27	-	.03	-	.05	.35	-	-	-	-	.35	-	-		27
28	-	-	-	.30	-	-	.35	-	-	-	-	.36		28
29	.35	-	-	-	-	-	-	-	-	.15	-	.12		29
30	-	~~X~~	.05	-	-	-	.09	-	.24	-	-	.05		30
31	.20	~~X~~	.20	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	.09		31
TOTAL	3.03	5.11	4.88	2.27	2.68	2.01	2.77	.64	2.24	2.64	1.38	1.37	29.62	
* Days with .01 in. or more.	-	2	-	-	-	-	-	-	-	-	1	-	2	
* Days with .04 in. or more.	11	11	9	7	8	10	11	2	7	12	5	6	99	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ...SAINT MARY'S UPLYME...

in the County of ...DEVONSHIRE...

Diameter of Funnel of Gauge...5.0...in.

Height of top of Gauge above Ground...1.0...ft.

,, Ground ,, Sea Level...650...ft.

497879/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	1.3	.10	-	-	-		1
2	.26	-	.11	-	-	-	-	-	1.28	.05	-	1.70		2
3	-	-	-	-	-	-	-	-	-	.60	.08	.22		3
4	.14	-	.40	.07	.21	-	-	-	.46	.36	-	.29		4
5	-	-	-	-	-	-	-	1.53	-	-	.20	.34		5
6	-	-	-	.06	.32	-	-	-	.04	.50	-	.50		6
7	.12	-	-	-	-	-	-	.11	-	.24	-	.62		7
8	-	-	-	-	.27	-	-	-	-	-	.72	.67		8
9	-	-	.23	-	-	-	-	-	-	-	.41	.25		9
10	-	-	.08	.48	-	-	-	.05	-	-	.10	.23		10
11	.77	-	-	.30	-	-	-	-	-	-	-	.80		11
12	-	-	-	-	-	-	-	.65	-	-	-	.21		12
13	.37	-	-	.37	-	-	.03	-	-	-	.12	.36		13
14	.30	-	.38	-	-	-	-	-	-	-	-	.48		14
15	-	-	.06	-	-	-	-	-	-	.35	.16	.34		15
16	.15	-	.31	-	-	-	-	-	-	-	-	.28		16
17	.12	-	.25	-	-	-	-	-	.20	.12	-	.50		17
18	.06	-	.12	.11	-	-	-	-	-	-	-	.28		18
19	-	-	-	.33	-	.35	-	.06	.07	-	-	.2		19
20	-	-	-	.5	-	.28	-	-	-	-	-	-		20
21	-	-	.15	.14	-	-	-	-	-	.59	-	.52		21
22	-	-	-	-	-	-	-	.07	.50	-	-	1.10		22
23	.08	-	.02	.28	-	.59	-	.12	.09	-	-	.38		23
24	-	.24	.08	.4	-	.13	.04	-	.44	.12	-	-		24
25	.33	-	-	.35	-	-	-	-	.27	.27	-	1.27		25
26	-	-	.07	.44	-	.23	-	-	-	-	-	.19		26
27	-	-	-	-	-	.09	-	-	-	-	-	.24		27
28	-	-	-	-	-	-	-	.83	.20	-	-	.95		28
29	-	-	-	.10	-	-	-	-	.24	-	-	.49		29
30	-	~~X~~	-	-	-	-	-	-	.08	-	-	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.11	.12	~~X~~	-	~~X~~	.03		31
TOTAL	2.70	.24	2.26	3.12	.80	1.67	.18	4.84	3.97	3.20	1.79	13.24	Year's Total	38.01
* Days with .01 in. or more.	-	-	1	-	-	-	1	-	-	-	-	1	3	
* Days with .04 in. or more.	11	1	12	14	3	6	1	10	13	10	7	25	113	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SAINT MARY'S UPLYME

in the County of DEVONSHIRE

Diameter of Funnel of Gauge...5.0...in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level ...6.50...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.67	-	-	-	-	-	.15	.61	-	.87		1
2	-	-	-	-	-	.50	-	-	-	-	-	-		2
3	-	-	.12	-	.18	.36	-	-	.26	-	-	-		3
4	-	.28	-	-	-	.49	-	-	.08	-	-	-		4
5	-	.21	-	-	-	.26	-	-	.24	-	.60	.49		5
6	-	-	-	.73	-	1.36	-	-	-	-	-	-		6
7	-	-	-	.43	-	.06	-	-	-	.93	-	-		7
8	-	-	-	.43	-	-	-	-	.39	-	.75	-		8
9	-	-	-	.44	-	.08	-	-	-	.73	-	-		9
10	.09	-	-	.09	-	.05	-	-	-	-	.40	-		10
11	.30	-	-	-	-	.52	-	-	.16	-	-	-		11
12	-	.17	-	-	-	.46	-	-	.16	-	-	-		12
13	-	.12	-	.52	-	.14	-	-	-	-	.73	-		13
14	-	-	-	.25	-	.03	-	-	-	-	1.22	-		14
15	-	.20	-	1.00	.10	-	-	-	.25	-	-	.65		15
16	-	-	-	-	-	.28	-	-	.62	-	1.80	-		16
17	-	-	-	-	.78	.41	-	.23	.04	-	-	-		17
18	-	.14	-	.39	-	-	-	-	.46	-	-	-		18
19	-	-	-	-	.39	.05	.30	-	-	-	-	-		19
20	-	.36	-	.15	-	-	-	-	-	-	.75	.30		20
21	-	.60	.30	-	-	-	-	-	-	-	.25	-		21
22	-	-	-	.12	-	-	-	-	-	-	-	-		22
23	-	-	-	-	-	-	-	.30	-	1.01	-	.75		23
24	-	.46	-	-	-	-	-	.74	.72	-	-	-		24
25	.38	.42	-	-	-	.11	-	-	-	-	-	-		25
26	-	.36	-	-	-	.06	-	.34	-	-	-	.30		26
27	-	.13	-	-	-	-	-	.14	.24	-	-	1.18		27
28	-	-	-	-	-	-	-	-	-	-	-	.45		28
29	-	-	-	-	-	-	-	-	-	-	-	-		29
30	-	~~X~~	-	-	-	-	-	-	1.00	.30	-	1.23		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	1.23	~~X~~	.55		31
TOTAL	.77	3.45	1.09	4.65	14.5	5.22	.30	1.75	4.67	4.8	6.20	5.77	41.23	
* Days with .01 in. or more.	-	-	-	-	-	1	-	-	-	-	-	-	1	
* Days with .04 in. or more.	3	12	3	11	4	16	1	5	14	6	8	10	93	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at St. Mary's, Uplyme

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft.....in.

„ Ground „ Sea Level 65.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.39		.64	.42							1
2		.25					.24					.05		2
3	.56		.65	1.06				.06	.65		.53			3
4							.19		.32			.10		4
5	.75						.34							5
6	.54					.40		.14	.43		.34			6
7							.30							7
8	.51		.90		.10						.45			8
9	.42		.60				.16				.17			9
10	.36						.33		.24					10
11							.70		.14		1.20			11
12	.60				.20						.09	.91		12
13						.31						.43		13
14							.73		.26					14
15							.08		.10		.24	.31		15
16		.31					.57							16
17	.20	.90			.38		.89					.66		17
18		.38	.30		.25		.61					.18		18
19	.75			.53		.50	.18							19
20		.35	.24											20
21				.50										21
22		.58	.41				.42							22
23				.15			.19							23
24			.37				.11			.35				24
25	.86								.19	.50				25
26	.15		.59				.25		.08	.35				26
27	.30		.22				.59			.14	.09			27
28	.66						.19					.42		28
29			1.10			.20						.28		29
30	.36	X									.14		.11	30
31		X	.73	X		X	.07		X	.27	X	.53	41.43	31
TOTAL	8.02	2.77	6.11	2.63	.93	2.05	7.56	1.20	2.41	1.61	3.25	3.89	41.43	
* Days with .01 in. or more.	14	6	11	5	4	5	21	2	9	5	9	10	101	
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) M.O. Williams [P.T.O.]

X M.O. WILLIAMS X (MISS)

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at St. Mary's Lophyme

in the County of Devon

Diameter of Funnel of Gauge 3.25 in. 1.0

Height of top of Gauge above Ground 1.36 in.

Ground Sea Level 640 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.42								1.38		1
2		.73		.29								.24		2
3		.22												3
4	.45	.76	.36											4
5														5
6	.21		.24	.21			.58							6
7		.85					.50					.5		7
8		.70			1.10						.26			8
9				.25	.31				.76					9
10	.53		.80			.34								10
11	.08		.14	.33			.58							11
12	.78				.53		.7		.9			.94		12
13		.50	.28	.48				1.07						13
14	.28						.34		.9					14
15				.70					.16			.22		15
16	.64	.10	.50					.20	.95					16
17			.58						.12		.28			17
18		.05		.20										18
19	.15		.18	.18					.17			1.		19
20	.42				.10							.41		20
21		.69			.34				.68		.64	.12		21
22	.36		.28			.94	.38			1.13	.74			22
23	.16				1.04						.3			23
24	.49								.5	1.53				24
25		.81			.26					.18				25
26		.33	.38						.5					26
27		.50								.48		.11		27
28		.38								.25				28
29										.5				29
30	1.0	X			.21					1.12	.32			30
31	.28	X		X		X		.14	X		X			31 d
TOTAL	4.93	6.72	4.74	3.06	2.89	1.28	2.45	1.41	3.12	5.19	2.64	4.92	43-3	45
* Days with .01 in. or more.	0	0	0	0									0	
* Days with .04 in. or more.	14	13	10	9	8	2	6	3	10	7	6	9	97	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. D. Williams [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1814/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at St. Mary's, Apleyin the County of DevonDiameter of Funnel of Gauge 4 in.Height of top of Gauge above Ground 1 ft. 3 in." Ground " Sea Level 640 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.12	+.11?			.28								1
2										.97		.12		2
3					.23		.15			.68	.21	.26		3
4					.		.19	1.59		.1	.			4
5										.3				5
6						.15	.84		.09	.12	.14	.5		6
7						.11			.09	.05	.5			7
8	.5					.09			.4					8
9												.67		9
10	.26						.49					.36		10
11											.26	.52		11
12	.39				.25					.24	.41			12
13	.23				.1		.99					.82		13
14	.65						.26							14
15					.22						.1	.49		15
16	.38							.12		.33	.42			16
17	.13									.21				17
18					.21				.81					18
19						.14			.59		1.25			19
20									.1		.23			20
21											.32			21
22								.48			.55			22
23														23
24			.4	.08		.16					.42			24
25					.3		.67				1.91	.67		25
26	.43				.5		.13			.25				26
27						.33	.83			.15	.35			27
28								.99	.29		.54			28
29		.11			.85	+			.58					29
30	.48	X				.68			.11		.07			30
31	.19	X		X	.32	X	.4		X	.6	X	.41		31
TOTAL	3.64	(1.23)	+.15?	(.08)	2.98	(1.94)	4.95	3.18	4.28	(2.66)	(4.41)	(7.23)	Year's Total	37.52
* Days with .01 in. or more.	10	1	2	1	8	7	10	4	8	13	16	10	90	
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. Oliver Williams

[P.T.O.]

Section **A** for the entry of D
AIR MINISTRY.

FORM 1090.

Kept at Heathlands, Devon
in the County of Devon
Diameter of Funnel of Gauge 5 1/4
Height of top of Gauge above Ground

Ground Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-.01	tr	.58	-	tr	tr	.08	-	.14	.10	.20	.09		1
2	-	.03	.19	-	-	-	-	-	.11	.30		.10		2
3	-	tr	.04	-	-	tr	-	-	.09	.31	.47			3
4	tr	.26	-	.05	.21	tr	-	-	.01	.04	.11	.19		4
5	-	.25	.02	-	.06	tr	-	-	.17	.38	.02			5
6	-	-	-	-	-	-	-	-	-	.05	.08	.28		6
7	-	-	-	.08	-	-	-	-	-	.31	.07	.05		7
8	-	-	-	-	-	.33	-	-	.30	.03	.36	.02		8
9	-	-	-	.33	-	.43	-	-	.12	.62	.35	-		9
10	.04	-	.20	.04	-	-	-	-	-	tr	-	.04		10
11	.15	-	tr	-	-	.33	-	-	.26	.03	.60	-		11
12	-	.16	-	-	-	.34	-	.03	.03	-	.08	-		12
13	.06	.04	-	-	-	.10	-	-	-	-	.33	-		13
14	-	.16	-	.47	tr	.09	-	-	-	-	1.00	.27		14
15	-	.02	-	-	.13	.15	-	-	1.10	-	-	.07		15
16	-	tr	.09	1.07	-	tr	.02	-	-	.01	1.18	-		16
17	-	tr	-	-	1.10	.33	.22	.14	-	-	.01	-		17
18	-	-	-	.24	tr	tr	.07	tr	.22	.03	.04	-		18
19	-	.03	-	-	.46	.07	-	-	.03	-	.54	-		19
20	-	.25	-	-	-	tr	.06	-	.03	.01	.29	.05		20
21	tr	.55	-	.20	-	tr	.01	-	.06	.08	tr	-		21
22	tr	-	-	.17	-	-	-	-	.03	.03	-	-		22
23	-	.75	.09	.07	.05	tr	-	.55	.23	.48	-	.80		23
24	-	-	-	-	-	-	-	.66	.13	.02	-	-		24
25	tr	.42	-	.09	.07	.07	-	-	-	-	-	.45		25
26	.13	.69	-	-	-	.04	-	.22	.13	-	.01	.85		26
27	-	.11	-	-	-	-	-	.03	.03	.06	.03	.55		27
28	-	.07	-	-	-	-	-	.15	.10	-	.05	.04		28
29	-	-	-	-	.10	-	-	-	.08	tr	.08	.59		29
30	.04	X	-	-	-	.09	-	.60	.06	-	.30	.58		30
31	-	X	-	X	-	X	-	.05	X	.75	X	.30		31
TOTAL	.43	3.79	1.21	3.81	2.26	2.43	.46	2.43	3.46	3.64	6.80	4.47	37.04	
* Days with .01 in. or more.	7	16	8	17	7	11	6	8	25	20	24	20	169+	
* Days with .04 in. or more.	5	13	6	16	7	11	4	6	18	13	22	19	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. J. Patrick [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1814/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Heathland, Ottery St Mary
in the County of Devon

Diameter of Funnel of Gauge 5 1/4 in.

Height of top of Gauge above Ground 16 in.

Ground Sea Level 2300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	tr	.58	—	tr	—	.08	—	.14	.10	.20	.09		1
2	—	.03	.19	—	—	—	—	—	.11	.30	—	.10		2
3	—	tr	.04	—	—	—	tr	—	.09	.31	.47	—		3
4	tr	.26	—	.05	.21	—	—	—	.01	.04	.11	.19		4
5	—	.25	.02	—	.06	—	—	—	.17	.38	.02	—		5
6	—	—	—	—	—	—	—	—	—	.05	.08	.28		6
7	—	—	—	.08	—	—	—	—	—	.31	.07	.05		7
8	—	—	—	—	—	—	—	—	.30	.03	.36	.02		8
9	—	—	—	.33	—	—	—	—	.12	.62	.35	—		9
10	.04	—	.20	.04	—	—	—	—	—	tr	—	.04		10
11	.15	—	tr	—	—	.33	—	—	.26	.03	.60	—		11
12	—	.16	—	—	—	.34	—	.03	.03	—	.08	—		12
13	.06	.04	—	—	—	.10	—	—	—	—	.33	—		13
14	—	.16	—	.47	tr	.09	—	—	—	—	1.00	.27		14
15	—	.02	—	—	.13	.15	—	—	1.10	—	—	.07		15
16	—	tr	.09	1.07	—	tr	.02	—	—	.01	1.18	—		16
17	—	tr	—	—	1.10	.33	.22	.14	—	—	.01	—		17
18	—	—	—	.24	tr	tr	.07	tr	.22	.03	.04	—		18
19	—	.03	—	—	.46	.07	—	—	.03	—	.54	—		19
20	—	.25	—	—	—	tr	.06	—	.03	.01	.29	.05		20
21	tr	.55	—	.20	—	tr	.01	—	.06	.08	tr	—		21
22	tr	—	—	.17	—	—	—	—	.03	.03	—	—		22
23	—	.75	.09	—	.05	tr	—	.55	.23	.48	—	.80		23
24	—	—	—	.07	—	—	—	.66	.13	.02	—	—		24
25	tr	.42	—	.09	.07	.07	—	—	—	—	—	.45		25
26	.13	.69	—	—	—	.04	—	.22	.13	—	.01	.85		26
27	—	.11	—	—	—	—	—	.03	.03	.06	.03	.55		27
28	—	.07	—	—	—	—	—	.15	.10	—	.05	.04		28
29	—	—	—	—	(.10)	—	—	—	.08	tr	.08	.59		29
30	.04	—	—	—	—	.09	—	.60	.06	—	.30	.58		30
31	—	—	—	—	—	—	—	.05	—	.75	—	.30		31
TOTAL	.43	3.79	1.21	3.81	2.25	3.94	.46	2.43	3.46	3.64	6.80	4.47	37.04	
* Days with .01 in. or more.	7	16	8	17	7	11	6	8	25	20	24	20	169	
* Days with .04 in. or more.	5	13	6	16	7	11	4	6	18	13	22	19	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. H. Patrick [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1814/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ottery St Mary (Heathlands)
in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

tions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†
Ther mo 1	.07	.01											1
48 34 2	.01	.34	.20										2
53 43 3	.01	.20		.24									3
50 36 4	.12	.90	.62	tr	.14								4
53 36 5	.15												5
38 28 6	.03	.34	.02	.26									6
53 48 7			.29			.03							7
44 8		.04		.13			.97	.03					8
9	.01			.22	.93		tr	.06					9
45 10	.36	.63	.232	.36	.26	.14	.02						10
57 46 11	.08	tr		.34	.19	.05	.36						11
48 43 12	.67	.29	.02	.18	.05	.29		.27					12
43 39 13	tr	.07	.75	.23				.22					13
41 28 14	tr	.02	.01	.62			1.64	.08					14
40 23 15	.46	.03	.26	.62			.07						15
41 28 16	.10	.14	.46			.04	.21	.15					16
43 17	.98	.07	.67										17
18	.01	.18	.16			.22							18
48 40 19	.14		.09										19
50 20	.53			.14			.09						20
21		.57	.09	.04									21
22		tr	.13				.14						22
23		.48	.01										23
24	.231	.45	.03										24
46 26 25		.97											25
43 33 26	tr	.09			1.11								26
35 28 27	.02	.10	.46										27
33 27 28	.10												28
29	.11												29
50 30	.72												30
33 50 31	.33		.67										31
TOTAL	7.82	6.26	6.65	2.60	2.68	.82	3.45	1.29					Year's Total
* Days with .01 in. or more.	26	22	22	18	9	6+	8+	5					
* Days with .04 in. or more.	20	18	14	13	6	5	7	5					

† Spare column, n

(Signed) entries required.

Section

A

for the entry of Daily Observations.

Station No.

1814/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Great Brank, Ottery St. Mary*

in the County of *Dorset*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level *480* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	DEC.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.24	.03	.13	—	.47	.65	—	—	—	.02	.69	.09	1
2	.7	.7	—	.05	—	.82	.39	.03	.04	—	.10	.10	.04	2
3	.7	—	—	.78	—	.02	.12	.7	~~1.22~~ ~~.48~~	—	.24	.24	—	3
4	.01	—	.13	.02	—	.04	—	—	~~.22~~ ~~.48~~	—	.06	.06	.13	4
5	.61	.04	.02	—	—	.03	.09	—	~~.22~~ ~~.48~~	—	.22	.22	.16	5
6	.11	—	.07	—	—	—	.24	.01	~~.22~~ ~~.48~~	—	.25	.25	.7	6
7	.09	—	.41	—	—	—	.02	—	—	—	.17	.17	.03	7
8	.30	—	.54	—	—	—	.24	—	.7	—	.81	.81	.02	8
9	.58	.38	.14	—	—	.7	.40	—	~~.73~~ ~~.8~~	—	.06	.06	—	9
10	.02	.12	—	—	—	—	.01	—	.7	—	.31	.31	—	10
11	.48	.18	—	—	—	.11	.04	.03	.09	—	.88	—	.08	11
12	.03	—	—	.29	—	.06	.37	—	.38	.03	.18	—	.02	12
13	.7	—	.04	—	—	—	.04	.7	.03	—	.12	—	.62	13
14	—	—	—	—	—	.7	.54	—	.16	.05	—	—	.52	14
15	.03	.04	—	—	.7	—	.04	—	.02	—	.12	—	.19	15
16	—	.23	—	.04	.28	—	.19	—	.7	—	.14	—	.14	16
17	.12	<u>1.28</u>	—	—	.04	—	.58	.7	—	.02	.06	—	.26	17
18	.12	.33	.13	—	—	.36	.32	.02	—	—	—	—	.13	18
19	.76	.03	.15	.11	—	.35	.24	—	—	.7	—	—	—	19
20	—	.35	.14	—	—	—	.7	.01	.28	—	—	—	.02	20
21	.08	.07	.09	.71	—	.7	—	—	.7	—	—	—	—	21
22	.05	.26	.38	—	—	—	.32	—	—	—	—	—	.04	22
23	.32	.07	.04	.22	.01	—	.02	—	—	.10	—	—	—	23
24	.28	.07	.02	.11	.22	—	.40	—	.12	.17	—	—	.7	24
25	.24	—	.38	—	—	—	.36	—	.06	.25	—	—	—	25
26	.39	.05	.26	—	—	—	.36	—	.04	.05	—	—	—	26
27	.32	.03	.06	—	—	—	.14	—	—	.25	—	—	—	27
<u>28</u>	.84	—	.83	.7	—	—	.04	—	—	.03	.02	—	.37	28
29	.02	.06	.01	—	—	.10	—	—	—	.09	.13	—	.14	29
30	.23	~~.7~~	—	—	.09	.05	—	—	—	.18	—	—	—	30
31	.13	~~.7~~	.56	~~.7~~	—	~~.7~~	.07	—	~~.7~~	—	~~.7~~	—	.39	31
TOTAL	6.19	3.78	4.43	2.49	.64	1.91	6.23	.10	3.27	1.22	3.39	3.389	3.389	
* Days with .01 in. or more.	25	18	21	10	5	11	26	5	14	12	18	19	19	
* Days with .04 in. or more.	19	16	17	9	4	9	23	—	12	8	16	15	15	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Ernest L. Cooper* [P.T.O.]

Ernest L. COOPER

37.01
36.90
183
148

1814/8.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Great Brake, Ottery St Mary
In the County of Devon

Rain Gauge { Diameter of Funnel 5 inch in.
Height of Top above Ground 1.10 in.
Height of Ground above Sea Level 4.80 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	0.1 in. or more	0.4 in. or more
JAN.	6.71	1.02	17	3	19
FEB.	6.46	1.27	7	5	15
MAR.	5.50	.84	10	2	18
APRIL	3.61	.66	2	2	13
MAY	2.71	.75	8	1	13
JUNE	.78	1.31	12	2	4
JULY	4.26	1.56	14	3	11
AUG.	1.46	.77	11	3	6
SEPT.	3.48	.82	18	6	11
OCT.	4.36	1.17	24	5	8
NOV.	2.55	.66	23	2	9
DEC.	4.10	.83	20	5	12
TOTAL	45.83		38	138	

Signature

Ernest L. Cooper
17/1/38

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Ernest L. Cooper Great Brake
Ottery St. Mary Devon

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Ottery St. Mary Distance 3 1/2 miles Direction from gauge

Nearest Parish Church at West Hill Distance 1/2 mile Direction from gauge

Nature of objects nearest to gauge Wine Tunnels Boats Surround

Height of objects 9 ft.

Distances 15 ft.

Directions from gauge South

If gauge has been moved during the year state— no

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Daily

M.O. 7

-8 JAN. 1938

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At GREAT BRAKE 61 May St MaryIn the County of Deron

Rain Gauge { Diameter of Funnel.....6.....in.
Height of Top above Ground.....ft. 49.9
Height of Ground above Sea Level.....ft.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Ernest L Cooper
Great Brake 61 May St Mary Deen

Hour of observation by the clock—in Winter..9 A.M. in Summer..9 A.M.

Nearest Railway Station..61 May St Mary Distance..3 miles gauge..N.E.

Nearest Parish Church at..West Hill Distance..3 1/2 miles gauge..N.E.

Nature of objects nearest to gauge House 6 Clear eleven

Height of objects

Distances ... 76 ft.


Directions from gauge ... N.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
3-64 JAN.	3.66	.85	14	-	19
FEB.	.95	.30	25	1	6
MAR.	.18	.15	24	1	1
APRIL	.18	.11	22	-	2
MAY	2.89	.42	29	1	16
JUNE	2.47	.97	30	1	11
JULY	3.91	1.28	6	-	14
AUG.	4.23	1.65	4	3	9
SEPT.	1.71	.49	18	3	8
OCT.	3.20	.53	5	4	14
NOV.	6.45	.91	25	2	19
DEC.	3.05	.53	9	3	15
TOTAL	31.86			153	134

Signature

Ernest L Cooper

M.O. 7

- 3 JAN. 1939

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 668/91

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station,

1814/8

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1937.

At GREAT BRAKE
OTTERY ST. MARY'S
In the County of DEVON

Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.....ft. — in.
Height of Ground above Sea Level.....475.....ft.

Hour of observation by the clock—in Winter.....9.15 A.M. Summer.....delto

Nearest Railway Station.....Ottery St Mary Distance.....3 miles Direction from gauge.....

Nearest Parish Church at.....West Hill Distance.....3 1/4 miles Direction from gauge.....

Nature of objects nearest to gauge.....Wine Tennis Ground

Height of objects.....9 ft

Distances ... 12 "


Directions from gauge ... South

If gauge has been moved during the year state— NO

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	Number of Days with
	Inches	Inches	* .01 in.	* .04 in.
JAN.	<u>6.54</u>	<u>1.02</u>	<u>17</u>	<u>16</u>
FEB.	<u>1.75</u>	<u>.41</u>	<u>26</u>	<u>14</u>
MAR.	<u>1.40</u>	<u>.55</u>	<u>4</u>	<u>13</u>
APRIL	<u>2.32</u>	<u>.55</u>	<u>8</u>	<u>15</u>
MAY	<u>.86</u>	<u>.41</u>	<u>4</u>	<u>6</u>
JUNE	<u>2.39</u>	<u>.62</u>	<u>15</u>	<u>15</u>
JULY	<u>6.56</u>	<u>1.43</u>	<u>18</u>	<u>21</u>
AUG.	<u>3.03</u>	<u>1.11</u>	<u>20</u>	<u>16</u>
SEPT.	<u>1.19</u>	<u>.88</u>	<u>20</u>	<u>6</u>
OCT.	<u>5.28</u>	<u>1.26</u>	<u>8</u>	<u>16</u>
NOV.	<u>6.88</u>	<u>.96</u>	<u>5</u>	<u>22</u>
DEC.	<u>1.67</u>	<u>.34</u>	<u>7</u>	<u>12</u>
TOTAL	<u>39.87</u>		<u>175</u>	<u>152</u>

Signature Ernest L. Cooper

M.O. 7
-5 JAN. 1940

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

Section

A

for the entry of Daily Observations

Station No. 1814/S

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Great Brake West Hall, Ottery St Mary
in the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground...1 ft. in.

Ground Sea Level 475 ft. after

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.02	—	—	—	—	—	—	—	—	.30	—		1
2	—	—	—	.10	.04	—	.04	—	—	—	.61	.06		2
3	Tr.	.00	—	Tr.	—	—	—	—	—	.20	.71	.15		3
4	—	.23	—	.03	—	—	—	—	—	.15	.43	.01		4
5	.04	Tr.	—	—	—	—	Tr.	—	—	.01	.53	.07		5
6	.36	.75	—	—	—	—	—	—	—	.08	.04	.30		6
7	.05	—	—	—	—	—	.03	—	—	Tr.	Tr.	.07		7
8	Tr.	—	—	—	—	—	—	—	—	.65	.29	.30		8
9	—	—	—	—	—	—	.75	—	.03	.02	.75	.13		9
10	—	—	—	—	—	—	.15	.05	.05	.07	.14	.38		10
11	—	—	—	Tr.	—	1.13	.15	—	—	—	.46	.03		11
12	—	Tr.	.13	.04	—	—	.13	—	.68	—	.14	—		12
13	—	—	.30	—	—	—	—	—	.09	.84	.08	.31		13
14	—	.06	.11	—	.51	—	.03	—	.20	.49	Tr.	.57		14
15	.03	.08	—	.10	.12	Tr.	.24	—	.08	.18	.42	.03		15
16	—	.94	.57	.14	—	—	.09	—	.07	.44	.21	.02		16
17	—	.06	.48	.26	—	—	.13	—	—	—	.04	Tr.		17
18	.14	.34	.29	.02	—	—	.04	.02	.02	.05	.01	.04		18
19	—	.05	.09	.85	—	—	.05	—	.35	Tr.	.10	—		19
20	—	Tr.	Tr.	.15	—	—	—	—	.02	.11	.03	—		20
21	—	Tr.	—	.01	.20	.01	—	.04	Tr.	—	.42	—		21
22	—	Tr.	.12	—	—	.60	—	—	.14	.04	Tr.	—		22
23	—	.07	.16	.15	.02	—	—	—	—	—	.01	—		23
24	.04	—	—	.04	.03	—	—	—	—	—	—	—		24
25	.13	—	—	—	.04	.03	—	—	—	—	Tr.	—		25
26	.74	.59	—	Tr.	.52	Tr.	.05	—	—	—	—	—		26
27	.32	.13	—	—	.34	—	.03	—	—	—	—	Tr.		27
28	.23	—	—	.05	.03	—	—	—	—	—	—	Tr.		28
29	.11	.14	.10	.07	—	.11	—	—	—	.05	—	.24		29
30	—	X	.01	.07	—	—	—	—	—	.39	—	.14		30
31	.07	X	Tr.	X	—	X	—	—	X	.79	X	.44		31
TOTAL	2.26	4.39	2.34	3.08	1.85	1.88	1.91	0.11	1.73	4.65	6.32	3.29	33.81	Year's Total
* Days with .01 in. or more.	12X	214	X11	315	310	25	314	X3	311	217	320	418	150	
* Days with .04 in. or more.	11	12	10	12	7	3	11	2	8	15	17	14	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

M. R. E. Cooper

1815.

OTTERY ST MARY

BROAD OAK

1931-40

780309

ED TO THE PREVIOUS DAY.

reading made on January 1st of the following

year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.01	Trace	.60	.05	.03	.06	—	.42	.02	—	Trace	I
2	.20	.02	.02	.66	Trace	Trace	—	Trace	.18	Trace	.17	.11	2
3	.08	—	.82	Trace	—	—	.06	—	.23	—	1.82	.02	3
4	Trace	—	.16	—	.07	.51	.26	.35	.07	.02	.24	—	4
5	^{7.09} .07	.34	.05	.03	.01	.69	.03	.56	Trace	Trace	.10	.18	5
6	^{7.09} .01	.18	—	.02	.05	.17	.04	—	.01	.17	.15	.59	6
7	—	.02	—	—	.33	.22	^{Half} .51	.20	—	.14	.63	.09	7
8	^{Sheet} Trace	.35	Trace	.34	^{Met} Trace	.49	.01	.07	—	.01	.12	.08	8
9	.02	.10	^{snow} Trace	—	—	.05	.06	—	—	—	.54	Trace	9
10	Trace	.04	^{snow} Trace	.01	.09	.12	Trace	.04	.11	—	.66	Trace	10
11	.14	.35	—	^{7.09} Trace	Trace	.21	.10	Trace	.10	—	.28	—	11
12	.15	.07	Trace	—	Trace	—	.14	Trace	.02	.12	Trace	—	12
13	Trace	.05	Trace	—	.07	Trace	.31	.21	—	.02	—	—	13
14	.03	.04	^{7.09} Trace	—	.01	.25	.83	.07	.06	—	.47	—	14
15	.01	.06	—	.02	.16	Trace	—	.37	Trace	—	Trace	^{7.09} .01	15
16	Trace	.13	—	.06	.20	.52	Trace	.05	.08	—	—	Trace	16
17	Trace	^{snow} .09	—	.05	Trace	—	.41	Trace	Trace	—	Trace	—	17
18	.05	—	Trace	.14	—	.08	.02	1.17	—	—	.28	—	18
19	.05	.08	.06	^{snow} .13	—	.05	.05	.11	.04	—	.24	—	19
20	Trace	.09	.36	Trace	.22	—	—	.29	—	Trace	.17	^{7.09} Trace	20
21	.27	.08	.02	—	—	—	—	Trace	—	Trace	Trace	—	21
22	.27	.01	Trace	.07	.17	—	—	—	—	—	Trace	—	22
23	.37	.06	—	.21	.72	—	.02	.04	—	—	.39	—	23
24	.12	—	Trace	.55	.12	—	.75	.57	—	—	.04	^{7.09} Trace	24
25	.26	Trace	—	.36	.02	—	.17	—	—	—	.39	^{7.09} Trace	25
26	Trace	.04	—	.21	—	—	.20	—	—	—	.63	.01	26
27	.16	.18	—	Trace	.71	—	.10	—	—	.01	.14	Trace	27
28	.06	^{snow} .18	.06	.03	.02	Trace	—	.01	—	.01	Trace	.14	28
29	.02	X	.16	—	.08	—	.04	.15	Trace	.03	.09	^{snow} .12	29
30	.03	X	—	—	.06	—	Trace	—	.05	.01	—	—	30
31	.72	X	.08	X	.09	X	.01	—	X	Trace	X	.41	31
TOTAL	2.97	2.57	1.79	3.49	3.25	3.39	4.18	4.26	1.37	.56	7.55	1.76	37.14
*Days with or in. or more.	21	23	10	17	20	13	22	16	12	11	20	11	196
*Days with .04 in. or more.	14	19	8	12	16	12	17	15	10	3	20	8	154

40-9999

*See Instruction 2 (f) on other side.

(Signed) Edith Dorothy Tallant [P.T.O.]

REGISTER OF RAINFALL IN 1931.

Kept at Little Mead, OTTERY ST. MARY.
in the County of DEVON.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 1/2 in.
,, Ground ,, Sea Level 150 ft.

Station No. 1815.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.01	Trace	.60	.05	.03	.06	—	.42	.02	—	Trace	I
2	.20	.02	.02	.66	Trace	Trace	—	Trace	.18	Trace	.17	.11	2
3	.08	—	.82	Trace	—	—	.06	—	.23	—	1.82	.02	3
4	Trace	—	.16	—	.07	.51	.26	.35	.07	.02	.24	—	4
5	^{7.09}	.34	.05	.03	.01	.69	.03	.56	Trace	Trace	.10	.18	5
6	^{7.09} .01	.18	—	.02	.05	.17	.04	—	.01	.17	.15	.59	6
7	—	.02	—	—	.33	.22	^{Hail} .51	.20	—	.14	.63	.09	7
8	^{Start} Trace	.35	Trace	.34	^{Mist} Trace	.49	.01	.07	—	.01	.12	.08	8
9	.02	.10	^{snow} Trace	—	—	.05	.06	—	—	—	.54	Trace	9
10	Trace	.04	^{snow} Trace	.01	.09	.12	Trace	.04	.11	—	.66	Trace	10
II	.14	.35	—	^{7.09} Trace	Trace	.21	.10	Trace	.10	—	.28	—	II
12	.15	.07	Trace	—	Trace	—	.14	Trace	.02	.12	Trace	—	12
13	Trace	.05	Trace	—	.07	Trace	.31	.21	—	.02	—	—	13
14	.03	.04	^{7.09} Trace	—	.01	.25	.83	.07	.06	—	.47	—	14
15	.01	.06	—	.02	.16	Trace	—	.37	Trace	—	Trace	^{7.09} .01	15
16	Trace	.13	—	.06	.20	.52	Trace	.05	.08	—	—	Trace	16
17	Trace	^{snow} .09	—	.05	Trace	—	.41	Trace	Trace	—	Trace	—	17
18	.05	—	Trace	.14	—	.08	.02	1.17	—	—	.28	—	18
19	.05	.08	.06	^{snow} .13	—	.05	.05	.11	.04	—	.24	—	19
20	Trace	.09	.36	Trace	.22	—	—	.29	—	Trace	.17	^{7.09} Trace	20
21	.27	.08	.02	—	—	—	—	Trace	—	Trace	Trace	—	21
22	.27	.01	Trace	.07	.17	—	—	—	—	—	Trace	—	22
23	.37	.06	—	.21	.72	—	.02	.04	—	—	.39	—	23
24	.12	—	Trace	.55	.12	—	.75	.57	—	—	.04	^{7.09} Trace	24
25	.26	Trace	—	.36	.02	—	.17	—	—	—	.39	^{7.09} Trace	25
26	Trace	.04	—	.21	—	—	.20	—	—	—	.63	.01	26
27	.16	.18	—	Trace	.71	—	.10	—	—	.01	.14	Trace	27
28	.06	^{snow} .18	.06	.03	.02	Trace	—	.01	—	.01	Trace	.14	28
29	.02	X	.16	—	.08	—	.04	.15	Trace	.03	.09	^{snow} .12	29
30	.03	X	—	—	.06	—	Trace	—	.05	.01	—	—	30
31	.72	X	.08	X	.09	X	.01	—	X	Trace	X	.41	31
TOTAL	2.97	2.57	1.79	3.49	3.25	3.39	4.18	4.26	1.37	.56	7.55	1.76	YEAR'S TOTAL 37.14.
*Days with or in. or more.	21	23	10	17	20	13	22	16	12	11	20	11	196.
*Days with or in. or more.	14	19	8	12	16	12	17	15	10	3	20	8	154

Section



for the entry of Daily Observations.

Station No. 1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. File no. 2346/30.

Kept at Little Mead. OTTERY ST. MARY.

in the County of DEVON.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 1/2 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	—	—	.10	.02	Trace	.01	.20	Trace	Trace	.04	.01	1
2	Trace	—	Trace	.26	Trace	—	.03	.02	.21	Trace	.06	.30	2
3	Trace	—	.01	—	Trace	.51	.10	—	.32	.01	.03	.06	3
4	.05	—	—	—	—	.23	.02	.20	Trace	—	.24	—	4
5	.10	—	.03	—	—	—	Trace	—	.17	—	—	—	5
6	.31	—	Trace	.26	Trace	—	.10	—	.24	Trace	—	—	6
7	.08	—	.05	.08	^{hail or rain} .21	—	.06	^{hail or rain} Trace	.88	1.15	—	—	7
8	.01	—	.57	Trace	^{snow or rain} .21	—	Trace	Trace	.15	.09	—	—	8
9	1.44	^{snow} Trace	—	.13	Trace	—	—	^{hail or rain} Trace	Trace	.03	—	—	9
10	.58	—	—	.17	.02	.03	—	^{hail or rain} Trace	Trace	.19	Trace	—	10
11	Trace	—	—	.08	.07	—	—	—	.01	.50	—	.07	11
12	.53	^{snow} Trace	—	Trace	.32	—	.04	—	.03	.21	Trace	.02	12
13	.10	^{snow} Trace	—	.25	.06	Trace	.30	.59	Trace	.85	Trace	.45	13
14	.37	—	—	^{hail or rain} .33	^{hail or rain} .10	—	—	—	—	.02	.03	.01	14
15	Trace	—	—	.11	^{hail or rain} .15	Trace	.05	—	^{hail or rain} Trace	.04	.01	.05	15
16	.26	—	—	.04	^{hail or rain} Trace	—	1.06	^{hail or rain} Trace	^{hail or rain} Trace	Trace	—	Trace	16
17	Trace	—	—	Trace	.03	—	Trace	^{hail or rain} Trace	.03	.03	—	—	17
18	Trace	—	—	—	.34	—	—	^{hail or rain} Trace	.20	Trace	.20	Trace	18
19	.20	—	—	Trace	.31	—	—	—	.06	.42	^{hail or rain} Trace	^{hail or rain} Trace	19
20	.01	^{sleet} Trace	Trace	Trace	1.21	Trace	—	.02	.03	.49	.27	.34	20
21	^{hail or rain} .01	—	.10	.31	—	—	—	.12	.10	.26	.08	.13	21
22	Trace	—	.01	Trace	.02	—	.03	Trace	.36	.45	.19	.01	22
23	—	.02	—	—	Trace	—	.19	—	.04	.43	.05	.21	23
24	—	Trace	—	—	Trace	Trace	1.00	—	.18	.21	.03	^{hail or rain} .01	24
25	—	—	.64	Trace	Trace	—	.11	—	.05	.19	.05	^{hail or rain} .02	25
26	—	—	.12	.05	Trace	—	.22	—	Trace	.14	.04	^{hail or rain} Trace	26
27	—	^{snow} Trace	.52	.80	.16	—	.15	—	—	.26	.01	.10	27
28	—	—	.07	.03	.45	Trace	.02	Trace	—	—	—	.20	28
29	—	—	.55	.15	.35	.54	Trace	.68	.63	.43	.05	.65	29
30	.01	X	.02	.07	.01	2.16	.36	—	.81	.07	1.16	.01	30
31	—	X	.07	X	.10	X	.20	—	X	.01	X	.82	31
TOTAL	4.09	.02	2.76	3.22	4.23	3.47	4.05	1.83	4.50	6.48	2.54	3.47	YEAR'S TOTAL 40.66
*Days with ".01 in. or more.	16	1	13	17	19	5	19	7	19	23	17	19	175
*Days with ".04 in. or more.	11	—	9	16	14	4	14	5	15	18	12	12	130

40-9999

*See Instruction 2 (f) on other side,

(Signed) Edith Dorothy Tallant P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1815
1915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. File no. 2346/30.

Kept at Little Mead. OTTERY ST. MARY.

in the County of Devon.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 1/2 in.

Ground Sea Level 3.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	.32	.17	—	.05	.09	—	—	.03	—	.12	1.75 ^{show}		1
2	.82	.01	.79	—	.65	.27	—	—	—	—	Trace	.03		2
3	.08	.10	.29	—	.03	Trace	—	—	—	—	—	—		3
4	.34	Trace	.02	—	.08	—	—	—	—	—	—	—		4
5	.02	.01	.41	Trace ^{fog}	.05	—	—	—	—	.02	Trace ^{mist}	.01		5
6	.01	.62	Trace	Trace ^{fog}	.10	—	.21	—	Trace	.09	—	Trace		6
7	.01	.23	.04	Trace ^{fog}	.03	—	.03	—	—	.30	—	.01		7
8	.03	.02	.02	—	.14	—	.04	Trace	—	.02	Trace	—		8
9	—	.10	—	—	.35	Trace	.14	Trace	—	.12	.04	—		9
10	Trace	.14	—	—	Trace	—	.45	.01	—	.62	Trace	—		10
11	.14	.01	—	Trace	Trace	.70	.03	.25	Trace	.01	—	—		11
12	—	—	—	.20	.07	.06	.25	Trace	.52	Trace	Trace	.01 ^{snow}		12
13	.01	—	—	Trace	.04	.03	.12	.21	—	.15	.04	—		13
14	.07	—	—	—	—	—	.40	.08	—	.12	.35	—		14
15	.53	—	.28	—	—	.02	.43	.01	Trace ^{dew}	.06	.04	—		15
16	—	.02	.98	—	—	.04	—	.01	.01	.14	.01	Trace		16
17	^{snow} .03	^{snow} .07	.25	—	—	.04	Trace	.01	.13	—	—	—		17
18	.07	^{snow} .01	.24	—	—	.14	^{snow mist} .01	—	Trace	—	.01	—		18
19	^{snow} .15	^{snow} Trace	.18	Trace ^{snow}	—	.03	Trace ^{snow mist}	.02	.03	—	.44	.02		19
20	—	.06	.01	Trace	Trace	.39	—	.01	.03	—	.03	^{fog} .02		20
21	—	^{snow} Trace	—	—	.01	.08	—	.04	Trace	.02	Trace	^{fog} .01		21
22	—	—	—	.11	.02	.06	—	.35	.43	.01	.02	—		22
23	—	^{snow in rain} 1.05	—	.33	Trace	.19	—	Trace	.34	.24	—	—		23
24	—	^{snow grad} .64	—	.19	.01	Trace	.01	.01	.14	.03	—	—		24
25	—	1.16	—	.32	Trace	.57	Trace ^{mist}	—	.05	Trace	—	.16		25
26	—	.54	—	.40	.20	.14	—	—	.15	.02	—	^{fog} .82		26
27	—	.03	—	Trace	Trace	Trace	Trace	—	.02	.25 ^{sleet}	.03	.75		27
28	Trace	.02	—	.48	.40	—	.24	—	Trace	.22	—	.06		28
29	.07	X	.01	.01	Trace	—	.03	Trace	.01	Trace	—	.05		29
30	.03	X	.18	—	—	—	.02	—	.29	—	—	.04		30
31	.05	X	.11	X	.01	X	Trace	—	X	.02	X	^{mist} Trace		31
TOTAL	2.93	5.16	3.98	2.04	2.24	2.85	2.41	1.01	2.18	2.46	1.13	2.91	31.30	Year's total
*Days with .01 in. or more.	18	20	16	8	17	16	15	12	14	19	11	14	180	
*Days with .04 in. or more.	11	12	12	7	11	13	9	5	8	11	6	6	111	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Edith Dorothy Tallant

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. File no.

Kept at Little Mead, OTTERY ST. MARY.

2346/30

in the County of DEVON.

Diameter of Funnel of Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 2 1/2 ins.
Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	T ₂ fog	—	—	.05	—	1.28	.19	T ₂	.15	.62		1
2	.07	—	.10	—	—	—	—	T ₂	.92	.01	.14	.30		2
3	.02	T ₂	—	T ₂	—	—	—	.42	—	.43	—	.41		3
4	.06	—	.18	.06	.30	—	—	.06	.17	.06	—	.47		4
5	.01	—	.15	T ₂	.22	.10	—	1.06	—	.29	.05	.53		5
6	.03	T ₂	.31	.03	.53	—	—	—	.02	.45	.02	.42		6
7	.04	T ₂	—	—	T ₂	—	—	.13	—	.10	.02	.94		7
8	—	T ₂	T ₂	—	.14	T ₂	—	.02	.01	T ₂	.39	.35		8
9	.03	T ₂	.41	.01	—	—	—	T ₂	T ₂ Dew	.03	.39	.16		9
10	.25	T ₂	.32	.38	—	—	—	.11	T ₂	T ₂	.12	.07		10
11	.55	T ₂ fog	.08	.52	T ₂ Dew	—	T ₂	.06	T ₂ Dew	—	—	1.08		11
12	.09	T ₂ fog	.04	—	T ₂ Dew	—	T ₂	.38	—	—	—	.11		12
13	.55	—	—	.62	—	T ₂	—	—	—	T ₂	.01	.66		13
14	.26	—	.46	.04	—	—	T ₂	T ₂ Dew	T ₂ Dew	T ₂	.10	.50		14
15	.05	T ₂ fog	.09	T ₂ fog	.17	T ₂ fog	.01	—	T ₂	.25	.09	.41		15
16	.03	T ₂ fog	.28	T ₂	.02	T ₂	—	—	.09	.01	T ₂	.27		16
17	.08	—	T ₂	.18	.04	—	T ₂	—	.04	.14	—	.53		17
18	.06	T ₂ fog	.29	.64	—	T ₂	—	T ₂	.28	.01	—	.18		18
19	—	.01	.17	.04	.01	.04	—	.03	.07	T ₂	—	.14		19
20	.01	T ₂	.15	.12	T ₂	T ₂	.17	—	.03	.02	—	—		20
21	—	—	.10	T ₂	.01	.20	T ₂	.06	.01	.41	—	.82		21
22	.01	—	.11	—	T ₂	.01	.68	.23	.38	T ₂ Dew	T ₂	1.24		22
23	.17	.01	.02	.19	—	1.07	.02	—	.41	.08	—	.48		23
24	—	.12	.04	.05	—	.21	.08	T ₂	.03	.17	T ₂	.05		24
25	.27	.02	—	.25	—	.06	T ₂	—	—	.38	—	1.11		25
26	T ₂	T ₂ snow	.05	.10	—	.20	.02	—	.12	—	.04	.08		26
27	—	—	—	.01	—	.01	T ₂	.03	.07	.03	.01	.36		27
28	—	—	—	.19	—	.03	—	.46	.23	.05	T ₂	1.10		28
29	—	X	—	T ₂	—	—	T ₂	.03	.06	.05	T ₂	.05		29
30	.02	X	—	—	—	—	.08	.13	.09	.06	.01	.25		30
31	—	X	—	X	.01	X	.06	.04	X	.04	X	.08		31
TOTAL	2.72	.18	3.35	3.43	1.45	1.98	1.12	4.53	3.22	3.07	1.54	13.77	40.36	his
* Days with .01 in. or more.	22	6	19	17	10	11	8	17	19	21	14	30	194	
* Days with .04 in. or more.	14	1	18	14	6	8	5	13	14	15	9	30	147	

Section



for the entry of Daily Observations.

Station No. 1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Little Mead, Ottery St. Mary.
in the County of Devon.

File no. 2346/30.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2½ in.
Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.02	.55	—	T ₂	.40	.08	—	.14	.12	.10	.15		1
2	—	.06	.08	—	—	.12	T ₂	—	.10	.28	.21	.12		2
3	T ₂	.02	.17	T ₂	.21	.20	T ₂	—	.09	.36	.25	T ₂		3
4	T ₂	.31	T ₂	.10	.05	.58	T ₂	T ₂	.02	.04	.13	.18		4
5	T ₂	.28	.02	.03	—	.13	—	—	.18	.39	.03	.03		5
6	T ₂	.01	T ₂	.42	—	.80	—	—	—	.03	.09	.25		6
7	—	—	—	.34	—	.02	—	—	—	.28	.03	.05		7
8	—	—	—	.29	—	.01	—	—	.29	.02	.37	.03		8
9	—	—	T ₂	.41	T ₂	.15	T ₂	T ₂	.17	.69	.37	—		9
10	.03	—	T ₂	.04	—	.05	T ₂	—	T ₂	T ₂	T ₂	.03		10
11	.24	T ₂	.02	T ₂	—	.28	T ₂	T ₂	.26	.04	.61	.02		11
12	.03	.05	—	—	—	.33	T ₂	.03	.04	T ₂	.07	—		12
13	.05	.15	—	.27	T ₂	.10	—	—	.01	T ₂	.30	—		13
14	T ₂	.09	—	.30	T ₂	.07	—	—	.21	T ₂	.97	.32		14
15	—	.08	—	1.06	.10	.17	—	—	.05	T ₂	.12	.09		15
16	—	.03	.08	.14	—	.05	.02	T ₂	.61	.01	.99	T ₂		16
17	—	.02	T ₂	.04	.14	.35	—	.13	.03	—	.01	—		17
18	—	.04	—	.26	.01	T ₂	.15	T ₂	.22	.02	.58	.16		18
19	—	.04	—	.05	.30	.07	.14	T ₂	.03	.11	.29	—		19
20	—	.31	—	.26	.09	T ₂	.05	—	.02	T ₂	T ₂	—		20
21	T ₂	.56	T ₂	.05	—	T ₂	.01	T ₂	.08	.07	—	T ₂		21
22	—	.02	.02	.19	—	—	—	T ₂	.04	.03	—	.01		22
23	T ₂	.03	.08	.07	.05	—	—	.52	.16	.46	—	.57		23
24	T ₂	.67	T ₂	T ₂	.07	T ₂	—	.66	.16	.02	—	.36		24
25	.25	.50	—	.09	.03	.08	—	—	—	—	—	.26		25
26	.02	.69	T ₂	—	T ₂	.05	—	.21	.13	T ₂	.03	.85		26
27	—	.11	.01	—	—	—	T ₂	.07	.03	.10	.03	.58		27
28	—	.07	T ₂	T ₂	.07	—	—	.18	.16	.10	.05	.03		28
29	T ₂	X	—	—	T ₂	—	—	—	.10	T ₂	.11	.57		29
30	.05	X	—	T ₂	T ₂	.09	—	.61	.05	.05	.35	.58		30
31	—	X	—	X	.01	X	—	.05	X	.72	X	.30		31
TOTAL	.70	4.16	1.14	4.41	2.13	4.10	.45	2.46	3.38	3.94	6.18	5.57	38.56	
* Days with .01 in. or more.	8	23	10	19	12	21	6	9	26	21	23	22	200	
* Days with .04 in. or more.	4	16	6	18	9	19	4	8	20	15	18	16	153	

Section

A

for the entry of Daily Observations

Station No. 1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Little Mead, Broad Oak
in the County of DEVON OTTERY ST. MARY.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft. 2½.....in.

,, Ground ,, Sea Level 300.....ft.

File No. 2346/30.

Ann. total con. for ant.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.15	.03	.21	—	.57	.69	.02	T ₂	—	.02	.08		1
2	T ₂	T ₂	—	.04	—	.29	.41	.01	.37	—	.08	.03		2
3	.02	—	—	.67	—	.03	.13	T ₂	.94	—	.23	T ₂		3
4	T ₂	—	.15	.01	—	.04	T ₂	T ₂	.45	—	.10	.10		4
5	.53	.03	.01	—	—	—	.10	T ₂	.21	—	.04	.14		5
6	.11	—	.10	—	T ₂ ^M	.02	.25	.01	.35	—	.24	T ₂		6
7	.87	—	.43	—	—	—	.02	—	T ₂	—	.19	.03		7
8	.38	—	.54	—	—	—	.26	T ₂ ^P	TOT	—	.30	.02		8
9	.57	.41	.09	—	—	T ₂	.46	T ₂ ^P	.11	T ₂	.05	—		9
10	.01	.32	.22	—	—	—	.01	T ₂	.01	T ₂	.35	—		10
11	.38	.04	—	—	T ₂	.11	.04	.03	.08	—	.84	.13		11
12	.02	—	—	.21	T ₂	.04	.34	T ₂	.39	.02	.11	T ₂		12
13	.05	T ₂	.02	T ₂	—	T ₂	.05	T ₂	.04	.03	.12	.69		13
14	—	.03	—	T ₂	—	.01	.48	T ₂	.23	.05	T ₂	.54		14
15	.03	.02	—	T ₂	T ₂	T ₂	.24	—	.03	—	.11	.27		15
16	T ₂	.25	—	T ₂	.27	—	.17	—	T ₂	—	.13	.18		16
17	.09	.21	—	T ₂	.05	—	.64	—	—	.03	.04	.33		17
18	.13	.32	.14	—	—	.37	.40	T ₂	—	.01	—	.11		18
19	.80	.05	.17	.10	—	.32	.21	.02	—	T ₂	—	—		19
20	.05	.34	.18	.08	—	.03	.02	.02	.27	T ₂	—	.03		20
21	.01	.11	.05	.72	—	.10	.02	T ₂ ^P	.01	T ₂	—	T ₂		21
22	.10	.30	.40	—	—	—	.40	—	.01	T ₂	—	.03		22
23	.03	.06	.04	.26	.02	—	.05	T ₂ ^M	T ₂	.10	T ₂	T ₂ ^M		23
24	.36	.09	.03	T ₂	.21	—	.63	T ₂ ^P	.24	.16	T ₂ ^M	.01		24
25	.30	—	.37	.12	—	—	.28	T ₂ ^P	.07	.28	T ₂ ^M	—		25
26	.24	.06	.30	.01	—	—	.35	T ₂ ^P	.05	.09	T ₂ ^M	—		26
27	.33	.04	.06	—	—	—	.12	T ₂ ^P	.02	.23	T ₂ ^M	—		27
28	.88	.01	.87	.02	—	.01	.03	T ₂ ^P	—	.03	—	.37		28
29	.02	.06	.02	—	—	.04	T ₂	T ₂ ^P	—	.11	.14	.10		29
30	.23	×	T ₂	×	.07	.08	.02	T ₂ ^P	—	.14	T ₂	.01		30
31	.10	×	.54	×	.07	×	.05	T ₂ ^P	×	T ₂	×	.42	38.32	31
TOTAL	5.79	3.90	4.54	2.45	.69	2.06	6.87	.11	3.92	1.28	3.09	3.62	39.33	✓
* Days with .01 in. or more.	27	20	21	12	6	15	29	6	20	13	17	20	206	✓
* Days with .04 in. or more.	19	16	16	9	5	10	23	—	14	8	16	13	149	✓

† Spare column, no entries required.

(Signed) Edith Dorothy Gallant P.T.O.

* See Instruction 3 (f) on other side.

M. Mist. S. Snow. H. Hail. D. Dew.

Section



for the entry of Daily Observations

Station No. 1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Little Mead, Broad Oak
in the County of Devon Ottery St. Mary

File no. 2346/30

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft. 2.....in.

,, Ground ,, Sea Level 300.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.01	—	.71	—	—	T ₂	T ₂ ^P	.16	.01	.03	.78		1
2	.02	.35	.05	.28	—	—	—	T ₂ ^P	.08	—	T ₂ ^M	.05		2
3	.01	.37 ^{sn}	.13	.08	.07	—	.04	T ₂ ^P	.03	T ₂ ^P	T ₂ ^M	T ₂		3
4	.13	.99 ^{sn}	T ₂	—	.05	T ₂	—	.01	T ₂ ^M	—	—	.44		4
5	.18	—	.04	.02	T ₂	T ₂	.75	T ₂ ^P	T ₂ ^M	—	—	.15	slight rain	5
6	.04	.57	.31	.25	.01	T ₂	.05	—	T ₂	T ₂	T ₂	T ₂ ^P		6
7	—	.76	.01	.14	T ₂	.05	—	—	T ₂	T ₂	.02	.25 ^{sn}		7
8	—	.05	—	T ₂	.94	—	.08	—	—	—	.15	.04 ^{sn}		8
9	.02	T ₂	.13 ^{sn}	.24	.03	—	.03	.03	.71	T ₂	—	.08 ^{sn}		9
10	.38	.02	.95	.56	.19	.12	.02	.07	—	—	—	.11		10
11	.04	—	.25	.20	.25	.05	.42	T ₂ ^M	T ₂ ^P	—	—	.02		11
12	.86	.29	.05	.14	.03	.28	.11	.76	.11	—	—	.62		12
13	.01	.04 ^{sn}	.81	.21	T ₂	.02	T ₂	.20	.12	—	—	.01		13
14	—	.02 ^{sn}	.15	.09	T ₂	—	1.84	.16	.01	T ₂	—	.06		14
15	.48	.07	.22	.59	—	—	.27	.02	.37	—	—	.28 ^{sn}		15
16	.07 ^{h.r.}	.09	.46	.02	—	.01	.03	.15	.36	—	.21	—		16
17	.97	.06	.62	—	—	—	.01	.02	.07	T ₂ ^P	.07	—		17
18	.11	.23	.15	—	T ₂ ^M	.22	T ₂	T ₂	.62	T ₂ ^M	.18	.17 ^{slight}		18
19	.12	.05	.09	.12	.10	—	.01	—	.03	T ₂ ^M	.05	.07		19
20	.53	.06	.07	.18	.14	—	—	—	.01	.01	—	.89		20
21	.71	.48	.20	.05	.38	—	.08	T ₂ ^P	.26	.03	.17	.03		21
22	.29	T ₂	.10 ^{sn}	—	.29	T ₂	.15	T ₂ ^P	.18	.60	.40	.07		22
23	.21	.28 ^{sn}	T ₂	—	.04	—	—	T ₂ ^P	T ₂ ^M	.25	.61	.01		23
24	.45 ^{sn}	.67	.02	—	—	—	—	T ₂ ^P	.03	1.07	T ₂ ^M	.01		24
25	.32	.63	.43	—	.12	—	T ₂	T ₂ ^P	.03	.56	—	.01		25
26	T ₂	.19 ^{sn}	.03	T ₂	.12	—	—	T ₂ ^P	T ₂ ^P	.02	.01	.02		26
27	.02 ^{sn}	.27 ^{sn}	—	T ₂	T ₂ ^M	—	T ₂	T ₂ ^M	T ₂ ^P	.34	—	T ₂		27
28	.34 ^{sn}	.04 ^{sn}	—	—	—	T ₂	—	T ₂ ^P	T ₂ ^M	.18	.02	T ₂		28
29	.04 ^{sn}	X	—	—	—	T ₂	—	T ₂ ^P	T ₂ ^M	.45	.37	T ₂		29
30	.68 ^{slight}	X	—	—	—	.04	T ₂ ^P	T ₂ ^M	T ₂	.03	.29	—		30
31	.32	X	—	X	T ₂ ^P	X	T ₂ ^P	T ₂	X	.56	X	T ₂		31
TOTAL	7.43	6.92	5.27	3.88	2.76	.79	3.89	1.42	3.18	4.11	2.58	4.17	46.38	Year's Total
* Days with .01 in. or more.	27	24	22	17	13	8	15	9	17	13	14	22	203	
* Days with .04 in. or more.	22	21	19	15	12	6	10	5	11	8	10	15	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Edith Dorothy Lalland [P.T.O.]

Sn. Snow. D. Dew. H. Mist. F. Fog. H. Hail.

Section



for the entry of Daily Observations

Station No. 18157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Little Mead, Broad Oak
 in the County of Devon
 Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 2 1/2 in.
 „ Ground „ Sea Level 300 ft.

File No. 2346/30.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.05	—	—	.02	.37	.18	.03	T ₂	.64	.05	.02		1
2	—	.03	—	.01	.01	.03	—	—	T ₂ ^D	.15	.02	.14		2
3	—	T ₂	—	—	.18	.02	.06	.19	—	.39	.05	.02		3
4	T ₂	—	T ₂ ^M	—	.03	.11	.10	1.42	T ₂	.07	T ₂ ^M	.13		4
5	.01	—	—	T ₂	—	.02	.03	T ₂	.11	.46	.01	T ₂		5
6	.08	T ₂ ^M	—	T ₂ ^M	—	.19	1.41	T ₂ ^M	.09	.03	T ₂	.02		6
7	.11	T ₂	T ₂ ^M	—	—	.04	.20	T ₂ ^M	.02	.03	.01	.07		7
8	.41	T ₂	T ₂	—	—	.01	.02	.03	—	.09	T ₂	T ₂		8
9	.19	.06	T ₂	—	T ₂ ^M	.13	T ₂	T ₂ ^M	—	T ₂	T ₂	.44		9
10	.06	T ₂	—	—	—	.01	.08	.04	T ₂ ^D	T ₂	—	.80		10
11	.08	T ₂	—	—	T ₂	T ₂	.06	.46	—	T ₂	.35	.72		11
12	.18	T ₂	—	—	.20	T ₂	.01	T ₂	T ₂ ^D	.32	.57	.11		12
13	.22	T ₂ ^S	—	—	.17	—	T ₂	.01	T ₂ ^D	T ₂	.35	.74		13
14	.97	T ₂ ^S	T ₂ ^M	—	.15	—	.69	—	.01	T ₂ ^M	T ₂ ^M	.01		14
15	.06	T ₂ ^S	—	—	.27	—	.10	T ₂	T ₂ ^D	.25	.35	.34		15
16	.08	T ₂ ^S	T ₂	—	.10	—	—	.01	T ₂	.02	.41	.03		16
17	T ₂	.10	T ₂	—	.04	—	T ₂	T ₂	T ₂	.14	.03	—		17
18	.16	—	—	—	.10	.12	T ₂	T ₂	.46	.02	.27	T ₂ ^S		18
19	T ₂	—	—	—	—	—	T ₂	T ₂	.23	T ₂ ^M	.66	T ₂ ^S		19
20	—	—	—	—	—	—	—	—	.01	T ₂ ^D	.15	T ₂ ^S		20
21	T ₂	T ₂	—	—	—	T ₂	T ₂ ^M	.01	.06	T ₂ ^D	.24	.26 ^S		21
22	T ₂	—	—	.05	—	.16	T ₂ ^M	.42	.08	T ₂	.35	.08 ^S		22
23	T ₂	—	—	.05	T ₂	T ₂	T ₂ ^M	.02	.01	T ₂ ^M	.16	.03		23
24	T ₂	T ₂	.14	—	.05	—	—	.06	.05	T ₂ ^M	.29	T ₂		24
25	.09	.36	.02	—	.24	T ₂	.52	.01	T ₂	.05	.89	.08 ^S		25
26	.33	.33	—	—	.39	.02	.10	T ₂ ^D	T ₂	.11	.03	.09		26
27	.10	.03	—	T ₂	.10	.12	.49	.29	T ₂ ^M	.08	.19	—		27
28	.15	.08	T ₂	—	.16	.12	T ₂	.71	.03	T ₂ ^M	.01	.03		28
29	.05	X	T ₂	—	.45	.01	T ₂	T ₂ ^D	.15	.25	.23	.03		29
30	.07	X	.01	—	.02	.95	.01	T ₂ ^D	.16	T ₂ ^M	.08	.05		30
31	.24	X	—	X	.15	X	T ₂ ^M	T ₂ ^D	X	.13	X	.19		31
TOTAL	3.64	1.04	.17	.11	2.83	2.43	4.06	3.71	1.47	3.23	5.75	4.43	Year's Total	32.87 ins.
* Days with .01 in. or more.	20	8	3	3	19	17	16	15	14	18	24	23	180	✓
* Days with .04 in. or more.	19	6	1	2	15	10	12	8	9	14	18	15	129	✓

S. Snow. D. Dew. M. Mist. 7. Fog.

† Spare column, no entries required.

(Signed)

Edith Dorothy Tallant

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Little Mead, Broad Oak
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 1/2 in.
Ground Sea Level 300 ft.

File No. 2346/30.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	.13	.03	.02	—	.10	.05	.02	—	.22	T ₂ .		1
2	.09	—	T ₂ .	.38	.01	—	T ₂ .	.42	.97	—	.13	.09		2
3	.40	—	.06	.54	T ₂ .	—	.03	.37	.20	—	.18	.27		3
4	—	—	.60	.33	.38	—	.59	.02	.81	.54	.20	.22		4
5	—	T ₂ .	.06	.12	T ₂ .	—	.21	.03	T ₂ ^P	.19	.97	T ₂ .		5
6	.70	T ₂ .	.08	.06	—	—	.44	.03	T ₂ ^P	.21	.24	—		6
7	T ₂ .	.25	T ₂ .	T ₂ .	—	.01	T ₂ .	.04	T ₂ ^P	T ₂ ^M	.57	.40		7
8	T ₂ .	.30	T ₂ .	T ₂ ^M	.10	—	.02	.03	T ₂ ^P	1.46	.42	.08		8
9	.04	.01	.02	—	—	—	T ₂ .	.11	T ₂ ^P	.08	.04	.09		9
10	.50	—	—	—	—	.02	—	.08	.03	.04	T ₂ .	.18		10
11	T ₂ .	.02	.10	T ₂ .	—	—	T ₂ .	T ₂ .	T ₂ ^P	.08	T ₂ .	T ₂ .		11
12	—	.05	—	.03	—	.02	T ₂ ^M	T ₂ ^P	.05	.02	T ₂ .	T ₂ .		12
13	T ₂ .	—	—	.15	T ₂ .	.02	.43	T ₂ ^P	.10	1.16	.12	T ₂ .		13
14	.80	T ₂ .	—	.01	.08	.12	.19	—	.03	.03	.27	.06		14
15	.30	—	.02	T ₂ .	.11	.59	.10	—	—	T ₂ .	.21	.03		15
16	.10	—	T ₂ ^S	.06	T ₂ .	—	.88	—	—	T ₂ .	.23	—		16
17	1.02	.01	—	T ₂ .	.02	.06	.64	—	—	—	.11	T ₂ .		17
18	T ₂ .	.01	.02	—	.01	.07	1.57	—	T ₂ .	—	.60	.03		18
19	.30	—	—	—	—	.05	.15	T ₂ .	—	—	T ₂ .	.05		19
20	.40	—	T ₂ .	—	T ₂ .	.17	.25	1.65	—	—	—	.02		20
21	.11	.33	.03	—	.07	.15	.09	T ₂ .	—	—	—	—		21
22	.56	.47	.09	T ₂ .	—	.41	.15	.03	T ₂ .	T ₂ ^M	.32	T ₂ ⁺		22
23	T ₂ .	T ₂ ^H	.02	.14	—	T ₂ .	.20	—	—	T ₂ .	.60	T ₂ ⁺		23
24	.70	T ₂ .	.15	.04	—	.49	.12	—	—	.08	—	—		24
25	.90	.13	T ₂ .	.01	—	T ₂ .	.14	.21	—	.10	.20	T ₂ ^M		25
26	T ₂ ^S	.07	T ₂ ^S	.04	—	T ₂ .	T ₂ .	.18	—	.12	.21	—		26
27	T ₂ .	.32	T ₂ ^S	T ₂ .	—	.08	T ₂ .	.15	—	.01	.16	T ₂ ^S		27
28	—	.03	T ₂ .	.01	—	.04	T ₂ .	T ₂ ^M	—	T ₂ .	.50	.04		28
29	—	X	—	.02	—	.11	.19	—	—	.13	T ₂ .	—		29
30	—	X	.03	.33	—	.22	T ₂ .	.06	—	.53	T ₂ .	—		30
31	—	X	—	X	—	X	T ₂ .	.12	X	.55	X	T ₂ .		31
TOTAL	7.00	2.02	1.41	2.30	.80	2.63	6.23	3.58	1.41	5.33	6.50	1.56	40.97	Year's Total
* Days with .01 in. or more.	16	13	14	17	9	17	20	17	8	17	21	13	182	✓
* Days with .04 in. or more.	16	8	8	11	5	13	18	12	4	14	21	10	140	✓

† Spare column, no entries required.

(Signed) Edith Dorothy Tallant [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

1815

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Little Mead, Broad Oak...

in the County of Ottery St. Mary, Devon.

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 1 ft. 2 1/2 in.

Ground Sea Level... 300 ft.

File No. 2346/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	T ₂	—	.05	.03	T ₂	—	—	T ₂ ^M	T ₂ ^P	.26	—		1
2	—	.05	—	.21	T ₂	—	.02	—	T ₂ ^M	T ₂ ^P	.60	.08		2
3	.01	1.03	—	.01	—	—	T ₂	T ₂	T ₂ ^P	.26	.72	.14		3
4	.02	.20	—	.02	—	—	.13	T ₂ ^M	T ₂ ^P	.15	.13	.01		4
5	.04	T ₂	—	—	—	—	T ₂	T ₂	T ₂ ^P	.02	.45	.07		5
6	.43	.84	—	—	T ₂	—	.05	—	T ₂ ^M	.08	.03	.28	S.H. & L.C.	6
7	.05	T ₂	—	T ₂	—	—	.02	T ₂	T ₂	T ₂	—	.06		7
8	T ₂ ^{tos}	T ₂ ^H	—	—	T ₂	—	.15	—	—	.61	.47	.30		8
9	—	—	—	—	—	—	.63	T ₂	.02	.02	.56	.09		9
10	—	—	T ₂ ^{tos}	—	—	—	.12	.04	.04	.09	.13	.34		10
11	—	T ₂ st	.03	.03	—	T ₂	.13	—	—	T ₂ ^P	.42	.03		11
12	—	—	.11	—	—	.12	.27	—	.65	—	.16	T ₂		12
13	—	T ₂ ^{S.R.}	.38	.01	—	—	.01	T ₂	.11	.85	1.14	.46		13
14	—	.04	.04	.05	.57	—	.03	T ₂	.20	.32	T ₂	.57		14
15	T ₂ ^{S.}	.01	—	.14	.11	T ₂	.22	—	.22	.21	.42	T ₂		15
16	.02	1.39	.71	.20	T ₂	T ₂	.08	—	.05	.41	.19	.01		16
17	—	.08	.35	.02	T ₂ ^M	—	.12	.01	T ₂	T ₂ ^P	.03	—		17
18	.16	.37	.36	.89	T ₂ ^M	—	.02	—	.04	.03	.01	.04		18
19	—	.04	.09	.13	—	—	.06	.04	.32	T ₂	.11	T ₂		19
20	—	T ₂	T ₂	.01	—	—	T ₂	T ₂	.02	.06	.02	T ₂		20
21	T ₂ st	T ₂	T ₂	—	.18	.03	T ₂	—	.01	T ₂	.50	—		21
22	—	T ₂	.13	.17	T ₂	.52	T ₂	—	.11	.02	—	—		22
23	—	.07	.18	.03	.03	T ₂	T ₂	—	T ₂ ^P	.35	.01	T ₂		23
24	.03	—	T ₂	—	.02	—	.28	—	T ₂ ^P	—	T ₂ ^M	T ₂		24
25	.12	T ₂ ^{tos}	.06	.01	.13	.02	T ₂	—	T ₂ ^P	—	T ₂ ^M	—		25
26	.76	.69	—	.05	.42	T ₂	.04	T ₂	T ₂	—	T ₂	—		26
27	.31	.14	.01	T ₂	.35	.01	.02	T ₂	—	—	—	—		27
28	.25	.12	T ₂	.06	.03	T ₂	—	—	—	—	—	—		28
29	.12	.06	.16	1.02	T ₂	.08	—	—	T ₂ ^P	.05	—	.23		29
30	.03	×	.01	.05	T ₂	—	—	—	T ₂ ^P	.49	—	.16		30
31	.04	×	.03	×	T ₂	×	—	—	×	.83	×	.53	R+S.	31
TOTAL	2.39	5.13	2.65	3.16	1.87	.78	2.40	.09	1.99	4.85	6.86	3.36	34.83	Year's Total
* Days with .01 in. or more.	15	15	15	20	10	6	19	3	12	18	20	17	170	
* Days with .04 in. or more.	10	14	11	12	6	3	13	2	9	14	15	14	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Edith Dorothy Tallant B.F.O.

S. Snow, St. Steel, M. Mist, D. Dew, F. Fog, H. Hail.

Section **A** for the entry of Day
AIR MINISTRY.—
FORM 1090.

REGISTE

Kept at *Ottery St Mary*
in the County of *Dev.*

Diameter of Funnel of Gauge. *5*
Height of top of Gauge above Ground.
Ground Sea Level

1815/5
OTTERY ST MARY, LITTLE CHOSE
1931-40

780309

1815/5.
COPY FOR OFFICIAL USE.
L ORGANIZATION.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.23	.03	-	.40	-	-	.06	-	.32	.02	-	-	1
2	-	.02	-	.72	-	-	-	-	.34	-	.15	.07	2
3	.05	-	.71	-	-	-	-	-	-	-	1.64	.01	3
4	-	-	.08	-	.04	.24	.22	.81	.06	0.1	.09	-	4
5	-	.28	.03	.03	.01	.50	.07	.06	-	-	.17	.17	5
6	-	.22	-	.03	.04	.11	-	-	.03	.18	.13	.65	6
7	-	.02	-	-	.29	.20	.26	.19	-	.08	.78	.10	7
8	-	.27	-	.31	-	.48	-	.02	-	-	.11	.09	8
9	.04	.10	-	-	-	-	.03	-	-	-	.50	.01	9
10	-	.04	-	-	.07	.14	-	.01	-	-	.74	-	10
11	.17	.51	-	-	-	.21	.07	-	.09	-	.27	-	11
12	.02	.08	-	-	.02	-	.21	-	.04	.11	-	-	12
13	-	.05	.01	-	.03	-	.26	.14	-	-	-	-	13
14	.04	.04	-	-	.01	.28	.75	.03	.11	-	.49	-	14
15	.01	.07	-	.02	.18	-	-	.43	.01	-	-	-	15
16	-	.10	-	.05	.24	.47	-	.10	.07	-	-	-	16
17	-	.08	-	.08	-	-	.48	-	.01	-	-	-	17
18	.04	-	-	.14	-	.08	-	1.10	-	-	.25	-	18
19	.06	.07	.04	.14	-	.16	.02	.10	-	-	.17	-	19
20	.01	.07	.32	-	-	-	-	.33	-	-	.14	-	20
21	.21	.02	.03	-	.16	-	-	-	-	-	-	-	21
22	.23	-	-	.04	.12	-	-	-	-	-	-	-	22
23	.30	.01	-	.17	.61	-	.01	-	-	-	.35	-	23
24	.20	-	-	.52	.12	-	.65	.82	-	-	.05	-	24
25	.20	-	-	.32	.01	-	.12	-	-	-	.30	-	25
26	-	.03	-	.27	-	-	.16	-	-	-	.69	-	26
27	.15	.19	-	-	.88	-	.05	-	-	-	.09	-	27
28	.13	.15	.05	.01	.09	-	.03	-	-	-	-	.10	28
29	.03	X	.17	-	.12	-	.03	.16	-	.04	.12	.13	29
30	.03	X	-	-	.13	-	.01	-	.06	-	-	-	30
31	.71	X	.07	X	.07	X	-	-	X	-	X	.41	31
TOTAL	2.86	2.45	1.51	3.25	2.91	2.87	3.49	4.30	1.14	0.44	7.23	1.74	34.12
*Days with ".01 in. or more.	20	22	10	16	20	11	19	14	11	6	25	10	109
*Days with ".04 in. or more.	15	16	7	12	15	11	13	11	8	4	20	8	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

N *P. M. MILLER ESQ* *4* *P.T.O.*

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *Ottery St Mary* (LITTLE CLOSE)
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *2509* ft.
Ground Sea Level *2509* ft.

G from Hayford 5000 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.23</i>	<i>.03</i>	<i>-</i>	<i>.40</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>.32</i>	<i>.02</i>	<i>-</i>	<i>-</i>	1
2	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.72</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.34</i>	<i>-</i>	<i>.15</i>	<i>.07</i>	2
3	<i>.05</i>	<i>-</i>	<i>.71</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.64</i>	<i>.01</i>	3
4	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.04</i>	<i>.24</i>	<i>.22</i>	<i>.81</i>	<i>.06</i>	<i>0.1</i>	<i>.09</i>	<i>-</i>	4
5	<i>-</i>	<i>.28</i>	<i>.03</i>	<i>.03</i>	<i>.01</i>	<i>.50</i>	<i>.07</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>.17</i>	<i>.17</i>	5
6	<i>-</i>	<i>.22</i>	<i>-</i>	<i>.03</i>	<i>.04</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.18</i>	<i>.13</i>	<i>.65</i>	6
7	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.29</i>	<i>.20</i>	<i>.26</i>	<i>.19</i>	<i>-</i>	<i>.08</i>	<i>.78</i>	<i>.10</i>	7
8	<i>-</i>	<i>.27</i>	<i>-</i>	<i>.31</i>	<i>-</i>	<i>.48</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.11</i>	<i>.09</i>	8
9	<i>.04</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.50</i>	<i>.01</i>	9
10	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.07</i>	<i>.14</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.74</i>	<i>-</i>	10
11	<i>.17</i>	<i>.51</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.21</i>	<i>.07</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.27</i>	<i>-</i>	11
12	<i>.02</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.21</i>	<i>-</i>	<i>.04</i>	<i>.11</i>	<i>-</i>	<i>-</i>	12
13	<i>-</i>	<i>.05</i>	<i>.01</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.26</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	13
14	<i>.04</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.28</i>	<i>.75</i>	<i>.03</i>	<i>.11</i>	<i>-</i>	<i>.49</i>	<i>-</i>	14
15	<i>.01</i>	<i>.07</i>	<i>-</i>	<i>.02</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>.43</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	15
16	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.05</i>	<i>.24</i>	<i>.47</i>	<i>-</i>	<i>.10</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>-</i>	16
17	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>.48</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	17
18	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.14</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>1.10</i>	<i>-</i>	<i>-</i>	<i>.25</i>	<i>-</i>	18
19	<i>.06</i>	<i>.07</i>	<i>.04</i>	<i>.14</i>	<i>-</i>	<i>.16</i>	<i>.02</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>.17</i>	<i>-</i>	19
20	<i>.01</i>	<i>.07</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.33</i>	<i>-</i>	<i>-</i>	<i>.14</i>	<i>-</i>	20
21	<i>.21</i>	<i>.02</i>	<i>.03</i>	<i>-</i>	<i>.16</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	21
22	<i>.23</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	22
23	<i>.30</i>	<i>.01</i>	<i>-</i>	<i>.17</i>	<i>.61</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.35</i>	<i>-</i>	23
24	<i>.20</i>	<i>-</i>	<i>-</i>	<i>.52</i>	<i>.12</i>	<i>-</i>	<i>.65</i>	<i>.82</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	24
25	<i>.20</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>.01</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.30</i>	<i>-</i>	25
26	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.27</i>	<i>-</i>	<i>-</i>	<i>.16</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.69</i>	<i>-</i>	26
27	<i>.15</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>.55</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	<i>-</i>	27
28	<i>.13</i>	<i>.15</i>	<i>.05</i>	<i>.01</i>	<i>.09</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	28
29	<i>.03</i>	<i>X</i>	<i>.17</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>.03</i>	<i>.16</i>	<i>-</i>	<i>.04</i>	<i>.12</i>	<i>.13</i>	29
30	<i>.03</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>.13</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	30
31	<i>.71</i>	<i>X</i>	<i>.07</i>	<i>X</i>	<i>.07</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>.41</i>	31
TOTAL	<i>2.86</i>	<i>2.45</i>	<i>1.51</i>	<i>3.25</i>	<i>2.91</i>	<i>2.87</i>	<i>3.49</i>	<i>4.30</i>	<i>1.14</i>	<i>0.44</i>	<i>7.23</i>	<i>1.74</i>	<i>34.19</i>
*Days with or in. or more.	<i>20</i>	<i>22</i>	<i>10</i>	<i>16</i>	<i>20</i>	<i>11</i>	<i>19</i>	<i>14</i>	<i>11</i>	<i>6</i>	<i>25</i>	<i>10</i>	<i>1979</i>
*Days with or in. or more.	<i>15</i>	<i>16</i>	<i>7</i>	<i>12</i>	<i>15</i>	<i>11</i>	<i>13</i>	<i>11</i>	<i>8</i>	<i>4</i>	<i>20</i>	<i>8</i>	<i>140</i>

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Little Chase, Ottery St Mary

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	-	-	.06	-	.01	.04	.09	.01	-	.07	.02	1
2	.01	-	-	.18	-	-	.09	.02	.19	-	.04	.37	2
3	-	-	-	-	-	.49	-	-	.34	.03	.03	.05	3
4	.04	-	-	-	-	.19	-	.17	-	-	.23	-	4
5	.08	-	.02	-	-	-	.14	-	.22	-	-	-	5
6	.25	-	.01	.22	-	-	.08	-	.22	-	-	-	6
7	.04	-	.04	.09	.08	-	-	-	.78	1.26	-	-	7
8	-	-	.60	.01	.16	-	.05	-	.10	.07	-	-	8
9	1.46	.02	-	.16	.05	-	-	-	-	.06	-	-	9
10	.41	-	-	.22	-	.01	-	-	.02	.27	tu.	-	10
11	-	-	-	.02	.09	-	-	-	-	.44	-	.06	11
12	.47	-	-	-	.37	-	-	-	.04	.23	-	-	12
13	.07	-	-	.22	.06	-	.30	.55	-	.85	-	.35	13
14	.36	-	-	.30	.14	-	-	-	-	.05	-	-	14
15	-	-	-	-	.17	-	.01	-	-	.04	.03	.05	15
16	.22	-	-	.18	-	-	.14	-	-	-	-	tu.	16
17	-	-	-	.01	-	-	-	-	-	.05	-	-	17
18	-	-	-	-	.34	-	-	-	.25	-	.19	-	18
19	.16	-	-	-	.25	-	-	-	.04	.36	-	-	19
20	.03	-	tu.	-	1.26	-	-	.03	.03	.50	.24	.18	20
21	.01	-	.10	.22	-	-	-	.12	.07	.24	.07	.11	21
22	-	-	-	-	.10	-	-	-	.32	.37	.20	.01	22
23	-	.02	-	-	-	-	.28	-	.01	.49	.03	-	23
24	-	-	-	-	-	-	1.09	-	.18	.10	.02	.01	24
25	-	-	.43	.03	-	-	.04	-	.07	.23	.02	.01	25
26	-	-	.17	-	-	-	.15	-	-	.13	.04	-	26
27	-	-	.46	.64	.12	-	.09	-	-	.24	.01	.11	27
28	-	-	.04	.03	.27	-	.01	-	-	-	-	.15	28
29	-	-	.54	.12	.29	.44	-	.62	.78	.40	.06	.66	29
30	-	X	.02	.05	-	1.82	.34	-	.75	.08	1.15	-	30
31	-	X	.03	X	.03	X	.19	-	X	-	X	.88	31
TOTAL	3.64	0.04	2.46	2.76	3.78	2.96	3.04	1.60	4.38	6.49	2.43	3.02	36.60
*Days with .01 in. or more.	15	2	12	19	16	6	16	7	19	22	16	15	165
*Days with .04 in. or more.	11	-	8	13	15	4	14	5	15	21	10	11	127

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ottery St Mary

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft.

Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.58	.35	.17	-	.03	.04	-	-	.02	-	.09	1.57		1
2	.58	-	.84	-	.75	.30	-	-	-	-	.01	.05		2
3	.09	.11	.27	-	.01	-	-	-	-	-	-	-		3
4	.38	-	.01	-	.08	-	-	-	-	-	-	-		4
5	.02	-	.43	-	.07	-	-	-	-	-	.01	.01		5
6	.02	.55	tr	-	.12	-	.24	-	-	.10	-	-		6
7	-	.20	-	-	.09	-	.02	-	-	.59	-	.01		7
8	.03	.02	.01	-	.04	tr	.04	tr	-	-	-	-		8
9	-	.06	-	-	.46	-	.16	tr	-	.09	-	-		9
10	-	.32	-	-	-	-	.30	-	tr	.58	.02	-		10
11	.11	-	-	-	-	.72	.06	.22	-	-	-	-		11
12	-	-	-	.21	.07	.05	.25	tr	.66	-	-	.05		12
13	-	-	-	-	.03	.03	.10	.17	-	.19	.04	-		13
14	.09	-	-	-	-	-	.16	.07	-	.01	.34	-		14
15	.46	-	.26	-	-	.12	.60	.01	-	.07	.02	-		15
16	-	-	.95	-	-	.01	-	.01	-	.12	-	-		16
17	-	.07	.19	-	-	.04	-	.03	.13	-	-	-		17
18	.05	-	.27	-	-	.09	-	-	-	-	.04	-		18
19	.16	-	.12	-	-	.03	-	.02	.01	-	.44	.01		19
20	-	.04	-	-	-	.49	-	.03	.03	-	.01	-		20
21	-	-	-	-	-	.16	-	.15	-	.03	-	-		21
22	-	-	-	.12	.07	.01	-	.33	.37	.02	.01	-		22
23	-	1.34	-	.33	-	.20	-	-	.23	.20	-	-		23
24	-	.60	-	.15	.01	-	-	-	.05	.03	-	.17		24
25	-	1.29	-	.32	-	.48	-	-	.08	-	-	-		25
26	-	.65	-	.35	.14	.17	tr	-	.02	.02	-	-		26
27	-	.01	-	-	.02	-	-	-	.02	.31	.03	.99		27
28	-	.04	-	.48	.31	-	.21	-	-	.27	-	.09		28
29	.06	X	-	.02	-	-	.01	-	tr	-	-	.05		29
30	.02	X	.17	-	-	-	.01	-	.16	-	-	.04		30
31	.03	X	.07	X	-	X	-	-	X	.01	X	-		31
TOTAL	2.68	5.69	3.76	1.98	2.30	2.94	2.16	1.04	1.78	2.64	1.06	3.04	34.97 (31.07)	
*Days with .01 in. or more.	15	15	13	8	16	16	13	10	12	16	12	11	157	
*Days with .04 in. or more.	9	13	11	7	11	12	10	5	7	10	5	8	108	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. 731286/26

Kept at Little Close, Offham, Surrey
in the County of Berks

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 0.9 ft.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	tr.	-	-	.08	-	1.12	.26	-	.19	.65		1
2	.09	-	.10	-	-	-	-	-	.92	-	.16	.23		2
3	.03	.01	-	-	tr.	-	-	.66	-	.33	-	.34		3
4	.06	-	.20	.08	.28	-	-	.03	.13	.09	-	.40		4
5	-	-	.07	-	.22	-	-	1.09	-	.05	.07	.50		5
6	.03	-	.40	.02	.46	-	-	-	.01	.36	.02	.39		6
7	.03	-	tr.	-	-	-	-	.16	-	.09	.02	.69		7
8	-	-	-	-	.18	-	-	.01	tr.	-	.30	.33		8
9	.27	-	.49	tr.	-	-	-	-	-	-	.35	.26		9
10	-	-	.27	.50	-	-	-	.12	-	-	.11	.07		10
11	.59	-	.03	.75	-	-	tr.	.05	-	-	-	1.17		11
12	.10	-	.01	-	-	-	.15	.45	-	-	-	.08		12
13	.47	-	-	.72	-	tr.	-	-	-	-	tr.	.74		13
14	.31	-	.52	.02	-	-	.01	-	-	-	.05	.47		14
15	.04	-	.07	-	.14	-	-	-	.02	.26	.13	.32		15
16	.05	-	.28	-	-	-	-	-	.01	.02	-	.25		16
17	.07	-	-	.17	.03	-	-	-	.10	.11	-	.53		17
18	.07	-	.47	.58	-	-	-	-	.21	.08	-	.19		18
19	.01	-	.16	.03	-	.03	-	.01	.06	-	-	.13		19
20	-	-	.09	.13	tr.	-	.11	-	.02	.01	-	tr.		20
21	-	-	.10	-	-	.29	-	.05	.01	.35	-	.63		21
22	-	-	.09	-	-	-	.40	.17	.38	-	-	.98		22
23	.03	tr.	.03	.29	-	.95	-	-	.26	.08	-	.49		23
24	-	.14	.04	.10	-	.16	.14	-	.11	.16	-	.09		24
25	.28	.01	-	.24	-	-	.01	-	tr.	.31	-	1.14		25
26	-	tr.	.03	.07	-	.20	.03	-	.09	-	.02	.08		26
27	-	-	-	-	-	.01	-	.05	.05	.03	-	.35		27
28	-	-	-	.10	-	.07	-	.42	.22	.03	-	.96		28
29	-	X	-	-	-	-	-	.36	.05	.02	tr.	.07		29
30	-	X	-	-	-	-	.06	-	.10	.05	tr.	.32		30
31	.02	X	-	X	-	X	.02	.08	X	.01	X	.08		31
TOTAL	2.61	0.16	3.45	3.80	1.31	1.79	0.93	4.83	3.01	2.37	1.12	12.93	Year's Total.	38.61
* Days with .01 in. or more.	19	3	19	15	6	8	9	18	19	19	11	30		176
* Days with .04 in. or more.	13	1	15	12	5	6	5	14	14	12	8	30		134

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. **1815/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **OTTERY ST MARY**in the County of **DEVON**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **9** ft.Ground Sea Level **250** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	.02	.70	-	-	.29	.08	-	.15	.10	.19	.20		1
2	-	.04	.06	-	-	.06	TR	-	.08	.23	.27	.06		2
3	-	.02	.14	TR	.14	.21	TR	-	.11	.32	.33	-		3
4	-	.37	-	.07	.08	.56	-	-	.03	.03	.16	.19		4
5	-	.28	-	.02	-	.46	-	-	.21	.48	.04	-		5
6	-	.01	TR	.47	-	.75	-	-	-	.06	.06	.27		6
7	-	-	-	.28	-	TR	-	-	-	.33	.03	.06		7
8	-	-	-	.30	-	.16	-	-	.30	.03	.46	.03		8
9	-	-	-	.36	-	-	-	-	.09	.59	.36	-		9
10	.02	-	.21	.05	-	.03	-	-	-	-	TR	.04		10
11	.28	-	.09	-	-	.33	-	-	.24	.02	.57	.02		11
12	.02	.12	-	-	-	.30	-	.05	.02	-	.05	-		12
13	.04	.08	-	.20	-	.09	-	-	-	-	.28	-		13
14	TR	.19	-	.25	TR	.07	-	-	x	-	.94	.33		14
15	-	-	-	1.10	.08	.15	-	-	.22	-	.13	.11		15
16	-	.03	.04	.14	-	.04	.02	TR	.60	-	1.00	-		16
17	-	-	TR	.02	1.24	.30	-	.18	.12	-	.02	-		17
18	-	.04	-	.26	.01	.01	.10	TR	.28	-	TR	.18		18
19	-	.03	-	.03	.25	.05	.12	-	.05	.11	.60	-		19
20	-	.24	-	.38	.06	.02	.04	-	-	-	.21	-		20
21	-	.47	TR	.04	-	-	.02	-	.08	-	TR	-		21
22	-	.03	.03	.19	-	-	-	TR	.05	.07	-	-		22
23	-	.02	.08	.08	.06	-	-	.36	.14	.47	-	.69		23
24	.02	.65	TR	.01	.08	-	-	.71	.15	.07	-	.33		24
25	-	.58	-	.06	.02	.08	-	-	-	-	-	.29		25
26	-	.78	-	-	.01	.03	-	.23	.11	-	.03	.89		26
27	-	.09	-	-	-	-	-	TR	.02	.07	.04	.60		27
28	-	.06	-	-	.27	-	-	.12	.09	.07	.04	.04		28
29	-	X	-	-	.05	-	-	.06	.09	-	.08	.65		29
30	.05	X	-	-	-	.08	-	.57	.05	.04	.36	.51		30
31	-	X	-	X	-	X	-	.02	X	.67	X	.31		31
TOTAL	.44	4.15	1.35	4.31	2.35	4.07	0.38	2.30	3.28	3.76	6.25	5.80	38.44	Year's Total.
* Days with .01 in. or more.	7	21	8	20	13	21	6	9	24	18	23	20	190	
* Days with .04 in. or more.	3	14	7	16	10	17	4	8	20	15	20	18	152	153

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Miller.

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Cherry St Mary*in the County of *Devon*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. *9* in.,, Ground ,, Sea Level *250* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.18	TR	.12	-	.44	.61	-	TR	-	-	.08		1
2	TR	-	-	.04	-	.32	.35	.04	.02	-	.10	.52		2
3	.02	-	-	.83	-	.01	.16	-	1.27	-	.25	-		3
4	.01	-	.07	.02	-	.04	TR	-	.43	-	.06	.15		4
5	.53	.03	.02	-	-	-	.07	-	.07	-	.01	.11		5
6	.10	-	.05	-	-	.02	.13	-	.30	-	.25	.03		6
7	.07	-	.35	-	-	-	.08	-	TR	-	.17	TR		7
8	.36	-	.50	-	-	-	.22	-	-	-	.26	.02		8
9	.52	.26	TR	-	-	TR	.24	-	.08	-	.08	-		9
10	.02	.30	-	-	-	-	TR	-	.01	-	.33	-		10
11	.30	.04	-	-	-	.08	.02	.03	.05	-	.83	.09		11
12	.02	-	-	.24	.19	.07	.43	.01	.37	-	.14	-		12
13	.03	-	TR	-	-	-	.09	.01	.01	.05	.10	.60		13
14	-	.03	.02	-	-	.03	.48	-	.09	.03	.01	.54		14
15	.02	.02	-	-	.01	-	.14	-	.04	-	.09	.23		15
16	-	.23	-	-	.26	-	.12	-	.01	-	.11	.11		16
17	.10	1.29	-	-	.12	-	.42	-	-	.05	.03	.25		17
18	.13	.33	.15	-	-	.90	.45	TR	-	.01	-	.13		18
19	.87	.02	.15	.15	-	.37	.14	.02	TR	-	-	-		19
20	.04	.36	.15	.02	-	.03	TR	-	.28	-	-	.03		20
21	-	.18	.17	.75	-	.13	-	-	-	-	-	-		21
22	.04	.28	.40	-	-	-	.29	-	-	-	-	.04		22
23	.10	.04	.02	.24	.03	-	.07	-	-	.08	-	-		23
24	.32	.05	.02	TR	.16	-	.34	-	.19	.17	-	TR		24
25	.33	-	.45	.10	-	-	.24	-	.04	.20	-	-		25
26	.25	.05	.26	-	-	-	.28	-	.03	.03	-	-		26
27	.34	.05	.02	-	-	-	.17	-	.01	.20	-	-		27
28	.89	.03	.79	-	-	-	.03	-	-	.03	-	.32		28
29	.02	.05	.02	-	-	.07	-	-	-	.10	.13	.17		29
30	.25	✕	TR	-	-	.07	TR	-	-	.10	TR	TR		30
31	.12	✕	.47	✕	.09	✕	.03	-	✕	.02	✕	.41		31
TOTAL	5.82	3.82	4.14	2.51	0.86	2.58	5.62	0.11	3.30	1.07	2.95	3.33	36.11	✓
* Days with .01 in. or more.	27	20	19	10	7	14	25	5	18	13	17	18	193	✓
* Days with .04 in. or more.	19	15	13	8	5	10	22	1	12	8	14	14	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P. H. Miller

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937Kept at St Mary'sin the County of BrownDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft.....9.....in.,, Ground ,, Sea Level 250.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.01	-	.62	-	-	-	-	.12	TR	.04	.81		1
2	.02	.33	.05	.24	-	-	-	-	.10	-	-	.03		2
3	.01	.39	.13	.06	.01	-	.02	-	TR	-	-	-		3
4	.10	.80	-	-	.05	-	-	-	-	-	-	.42		4
5	.19	.03	.02	TR	-	-	.58	-	-	-	-	.13		5
6	.06	.60	.37	.20	.01	-	.30	-	TR	TR	-	.03		6
7	-	.69	.02	.09	-	.06	-	-	-	-	.02	.10		7
8	-	.02	-	TR	.74	-	.08	-	-	-	.12	.12		8
9	.01	-	.08	.23	.04	-	.04	.02	.67	-	-	.05		9
10	.31	.02	1.05	.30	X	.16	.03	.22	-	-	-	.14		10
11	.04	-	.22	.18	.56	.04	.40	TR	-	-	-	.01		11
12	.71	.26	.03	.14	.28	.17	.73	.06	-	-	-	.66		12
13	-	.07	1.03	.22	-	-	.22	.06	-	-	-	.03		13
14	-	.02	.17	.07	-	-	1.47	.03	.02	-	-	.06		14
15	.50	.08	.31	.55	-	-	.68	-	.37	-	-	.23		15
16	.10	.08	.51	.06	-	-	.02	.18	.57	-	.17	-		16
17	1.00	.07	.59	-	-	-	.03	.06	-	.07	-	-		17
18	.05	.21	.15	-	-	.12	-	-	.51	-	.14	.18		18
19	.14	.06	.04	.15	.07	-	.01	-	.02	-	.10	.11		19
20	.53	.03	.01	.18	.04	-	-	-	-	TR	-	1.20		20
21	.60	.53	.13	.07	.46	-	.07	-	.20	.03	.11	.03		21
22	.25	.02	.10	-	.25	.05	.16	-	.19	.71	.43	.06		22
23	.24	.27	TR	-	.07	-	-	-	-	.23	.33	.01		23
24	.56	.57	.04	-	-	-	-	-	.03	1.02	-	.01		24
25	.08	.84	.38	-	.09	-	-	-	.02	.38	-	.04		25
26	TR	.21	.03	-	.22	-	-	-	-	-	-	.02		26
27	.03	.25	-	TR	-	-	-	-	-	.40	-	-		27
28	.23	.04	-	-	-	-	-	-	-	.20	.03	-		28
29	.14	X	-	-	-	TR	-	-	-	.39	.38	-		29
30	.79	X	-	-	-	.05	-	-	-	.03	.27	-		30
31	.30	X	-	X	-	X	-	-	X	.40	X	-		31
TOTAL	7.06	6.50	5.46	3.36	2.61	0.76	4.03	1.43	3.00	3.79	2.21	4.48	Year's Total	44.69
* Days with .01 in. or more.	26	26	22	16	13	7	14	7	15	10	13	23		1924
* Days with .04 in. or more.	22	19	17	16	12	7	10	4	11	8	11	15		1582

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) P. M. Miller [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Ottery St Mary*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*9*.....ft.....in.,, Ground ,, Sea Level ...*250*...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.09	-	-	.01	.036	.11	.03	-	.055	.04	.07		1
2	-	.02	-	.01	-	.06	-	-	-	.15	.14	.26		2
3	-	-	-	-	.24	.03	.06	.08	-	.29	.04	.02		3
4	-	-	-	-	.08	.12	.11	1.79	.01	.06	TR	.13		4
5	-	-	-	-	-	.02	.03	-	.02	.42	.01	.02		5
6	.12	-	-	-	-	.20	1.27	-	.17	.03	TR	.04		6
7	.13	-	-	-	-	.04	.30	-	.10	.04	.01	.07		7
8	.47	-	-	-	-	.01	.06	.03	-	.12	-	.02		8
9	.17	.05	TR	-	-	.06	TR	-	-	-	-	.47		9
10	.08	.02	-	-	-	-	.02	.02	-	-	-	.74		10
11	.10	.01	-	-	-	.02	.04	.30	-	-	.34	.82		11
12	.15	-	-	-	.20	-	.02	-	-	.28	.72	.08		12
13	.18	-	-	-	.15	-	-	.01	-	TR	.14	.69		13
14	.83	-	-	-	.12	-	.78	-	-	-	-	-		14
15	.08	-	-	-	.17	-	.08	.01	-	.28	.29	.34		15
16	.05	-	-	-	.04	-	-	.01	-	TR	.36	.04		16
17	-	.15	TR	-	.02	-	TR	-	.04	.15	.03	-		17
18	.21	-	-	-	.09	.13	-	TR	.35	.02	.27	-		18
19	TR	-	-	-	-	-	-	-	.20	-	.55	-		19
20	-	TR	-	-	-	-	-	TR	-	-	.19	-		20
21	-	-	-	-	-	-	-	TR	.11	-	.25	.06		21
22	TR	-	-	.04	-	.33	-	.41	.06	-	.32	.45		22
23	TR	-	-	.03	-	-	-	TR	-	-	.14	.03		23
24	TR	-	.15	-	.02	-	TR	.06	-	-	.35	-		24
25	.09	.34	.02	-	.18	TR	.49	TR	.05	.04	.85	.20		25
26	.32	.32	-	-	.35	-	.04	-	-	.14	.05	.04		26
27	.11	.04	-	.01	.10	.10	.47	.28	-	.09	.26	-		27
28	.14	.10	.01	-	.14	.06	-	.70	.04	-	.01	.02		28
29	.13	X	.01	-	.40	.01	TR	-	.09	.26	.23	.03		29
30	.08	X	.01	-	.02	.79	TR	-	.20	TR	.06	.07		30
31	.23	X	-	X	.15	X	-	-	X	.019	X	.20		31
TOTAL	3.69	1.14	0.20	0.09	2.48	2.34	3.88	3.73	1.44	3.11	5.68	4.91	32.66	✓
* Days with .01 in. or more.	19	10	5	4	18	16	15	13	13	17	24	24	178	✓
* Days with .04 in. or more.	19	7	1	1	14	11	12	7	11	15	20	18	136	✓

† Spare column, no entries required

(Signed)

P. M. Miller

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at

in the County of

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 9.....in.

,, Ground ,, Sea Level 2510 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	-	.12	.04	-	-	.09	.32	.07	-	.23	.01		1
2	.05	-	-	.41	.01	-	-	.45	1.46	-	.24	.13		2
3	.38	-	.05	.49	-	-	.03	.18	.10	-	.18	.32		3
4	.01	-	.47	.30	.37	-	.50	.03	-	.46	.14	.24		4
5	-	-	.05	.14	-	-	.20	.07	-	.25	.88	-		5
6	.58	TR	.08	.05	-	-	.38	.04	-	.16	.23	-		6
7	.01	.22	.03	-	-	.06	TR	.04	-	-	.45	.40		7
8	TR	.25	-	-	.03	-	.03	.06	-	1.37	.45	.08		8
9	.02	.02	.02	-	-	-	-	.05	-	.13	.02	.11		9
10	.32	-	-	-	-	.04	-	.14	-	.06	TR	.17		10
11	-	.02	.10	-	-	-	-	TR	-	.08	.01	-		11
12	-	.02	-	.02	-	-	-	-	.07	-	.01	-		12
13	-	-	-	.15	.01	.02	.40	-	.11	.97	.11	-		13
14	.79	TR	-	.02	.02	.15	.20	-	-	.05	.24	-		14
15	.28	-	.03	TR	.17	.69	.11	-	-	-	.26	.02		15
16	.08	-	-	.07	TR	-	.21	-	-	-	.17	-		16
17	.81	-	-	-	.01	.08	.67	-	-	-	.13	-		17
18	TR	.02	.02	-	.02	.07	1.28	-	-	-	.57	.09		18
19	.28	-	-	-	-	.05	.09	-	.01	-	TR	.05		19
20	.34	-	TR	-	.02	.15	.03	.71	-	-	-	-		20
21	.15	.27	.04	-	.11	.15	.16	TR	-	-	-	-		21
22	.51	.44	.09	.02	-	.21	.23	-	-	-	.28	-		22
23	TR	-	.01	.17	-	-	.13	-	-	-	.58	-		23
24	1.09	TR	.12	.06	-	.36	.09	-	-	.07	-	-		24
25	.76	.10	-	.01	-	-	.09	.10	-	.13	.26	-		25
26	.03	.05	-	.05	-	TR	-	.30	-	.17	.22	-		26
27	-	.33	TR	-	-	.07	TR	-	-	.02	.19	-		27
28	-	.01	-	.01	-	.07	.02	-	-	-	.47	.01		28
29	.01	X	-	.03	-	.11	.21	-	-	.19	.01	-		29
30	-	X	.05	.27	-	.08	.01	.05	-	.54	TR	-		30
31	-	X	-	X	-	X	TR	.15	X	.55	X	.03		31
TOTAL	6.58	1.75	1.28	2.31	0.77	2.36	5.16	2.69	1.82	5.20	6.33	1.66	Year's Total	37.91
* Days with .01 in. or more.	20	12	15	18	10	16	22	15	6	16	24	13		187
* Days with .04 in. or more.	15	7	10	12	3	15	17	14	5	15	20	9		142

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. M. Miller

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 1815/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ottery St Mary

in the County of Devon

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	.04	.02	—	—	—	—	—	.31	—		1
2	—	.04	—	.18	—	—	.05	—	—	—	.79	.10		2
3	—	.96	—	.02	—	—	.05	—	—	.21	.42	.17		3
4	TR	.18	—	.01	—	—	.16	—	—	.16	.08	.02		4
5	.04	TR	—	—	—	—	.02	—	—	—	.47	.10		5
6	.36	.80	—	—	—	—	—	—	—	.10	.04	.38		6
7	—	TR	—	—	—	—	—	—	—	.04	—	.04		7
8	—	—	—	—	—	—	.04	—	—	.38	.29	.32		8
9	.06	—	—	—	—	—	.38	—	.04	.02	.74	.23		9
10	—	—	—	—	—	—	.16	—	—	.25	.14	.30		10
11	—	—	—	.03	—	—	.25	—	—	—	.45	.06		11
12	—	—	.12	—	—	.11	.32	—	.74	—	.12	—		12
13	—	—	.37	—	—	—	.01	—	.04	.80	.44	.20		13
14	—	—	.04	.06	.66	—	—	—	.17	.49	—	.71		14
15	—	.04	—	.18	.17	—	.29	—	.14	.26	.52	.02		15
16	.01	1.33	.61	.25	—	—	.06	—	.21	.46	.10	—		16
17	—	.07	.40	.03	—	—	.02	—	.08	—	.07	—		17
18	.11	.31	.36	.70	—	—	.05	.03	.06	.04	.03	.03		18
19	—	.40	.10	.06	—	—	.06	—	.40	—	.12	—		19
20	—	—	TR	—	—	—	—	.07	.02	.06	.02	—		20
21	—	—	TR	TR	.16	.02	—	—	.01	—	.42	—		21 (42)
22	—	—	.12	.48	—	—	—	—	.10	—	—	—		22
23	—	.05	.16	.07	—	.58	—	—	.01	.20	.02	—		23
24	.09	—	TR	—	.02	—	.24	—	—	—	—	—		24
25	.13	—	.08	.04	.17	.02	—	—	—	—	—	—		25
26	.75	.58	—	.03	.44	—	.08	—	—	—	TR	—		26
27	.28	.10	.01	—	.27	—	—	—	—	—	—	—		27
28	.24	.12	—	.03	.03	—	—	—	—	—	—	.05		28
29	.11	.06	.15	.86	—	.05	—	—	—	.06	—	.22		29
30	—	X	.01	.08	—	—	—	—	—	.44	—	.15		30
31	.06	X	.02	X	—	X	—	—	X	.71	X	.50		31
TOTAL	2.24	5.05	2.55	3.15	1.94	0.78	2.24	0.10	2.02	4.68	6.59	3.60	Year's Total 34.94	
* Days with .01 in. or more.	12	15	14	18	9	5	17	2	13	17	20	18	160	
* Days with .04 in. or more.	11	14	11	12	6	3	14	1	10	16	17	15	130	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

P.F.O.

B

** The following register of mon
&c., is NOT required if daily
values are given on the other

RAINFALL IN 1931

At East HayesIn the County of OtteryDiameter of Funnel eight in.Height of Top above Ground 1 ft. 2 in.Height of Ground above Sea Level 550 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ".01 in. or more or more or more
JAN.	3.97	1.37	31 st	7 13
FEB.	2.45	.41	8 th	8 14
MAR.	1.80	.86	3 rd	3 6
APRIL	3.56	.74	2 nd	1 13
MAY	2.79	.67	23 rd	5 15
JUNE	2.19	1.66	8 th	1 2
JULY	3.91	1.10	13 th	3 9
AUG.	3.29	1.32	17 th	6 11
SEPT.	1.56	.50	2 nd	4 9
OCT.	.52	.17	6 th	5 3
NOV.	7.85	1.98	2 nd	1 2
DEC.	1.56	.58	6 th	3 8
Total	36.05			

Signature Thomas D. Jones

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:-

- (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

No. 1216/1816

ection and also the space for

this register should be sent:-

East Hayes
Ottery St Mary
an in Summer 9 a.m.

Distance 2 m gauge N.W.

Direction from
Distance 1 1/2 m gauge N

Nearest Parish Church at Ottery St MaryNature of objects
nearest to gaugeIron fence

Heights of objects

3 feet


Distances ..

4 "Directions from
gauge ..S.W.

If gauge has been moved during the year state—

no

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1 a 1 high
amp
see 1820

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931.

At East Hays
In the County of Down
Diameter of Funnel eight in.
Height of Top above Ground 1 ft 2 in.
Height of Ground above Sea Level 550 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches.	Inches.	Date.	or in	or more
JAN.	3.97	1.37	31 st	7	13
FEB.	2.45	.41	8 th	8	14
MAR.	1.80	.86	3 rd	3	6
APRIL	3.56	.74	2 nd	1	13
MAY	2.79	.67	23 rd	5	13
JUNE	2.19	1.66	8 th	1	2
JULY	3.91	1.10	13 th	3	9
AUG.	3.89	1.32	17 th	6	11
SEPT.	1.56	.50	2 nd	4	9
OCT.	.52	.17	6 th	5	3
NOV.	7.85	1.98	2 nd	1	2
DEC.	1.56	.58	6 th	3	3
Total	36.05				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

T.A.B. PARES.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Ottway St Mary Distance 2 m. Direction from gauge N.W.

Nearest Parish Church at Ottway St Mary Distance 1 1/2 m. Direction from gauge N.

Nature of objects nearest to gauge Iron fence

Heights of objects 3 feet

Distances 4

Directions from gauge S.W.

If gauge has been moved during the year state— no

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Jan 1 high
amps
see 1820.

Signature T. Thomas Pares

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1816

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At East Hayes May 6th MayIn the County of DevonDiameter of Funnel 8 in.Height of Top above Ground 1 ft.Height of Ground above Sea Level 550 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with		
	Inches	Inches	Date.	or in. or more	or more
JAN.	2.55	1.20	9	4	11
FEB.	.12	.10	22	1	2
MAR.	2.88	.71	8	7	7
APRIL	3.44	.94	27	4	15
MAY	4.05	1.30	20	7	14
JUNE	4.01	2.83	30	1	5
JULY	2.95	.46	30	1	12
AUG.	1.59	.63	29	4	6
SEPT.	4.42	.40	30	2	13
OCT.	7.65	.63	20	1	15
NOV.	2.73	1.52	30	5	11
DEC.	3.64	.77	31	7	12
Total	40.03		37	123	

Signature Thomas Pares

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

T. A. B. PARESEast HayesOlney St. MaryHour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Olney St. Mary Distance 2 m. gauge Direction from N.W.Nearest Parish Church at Olney St. Mary Distance 1/2 m. gauge Direction from N.W.Nature of objects nearest to gauge Iron railings 3 ftHeights of objects Austrian pine trees (stems)Distances 20 yds NorthDirections from gauge 20 yds North

If gauge has been moved during the year state—

Date of move no Distance no Direction no

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Taken at 9 a.m. on July 1stJune 30th 2.83

M.O. 7

3 JAN 1933

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933.

At Easthays, Ottery St. Mary
In the County of Dorset

Diameter of Funnel 8 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 550 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or in. '04 in. or more	Number of Days with or in. '04 in. or more
JAN.	2.93	1.59	25	4	10
FEB.	5.49	1.59	25	2	10
MAR.	4.09	1.23	25	1	9
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total					

Signature

Thomas A. B. Pares

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Woodlands Tilford Farnham New address

Hour of observation by the clock—in Winter 9^{am} in Summer 9^{am}

Nearest Railway Station Ottery St. Mary Distance 1 3/4 miles Direction from gauge

Nearest Parish Church at Ottery St. Mary Distance 1 1/2 miles Direction from gauge

Nature of objects nearest to gauge 9 in. fence

Heights of objects 3 ft.

Distances 4 ft.

Directions from gauge S.W.

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

7 July 5th :28
23 :38
24 :73
25 1.59
26 :57

*See Instruction 2 (f) below.

Glass fell to 29.1 & remained low until 26.
Wind SE to SW

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAM & SON, LTD., Loughborough and London.

Kept at West Hill, Ottery
in the County of D
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Le

1817
OTTERY ST MARY, WEST HILL
1931 — 39
780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	—	.54	.02	.01	.06	—	.39	.01	—	—	1
2	.24	.02	.01	.70	—	—	—	—	.23	—	.18	.10	2
3	.04	—	.95	.01	—	—	.05	—	.18	—	1.72	.01	3
4	.02	—	.13	—	.05	.50	.27	.70	.10	.02	.14	—	4
5	.01	.38	.06	.03	.01	.65	.03	.59	—	—	.08	.17	5
6	.01	.15	—	.01	.04	.13	.03	—	.01	.17	.14	.58	6
7	.01	.03	—	—	.32	.24	.45	.16	—	.11	.65	.10	7
8	.01	.29	—	.33	—	.50	.01	.09	—	.01	.19	.09	8
9	.01	.09	—	—	—	.04	.09	—	—	—	.44	.01	9
10	.01	.04	—	—	.09	.10	—	.04	.04	—	.80	—	10
11	.14	.41	—	—	—	.22	.11	.01	.07	—	.26	—	11
12	.14	.07	—	—	.01	—	.16	—	.06	.15	—	—	12
13	—	.06	.02	—	.07	—	.37	.23	—	—	.01	—	13
14	.03	.04	.01	—	.01	.26	.81	.03	.05	—	.50	—	14
15	.01	.07	—	.04	.19	—	—	.39	—	—	—	.01	15
16	.01	.14	—	.08	.23	.50	—	.09	.08	—	—	—	16
17	—	.10	—	.09	—	—	.50	—	.01	—	—	—	17
18	.04	—	.01	.16	—	.08	.06	1.19	—	—	.26	—	18
19	.05	.09	.07	.16	—	.37	.10	.10	.04	—	.24	.01	19
20	.02	.07	.36	—	—	—	—	.31	—	—	.14	—	20
21	.26	.08	.03	—	.20	—	—	—	—	—	.01	—	21
22	.27	.02	—	.06	.19	—	—	—	—	—	—	—	22
23	.25	.05	—	.24	.69	—	.02	.01	—	—	.35	—	23
24	.14	—	—	.57	.17	—	.75	.84	—	—	.05	—	24
25	.30	.01	—	.34	.02	—	.16	—	—	—	.04	—	25
26	.01	.04	—	.32	—	—	.31	—	—	—	.67	.01	26
27	.15	.21	—	—	.66	—	.16	—	—	.02	.15	—	27
28	.09	.15	.07	.02	.01	—	—	.02	—	.03	—	.14	28
29	.03	X	.17	—	.10	—	.06	.14	—	.03	.09	15.97	29
30	.05	X	—	—	.08	—	.01	.01	.05	.01	—	.01	30
31	.71	X	.11	X	.07	X	.01	—	X	—	X	.40	31
TOTAL	3.05	2.62	2.00	3.60	3.73	3.60	4.48	4.95	1.31	0.56	7.41	1.79	38.60
*Days with or in. or more.	28	24	13	17	21	13	23	18	13	10	22	14	216
*Days with or more.	15	19	8	13	15	12	17	13	11	3	20	8	184

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *West Hill, Ottery St Mary*
in the County of *Devon*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
Ground Sea Level *340* ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	—	.54	.02	.01	.06	—	.39	.01	—	—	1
2	.24	.02	.01	.70	—	—	—	—	.23	—	.18	.10	2
3	.04	—	.95	.01	—	—	.05	—	.18	—	1.72	.01	3
4	.02	—	.13	—	.05	.50	.27	.70	.10	.02	.14	—	4
5	.01	.38	.06	.03	.01	.65	.03	.59	—	—	.08	.17	5
6	.01	.15	—	.01	.04	.13	.03	—	.01	.17	.14	.58	6
7	.01	.03	—	—	.32	.24	.45	.16	—	.11	.65	.10	7
8	.01	.29	—	.33	—	.50	.01	.09	—	.01	.19	.09	8
9	.01	.09	—	—	—	.04	.09	—	—	—	.44	.01	9
10	.01	.04	—	—	.09	.10	—	.04	.04	—	.80	—	10
11	.14	.41	—	—	—	.22	.11	.01	.07	—	.26	—	11
12	.14	.07	—	—	.01	—	.16	—	.06	.15	—	—	12
13	—	.06	.02	—	.07	—	.37	.23	—	—	.01	—	13
14	.03	.04	.01	—	.01	.26	.81	.03	.05	—	.50	—	14
15	.01	.07	—	.04	.19	—	—	.39	—	—	—	.01	15
16	.01	.14	—	.08	.23	.50	—	.09	.08	—	—	—	16
17	—	.10	—	.09	—	—	.50	—	.01	—	—	—	17
18	.04	—	.01	.16	—	.08	.06	1.19	—	—	.26	—	18
19	.05	.09	.07	.16	—	.37	.10	.10	.04	—	.24	.01	19
20	.02	.07	.36	—	—	—	—	.31	—	—	.14	—	20
21	.26	.08	.03	—	.20	—	—	—	—	—	.01	—	21
22	.27	.02	—	.06	.19	—	—	—	—	—	—	—	22
23	.25	.05	—	.24	.64	—	.02	.01	—	—	.35	—	23
24	.14	—	—	.57	.17	—	.75	.84	—	—	.05	—	24
25	.30	.01	—	.32	.02	—	.16	—	—	—	.04	—	25
26	.01	.04	—	.22	—	—	.21	—	—	—	.67	.01	26
27	.15	.21	—	—	.66	—	.16	—	—	.02	.15	—	27
28	.09	.15	.07	.02	.01	—	—	.02	—	.103	—	.145	28
29	.02	X	.17	—	.10	—	.06	.14	—	.03	.09	15.37	29
30	.05	X	—	—	.08	—	.01	.01	.05	.01	—	.015	30
31	.71	X	.11	X	.07	X	.01	—	X	—	X	.40	31
TOTAL	3.05	2.62	2.00	3.60	3.23	3.60	4.48	4.95	1.31	0.56	7.41	1.79	38.60
*Days with or in. or more.	28	24	13	17	21	13	23	18	13	10	22	14	216
*Days with or in. or more.	15	19	8	13	15	12	17	13	11	3	20	8	184

Section

A

for the entry of Daily Observations.

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hawthorn & Sons, West Hill, Ottery St Mary

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.09	.01	.02	.06	.19	—	—	.08	.01	1
2	.01	—	—	.22	—	—	.03	.02	.21	.01	.01	.34	2
3	—	—	—	—	—	.60	.11	—	.33	.02	.02	.06	3
4	.04	—	.01	—	—	.26	.01	.23	—	—	.25	.01	4
5	.09	—	.04	—	—	—	—	—	.19	—	—	—	5
6	.29	—	—	.25	—	—	.19	—	.18	—	—	—	6
7	.05	—	.07	.12	.18	—	.05	—	.64	1.13	—	—	7
8	.01	—	.42	.01	.21	—	—	—	.16	.08	—	—	8
9	1.54	.03	.01	.13	—	—	—	—	.03	.04	—	—	9
10	.54	—	—	.16	.01	.03	—	—	—	.24	—	—	10
11	.01	—	—	.10	.09	—	—	—	.01	.41	—	.08	11
12	.50	—	—	—	.32	—	.01	—	.03	.28	—	.08	12
13	.08	—	—	.22	.05	—	.33	.61	—	.89	—	.43	13
14	.34	—	—	.32	.19	—	—	—	—	.03	.03	.05	14
15	—	—	—	.11	.16	—	.05	—	—	.05	.01	.03	15
16	.22	—	—	.05	.01	—	.38	—	—	.01	—	—	16
17	—	—	—	.01	.03	—	—	—	.01	.04	—	—	17
18	—	—	—	—	.31	—	—	—	.31	—	.22	—	18
19	.18	—	—	—	.28	—	—	—	.04	.38	—	—	19
20	.02	—	.01	—	1.24	—	—	.01	.06	.52	.28	.32	20
21	.01	—	.11	.21	—	—	—	.17	.10	.30	.09	.15	21
22	—	—	.02	—	.04	—	.01	.01	.38	.39	.20	.02	22
23	—	.01	—	—	—	—	.19	—	.02	.45	.04	.24	23
24	—	—	—	—	—	—	1.14	—	.21	.19	.03	.02	24
25	—	—	.65	—	—	—	.07	—	.06	.21	.04	.01	25
26	—	—	.16	.04	—	—	.24	—	—	.15	.03	—	26
27	—	—	.46	.74	.14	✓	.11	—	—	.26	.01	.09	27
28	—	—	.08	.04	.45	—	.01	—	—	—	—	.17	28
29	—	—	.55	.16	.33	.44	—	.69	.68	.50	.07	.69	29
30	.01	✕	.03	.08	—	2.08	.36	.01	.83	.09	1.21	.01	30
31	✓	✕	.04	✕	.08	✕	.18	—	✕	.03	✕	1.00	31
TOTAL	3.96	0.04	2.86	3.06	4.13	3.43	3.55	1.94	4.48	6.70	2.59	3.80	40.54
* Days with or in. or more.	18	2	15	19	19	6	19	9	20	25	17	20	189
* Days with .04 in. or more.	11	0	10	17	15	4	14	5	15	20	10	13	134

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

✓ Ky.

1817
~~1817~~

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Northam Lane, West Hill, Ottery St Mary*
in the County of *Dorset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *6* in.
Ground Sea Level *320* ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.42	.39	.24	—	.05	.07	—	—	.02	—	.11	<u>1.57</u>		1
2	.62	—	.76	—	.73	.27	—	—	—	—	—	.02		2
3	.11	.11	.27	—	.03	—	—	—	—	—	—	—		3
4	.28	—	.02	—	.09	—	—	—	—	—	—	—		4
5	.02	—	.44	—	.06	—	—	—	—	.02	.01	.01		5
6	.01	.59	.01	—	.11	—	.20	—	—	.10	—	—		6
7	.01	.23	.01	—	.11	—	.03	—	—	.32	—	.01		7
8	.04	.02	.02	—	.08	—	.02	—	—	—	—	—		8
9	—	.07	—	—	.87	.01	.14	—	—	.15	.02	—		9
10	.05	.25	—	—	—	—	.29	.05	—	.63	.01	—		10
11	.08	—	—	.01	—	.76	.03	.30	—	.01	—	—		11
12	.01	—	—	.21	.07	.06	.28	—	.61	.01	.01	.02		12
13	—	—	—	—	.05	.02	.10	.12	—	.20	.05	—		13
14	.10	—	—	—	—	—	.38	.07	—	.01	.32	.02		14
15	.50	—	.31	—	—	.26	.44	—	—	.07	.04	—		15
16	—	.04	<u>1.00</u>	—	—	.03	—	.01	.01	.14	—	—		16
17	.03	.07	.12	—	—	.05	—	.02	.11	—	—	—		17
18	.05	—	.28	—	—	.17	—	—	—	—	.05	—		18
19	.12	—	.13	—	—	.06	—	.02	.06	—	.44	.03		19
20	—	.05	.01	—	—	.46	—	.01	.05	—	.02	.01		20
21	—	—	—	—	—	.07	—	.07	—	.04	—	—		21
22	—	—	—	.12	.04	.07	—	.35	.41	.01	.02	—		22
23	—	<u>1.40</u>	—	.31	—	.20	—	—	.38	.25	—	—		23
24	—	.31	—	.17	—	—	—	—	.13	.03	—	—		24
25	—	<u>1.40</u>	—	.29	—	.50	—	—	.10	—	—	.15		25
26	—	.50	—	.39	.24	.08	—	—	.11	.03	—	.02		26
27	—	.03	—	—	—	—	.01	—	.02	.26	.04	.79		27
28	—	.02	—	<u>.50</u>	.43	—	.24	—	—	.23	—	.06		28
29	.08	X	<u>.15</u>	.03	—	—	.03	—	.01	—	—	.05		29
30	.02	X	.11	—	—	—	.02	—	.18	.01	—	.06		30
31	.04	X	.09	X	—	X	—	—	X	.01	X	.01		31
TOTAL	2.59	5.48	3.82	2.03	2.46	3.14	2.20	1.02	2.20	2.53	1.14	2.83	31.44	
*Days with or in. or more.	19	16	16	9	14	17	14	10	14	20	13	15	147	
*Days with .04 in. or more.	13	13	11	7	13	14	8	6	10	12	7	6	120	III.

† Spare column, no entries required.

*See Instruction 2 (f) on other side.

(Signed) *Attansbury*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hawthorn, Gers., West Hill, Ottery St Mary
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	-	-	-	-	.07	-	1.31	.17	-	.17	.63		1
2	.07	-	.10	-	-	-	-	-	.93	.02	.16	.27		2
3	.01	.01	.01	-	-	-	-	.64	-	.36	-	.35		3
4	.06	-	.22	.06	.32	-	-	.07	.14	.07	-	.53		4
5	.01	-	.23	-	.25	.10	-	1.10	-	.08	.07	.51		5
6	.03	.01	.25	.03	.57	-	-	-	.02	.40	.01	.41		6
7	.04	-	.01	-	-	-	-	.17	-	.10	.01	.85		7
8	-	-	-	-	.16	-	-	.01	.01	-	.30	.35		8
9	.05	-	.45	.02	-	-	-	-	-	.04	.35	.13		9
10	.28	-	.34	.42	-	-	-	.13	-	-	.12	.03		10
11	.53	.01	.07	.57	-	-	-	.06	-	-	-	1.08		11
12	.10	-	.03	-	-	-	.05	.40	-	-	-	.12		12
13	.57	-	-	.79	-	-	-	-	-	.01	.01	.68		13
14	.29	-	.50	.03	-	-	-	-	-	.01	.08	.45		14
15	.04	.01	.09	-	.14	-	-	-	-	.25	.10	.41		15
16	.03	.01	.28	.12	.02	-	-	-	.10	.03	.01	.27		16
17	.08	-	.01	.17	.03	-	-	-	.06	.12	-	.50		17
18	.08	-	.37	.65	-	-	-	-	.25	.01	-	.18		18
19	.02	.01	.17	.02	-	.06	-	.02	.08	-	-	.12		19
20	.01	-	.17	.12	.01	-	.18	-	.04	.02	-	-		20
21	-	-	.11	-	.01	.24	-	.05	.01	.32	-	.70		21
22	.01	-	.11	-	-	.01	.62	.18	.35	-	.01	1.25		22
23	.14	.01	.03	.21	-	1.18	.01	-	.36	.07	-	.39		23
24	-	.15	.04	.09	-	.24	.10	-	.05	.15	-	.05		24
25	.31	.01	-	.24	-	.05	-	-	-	.34	-	1.15		25
26	.01	.01	.05	.10	-	.20	.02	-	.10	-	.04	.12		26
27	-	-	-	-	-	.01	-	.03	.09	.03	.01	.36		27
28	.01	-	-	.20	-	.04	-	.44	.24	.05	-	1.10		28
29	-	X	-	-	-	-	-	.02	.07	.04	.01	.07		29
30	.02	X	-	-	-	-	.06	.14	.10	.06	.01	.30		30
31	-	X	-	X	-	X	.03	.09	X	.05	X	.08		31
TOTAL	3.87	0.24	3.64	3.63	1.49	2.30	1.07	4.86	3.17	2.63	1.47	13.44	40.71	
* Days with .01 in. or more.	25	10	22	16	9	11	8	17	19	23	17	30	207	
* Days with .04 in. or more.	15	1	17	12	5	9	5	13	16	16	9	29	147	

† Spare column, no entries required.

40-9999

* See Instruction 2 (f) on other side.

(Signed)

Atkinson

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Warrington, Lancs., District of Warrington*
in the County of *Lancs.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *6* in.
,, Ground ,, Sea Level *340* ft.

✓✓✓ GR.

4000

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.02	.55	—	—	.37	.09	—	.15	.15	.21	.18		1
2	—	.06	.07	—	—	.09	—	—	.11	.23	.22	.10		2
3	—	.01	.17	—	.17	.22	.01	—	.13	.28	.28	.01		3
4	—	.35	—	.10	.10	.61	—	—	.04	.04	.18	.19		4
5	—	.26	.01	.02	—	.20	—	—	.22	.50	.02	.04		5
6	—	—	—	.64	—	.74	—	—	—	.02	.11	.24		6
7	—	—	.01	.30	—	.01	—	—	—	.32	.04	.05		7
8	—	—	—	.30	—	.01	—	—	.30	.04	.33	.04		8
9	—	—	—	.40	—	.14	—	—	.22	.66	.36	—		9
10	.03	—	.27	.05	—	.05	—	—	—	.01	—	.04		10
11	.25	—	.01	—	—	.34	—	—	.27	.05	.69	.01		11
12	.03	.16	—	—	—	.32	—	.03	.05	—	.07	—		12
13	.05	.04	—	.26	—	.11	—	—	.01	—	.31	—		13
14	—	.16	—	.23	—	.13	—	—	.16	—	1.04	.34		14
15	—	.02	—	1.07	.10	.11	—	—	.05	—	.10	.11		15
16	—	.02	.09	.11	—	.06	.01	—	.67	.01	1.00	—		16
17	—	—	—	.03	1.07	.34	—	.17	.05	—	.03	—		17
18	—	.01	—	.24	.01	.01	.13	.01	.25	.03	.02	.15		18
19	—	.03	—	.04	.23	.07	.15	—	.04	.11	.56	—		19
20	—	.28	—	.39	.09	—	.01	—	.01	.01	.30	—		20
21	—	.60	.01	.05	—	.01	.01	—	.09	.08	—	.01		21
22	—	.01	.04	.14	—	—	—	—	.04	.02	—	.01		22
23	—	.06	.08	.07	.05	—	—	.50	.14	.45	—	.70		23
24	.01	.66	—	—	.09	—	—	.56	.15	.02	.01	.21		24
25	.27	.63	—	.09	.04	.08	—	—	—	—	.01	.29		25
26	—	.78	—	—	.01	.05	—	.22	.13	—	.02	.85		26
27	—	.11	.01	—	—	—	—	.01	.03	.12	.03	.58		27
28	—	.08	—	—	.15	—	—	.14	.43	.11	.07	.04		28
29	—	X	—	—	—	—	—	.01	.09	—	.10	.61		29
30	.04	X	—	—	—	.09	—	.64	.04	.04	.38	.61		30
31	—	X	—	X	—	X	—	.04	X	.69	X	.30		31
TOTAL	✓ 0.70	✓ 4.35	✓ 1.32	✓ 4.33	✓ 3.11	✓ 4.16	✓ 0.41	✓ 2.33	✓ 3.57	✓ 3.99	✓ 6.49	✓ 5.71	✓ 69.37	
* Days with .01 in. or more.	✓ 18	✓ 21	✓ 12	✓ 19	✓ 12	✓ 23	✓ 17	✓ 11	✓ 26	✓ 23	✓ 26	✓ 24	✓ 21	
* Days with .04 in. or more.	✓ 14	✓ 14	✓ 17	✓ 17	✓ 10	✓ 19	✓ 13	✓ 17	✓ 23	✓ 16	✓ 19	✓ 20	✓ 15	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Warrington

[P.T.O.]

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hawthorne Bend, West Hill.....

in the County of Alameda ^{and to-wit}

Diameter of Funnel of Gauge.....5....in.

Height of top of Gauge above Ground.....1.ft..6.....in.

Ground Sea Level 340...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.25	.03	.16	-	.58	.64	-	-	-	.01	.10		1
2	.01	-	-	.06	-	.41	.54	.05	.05	-	.14	.02		2
3	.03	-	-	.84	-	.03	.13	-	1.20	-	.20	.01		3
4	-	-	.14	.03	-	.04	-	-	.58	-	.07	.11		4
5	.59	.04	.01	-	-	-	.10	-	.18	-	.05	.18		5
6	.11	-	.09	-	-	.03	.23	.01	.68	-	.25	.01		6
7	.09	-	.41	-	-	-	.02	-	-	-	.17	.04		7
8	.38	-	.50	-	-	-	.25	-	-	-	.20	.01		8
9	.61	.41	.11	-	-	.01	.35	-	.11	-	.05	-		9
10	.01	.23	-	-	-	-	.01	-	.01	-	.32 25	-		10
11	.35	.16	-	-	-	.11	.08	.04	.09	-	.82 77	.08		11
12	.02	.01	-	.20	-	.06	.36	-	.36	.02	.10	.02		12
13	.06	-	.04	.01	-	-	.06	.01	.03	.03	.12	.77		13
14	-	.03	-	.01	-	.01	.56	-	.16	.06	-	.50		14
15	.02	.02	-	-	-	-	.08	-	.02	.01	.12	.23		15
16	-	.24	-	.02	.27	-	.16	-	-	-	.13	.14		16
17	.15	1.35	-	-	.07	-	.66	-	-	.02	.05	.30		17
18	.10	.35	.14	-	-	.41	.37	-	-	.01	-	.12		18
19	.84	.01	.16	.12	-	.33	.26	.02	-	-	-	-		19
20	.05	.36	.16	.03	-	.03	.01	.01	.26	-	-	.03		20
21	.01	.12	.14	.73	-	.10	-	-	.01	-	-	-		21
22	.10	.26	.37	-	-	-	.38	-	-	-	-	.04		22
23	.03	.07	.03	.24	.02	-	.05	-	.01	.10	-	.01		23
24	.35	.09	.02	-	.19	-	.41	-	.14	.17	-	-		24
25	.32	-	.42	.11	-	-	.28	-	.07	.25	-	-		25
26	.36	.05	.25	-	-	-	.31	-	.05	.02	-	-		26
27	.33	.04	.06	-	-	-	.12	-	.02	.23	-	-		27
28	.87	.01	.89	.03	-	.01	.03	-	-	.04	.02	.38		28
29	.01	.07	.02	-	-	.04	-	-	-	.09	.17	.13		29
30	.24	X	-	-	.08	.07	-	-	-	.16	-	.01		30
31	.12	X	.59	X	.06	X	.07	-	X	.01	X	.42		31
TOTAL	6.09	4.17	4.58	2.59	0.69	2.27	6.32	0.14	3.73	1.22	3.09	3.66	Year's Total	
* Days with .01 in. or more.	28	21	21	14	6	16	27	6	19	15	18	23	214	
* Days with .04 in. or more.	20	16	16	8	5	10	23	2	13	8	16	15	152	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at .. *West Hill, Albany, Albany* ..in the County of .. *Devon* ..

Diameter of Funnel of Gauge.....5...in.

Height of top of Gauge above Ground.....1 ft....6...in.

,, Ground ,, Sea Level 340...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	.01	.01	.72	—	—	—	—	.15	.01	.04	.75		1
2	.01	.32	.10	.20	—	—	—	—	.09	—	.01	.05		2
3	.01	.44	.11	.07	.06	—	.05	—	.03	—	—	—		3
4	.11	.88	.01	—	.05	—	.01	.01	—	—	—	.47		4
5	.18	—	.04	.02	—	—	.74	—	.01	—	—	.13		5
6	.03	.61	.50	.72	.01	—	.15	—	—	.01	—	.02		6
7	—	.73	.02	.12	—	.05	—	—	.01	—	.02	.07		7
8	.01	.04	—	—	.83	—	.08	—	—	—	.14	.20		8
9	.02	—	.10	.23	.07	—	.03	.03	.75	—	—	.07		9
10	.38	.03	.94	.54	.20	.11	.03	.19	—	—	—	.14		10
11	.16	—	.30	.20	.33	.04	.43	—	—	—	.01	.02		11
12	.73	.30	.03	.16	.02	.29	.14	.69	.06	—	—	.75		12
13	—	.09	.83	.23	—	—	—	.20	.11	—	—	.03		13
14	.01	.02	.15	.11	—	—	1.90	.14	.02	—	.01	.05		14
15	.54	.06	.32	.70	—	—	.34	—	.45	—	—	.28		15
16	.11	.08	.43	.02	—	—	.03	.16	.39	—	.21	—		16
17	1.11	.06	.78	—	—	—	.01	.01	.08	—	.07	—		17
18	.04	.29	.18	—	—	.20	—	—	.71	—	.14	.19		18
19	.13	.02	.08	.13	.09	—	—	—	.03	—	.08	.08		19
20	.59	.05	.08	.18	.18	—	—	—	—	.01	—	.86		20
21	.80	.52	.19	.07	.43	—	.07	—	.19	.03	.17	.02		21
22	.29	.01	.10	—	.28	.01	.15	—	.22	.69	.53	.06		22
23	.22	.26	.01	—	.04	—	—	—	—	.21	.59	.01		23
24	.50	.58	.03	—	—	—	—	—	.04	1.12	—	.01		24
25	.25	.80	.42	—	.10	—	—	.01	.02	.52	.02	.01		25
26	.01	.33	.05	—	.20	—	—	—	.01	.02	—	.02		26
27	.03	.39	—	—	—	—	—	—	—	.38	—	—		27
28	.45	.03	—	—	—	—	—	—	—	.19	.02	—		28
29	.06	X	—	—	—	—	—	—	—	.50	.42	—		29
30	.65	X	—	—	—	.01	—	—	.01	.13	.29	—		30
31	.32	X	—	X	—	X	—	—	X	.39	X	.01		31
TOTAL	7.73	6.95	5.61	3.92	2.89	0.71	4.16	1.44	3.38	4.21	2.76	4.30	48.06	✓
* Days with .01 in. or more.	29	25	25	17	15	7	15	9	20	14	17	24	217	✓
* Days with .04 in. or more.	22	19	20	15	10	5	10	5	12	9	11	18	159	✓
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. B. Stansbury

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hawthorn, near West Hill, Albany, N.Y.

in the County of Deane

Diameter of Funnel of Gauge.....5....in.

Height of top of Gauge above Ground.....1 ft. 6....in.

,, Ground ,, Sea Level ...340....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.08	—	—	—	.41	.04	.04	—	.60	.05	.03		1
2	—	.03	—	.01	—	.04	—	—	—	.16	.03	.16		2
3	—	—	—	—	.22	.03	.06	.13	—	.36	.05	.02		3
4	—	—	—	—	.06	.11	.11	1.54	—	.07	—	.16		4
5	.01	—	—	—	—	.02	.04	—	.04	.53	.01	.01		5
6	.12	—	—	—	—	.19	1.44	—	.18	.02	—	.02		6
7	.11	—	—	—	—	.04	.24	—	.04	.04	.01	.08		7
8	.43	.01	—	—	—	.01	.04	.04	—	.11	—	.01		8
9	.19	.07	—	—	—	.08	—	—	—	.01	—	.52		9
10	.06	.01	—	—	—	.01	.03	.04	—	—	—	.83		10
11	.08	—	—	—	—	—	.05	.54	—	—	.44	.81		11
12	.19	—	—	—	.18	—	.02	—	—	.31	.80	.12		12
13	.17	—	—	—	.16	—	—	.01	—	.01	.07	.75		13
14	.91	—	—	—	.15	—	.70	—	.02	—	—	.01		14
15	.09	—	—	—	.28	—	.12	—	—	.28	.35	.38		15
16	.05	.02	—	—	.10	—	—	.01	—	.01	.44	.02		16
17	—	.12	.01	—	.04	—	—	—	.01	.15	.03	.03		17
18	.18	—	—	—	.19	.13	—	—	.39	.02	.27	—		18
19	—	—	—	—	—	—	.01	—	.23	—	.75	—		19
20	—	—	—	—	—	—	—	—	.01	—	.05	—		20
21	—	—	—	—	—	—	—	—	.10	—	.23	.39		21
22	—	—	—	.06	—	.19	—	.48	.11	—	.50	.09		22
23	—	—	—	.06	—	—	—	.03	.01	—	.13	.03		23
24	.01	—	.17	—	.04	—	—	.06	.06	—	.32	—		24
25	.11	.34	.01	—	.23	—	.54	—	—	.15	.92	.05		25
26	.32	.34	—	—	.39	—	.05	—	.01	.10	.03	.14		26
27	.12	.04	—	.01	.10	.15	.59	.27	—	.07	.25	—		27
28	.18	.10	.01	—	.15	.08	—	.82	.02	—	.01	.03		28
29	.09	X	.01	—	.42	.01	—	—	.16	.25	.22	.03		29
30	.08	X	.01	—	.03	.83	—	—	.21	—	.06	.05		30
31	.25	X	—	X	.16	X	—	—	X	.18	X	.19		31
TOTAL	3.75	1.16	0.22	0.14	2.90	2.33	4.08	4.01	1.60	3.23	5.82	4.96	34.40	✓
* Days with .01 in. or more.	21	11	6	4	17	16	16	13	16	20	24	26	190	✓
* Days with .04 in. or more.	19	7	1	2	16	11	13	10	10	15	19	17	140	✓
Year's Total														✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *W. H. H. H. H. H.* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1817

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Wentworth, near West Hill, Ottery, Devon*in the County of *Devon*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 6 in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	—	.10	.03	.02	—	.11	.09	.02	—	.24	.01		1
2	.09	—	—	.37	.01	—	—	.44	1.11	—	.14	.12		2
3	.30	—	.08	.57	—	—	.04	.19	—	—	.19	.38		3
4	.01	—	.55	.25	.39	—	.64	.03	—	.59	.21	.17		4
5	—	—	.06	.13	—	—	.12	.04	—	.26	1.00	.01		5
6	.70	.01	.08	.08	—	—	.48	.03	—	.25	.21	.01		6
7	—	.21	.04	—	.22	.02	—	.08	—	—	.91	.39		7
8	.01	.28	.01	—	.08	—	.04	.03	.01	1.32	.25	.06		8
9	.03	.02	.02	—	—	—	—	.14	.02	.12	.06	.09		9
10	.47	—	—	—	.02	.03	—	.06	.04	.07	—	.18		10
11	.01	.02	.09	—	—	—	—	—	.01	.09	.01	.01		11
12	.01	.04	—	.03	—	—	—	—	.13	.01	—	—		12
13	—	—	—	.14	.01	.03	.46	—	.01	1.20	.11	.05		13
14	.79	—	—	.02	.04	.15	.22	—	.03	.04	.25	.01		14
15	.35	.22	.02	—	.16	.69	.32	—	—	—	.22	.02		15
16	.11	—	—	.06	—	—	.35	—	—	—	.29	—		16
17	1.07	.01	—	—	.03	.07	.58	—	—	—	.10	—		17
18	—	.02	.02	—	—	.07	1.72	—	.01	—	.61	.04		18
19	.29	—	—	—	—	.04	.15	—	—	—	.01	.04		19
20	.40	—	—	—	.02	.21	.16	1.00	—	.01	—	.01		20
21	.14	.30	.03	.01	.05	.16	.06	—	—	—	—	—		21
22	.57	.44	.09	.02	—	.29	.21	—	—	—	.27	.01		22
23	.02	.01	.02	.19	—	.01	.18	—	—	.01	.65	—		23
24	.59	—	.15	.04	—	.42	.07	—	—	.07	—	.01		24
25	.76	.10	—	.01	—	—	.12	.38	—	.09	.28	.01		25
26	.12	.08	—	.03	—	—	—	.02	—	.14	.24	—		26
27	—	.31	—	.01	—	.09	—	.07	—	.01	.20	.01		27
28	—	.01	—	.01	—	.10	.01	—	—	—	.50	.04		28
29	.01	X	—	.03	—	.11	.20	—	—	.13	—	—		29
30	—	X	.05	.30	—	.08	.01	.05	—	.50	.01	.01		30
31	—	X	—	X	—	X	.01	.14	X	.69	X	.01		31
TOTAL	6.92	1.86	1.41	2.33	0.71	2.57	6.26	2.79	1.39	5.60	6.96	1.70	40.48	
* Days with .01 in. or more.	23	15	16	20	10	17	23	16	10	19	24	24	217	
* Days with .04 in. or more.	16	8	10	10	5	13	20	12	3	15	21	11	144	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Am. OTTERY

Section **A** for the entry
AIR MINIST

FORM 1090.

Kept at *Elsdon, West*
in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

Ground

Sea Level

340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		0.04	0.13	-	-				0.15	0.15	0.20			1
2		0.02		-	-	0.87	0.01		0.15	0.24	0.23	0.31		2
3		0.13		-	0.12				0.16	0.32	0.28			3
4	0.01			0.09	0.14	0.42			0.02	0.01	0.17	0.18		4
5		0.52		0.02	-	0.21			0.21	0.45	0.01	0.01		5
6	-			0.48	-	0.79				0.01	0.09	0.26		6
7	-			0.32	-					0.31	0.02	0.04		7
8	-	-	-		-				0.29	0.04	0.36	0.03		8
9	-	-	-	0.76	-	0.56			0.25	0.66	0.37			9
10	0.02	-	0.18		-					0.01		0.04		10
11	0.24	-	0.12		-			trace		0.02	0.61	0.01		11
12	0.03	0.19			-	0.32		0.02		trace	0.06			12
13	0.05	0.03		0.24	-	0.08					0.34			13
14	-	0.17		0.33	0.09	0.05				0.01	0.99	0.34		14
15	-	0.02	trace	1.02		0.15					0.10	0.10		15
16	-		0.08	0.12	-	0.07	0.02		1.78		1.02			16
17	-			0.03	1.08	0.34	0.12	0.17		trace	0.02			17
18	-	0.02		0.25	0.01		0.15	0.01				0.15		18
19	-	0.03		0.05	0.24					0.13	0.59			19
20	-	0.30		0.30	0.08		0.01				0.28			20
21	-	0.58	0.01	0.05			0.01			0.07				21
22	-		0.02	0.17						0.04				22
23	0.01		0.09	0.07	0.65	0.35		0.47		0.42		0.69		23
24	-	0.72			0.05			0.59		0.02		0.20		24
25	0.01	0.55		0.09	0.07				0.12			0.28		25
26	0.23	0.73			0.01			0.23				0.86		26
27	-	0.22							0.02	0.09	0.50	0.57		27
28	-	0.70			0.16			0.13	0.12	0.10		0.03		28
29	-	X						0.09	0.10			0.60		29
30	0.04	X						0.53	0.04	0.03		0.59		30
31	-	X		X		X		0.03	X	0.68	X	0.28		31
TOTAL	0.64	4.97	0.63	4.39	2.10	4.21	0.32	2.27	3.41	3.81	6.24	5.58	38.68	
		4.37	1.23										57	

* Days with
.01 in.
or more.
* Days with
.04 in.
or more.

† Spare column, no entries required

40-9999

* See Instruction 2 (f) on other side.

(Signed)

T. H. LEATHART ESQ.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1817/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Elsdon, West Hill, Ottery St. Mary

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 11 ft.

Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†
1		0.04	0.13	-	-	-	-	-	0.15	0.15	0.20	-	1
2		0.02	-	-	-	0.87	0.01	-	0.15	0.24	0.23	0.31	2
3		0.13	-	-	0.12	-	-	-	0.16	0.32	0.28	-	3
4	0.01	-	-	0.09	0.14	0.42	-	-	0.02	0.01	0.17	0.18	4
5		0.52	-	0.62	-	0.21	-	-	0.21	0.45	0.01	0.01	5
6	-	-	-	0.48	-	0.79	-	-	-	0.01	0.09	0.26	6
7	-	-	-	0.32	-	-	-	-	-	0.31	0.02	0.04	7
8	-	-	-	-	-	-	-	-	0.29	0.04	0.36	0.03	8
9	-	-	-	-	-	0.56	-	-	0.25	0.66	0.37	-	9
10	0.02	-	0.48	0.76	-	-	-	-	-	0.01	-	0.04	10
11	0.24	-	0.12	-	-	-	-	trace	-	0.02	0.61	0.61	11
12	0.03	0.19	-	-	-	0.32	-	0.02	-	trace	0.06	-	12
13	0.05	0.03	-	0.24	-	0.08	-	-	-	-	0.34	-	13
14	-	0.17	-	0.33	0.09	0.05	-	-	-	0.01	0.99	0.34	14
15	-	0.02	trace	1.02	-	0.15	-	-	-	-	0.10	0.10	15
16	-	-	0.08	0.12	-	0.07	0.02	-	1.78	-	1.02	-	16
17	-	-	-	0.03	1.08	0.34	0.12	0.17	-	trace	0.02	-	17
18	-	0.02	-	0.25	0.01	-	0.15	0.01	-	-	-	0.15	18
19	-	0.03	-	0.05	0.24	-	-	-	-	0.13	0.59	-	19
20	-	0.30	-	0.30	0.08	-	0.01	-	-	-	0.28	-	20
21	-	0.58	0.01	0.05	-	-	0.01	-	-	0.07	-	-	21
22	-	-	0.02	0.17	-	-	-	-	-	0.04	-	-	22
23	0.01	-	0.09	0.07	0.65	0.35	-	0.47	-	0.42	-	0.69	23
24	-	0.72	-	-	0.05	-	-	0.59	-	0.02	-	0.20	24
25	0.01	0.55	-	0.09	0.07	-	-	-	0.12	-	-	0.28	25
26	0.23	0.73	-	-	0.01	-	-	0.23	-	-	-	0.86	26
27	-	0.22	-	-	-	-	-	-	0.02	0.09	0.56	0.57	27
28	-	0.70	-	-	0.16	-	-	0.13	0.12	0.10	-	0.03	28
29	-	X	-	-	-	-	-	0.09	0.10	-	-	0.60	29
30	0.04	X	-	-	-	-	-	0.53	0.04	0.03	-	0.59	30
31	-	X	-	X	-	X	-	0.03	X	0.68	X	0.28	31
TOTAL	0.64	4.97	0.63	4.39	2.10	4.21	0.32	2.27	3.41	3.81	6.24	5.58	Year's Total. 38.65
* Days with .01 in. or more.		4.37	1.23										57
* Days with .04 in. or more.													

Section

A

for the entry of Daily Observations

Station No. 1817/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936 File No. 45 1974/36

Kept at West Hill, Ottery St. Mary

in the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 2 in.

,, Ground ,, Sea Level ... 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	0.18	0.02	0.20		0.57	0.61	0.01	0.01	—	0.01	0.12		1
2	—	—	—	0.04		0.41	0.42	0.02	0.32	—	0.20	0.12		2
3	0.01	—	—	0.77		0.03	0.13	tr.	0.95	—	0.13	0.01		3
4	0.01	—	0.15	0.03		0.03	—	—	0.62	—	0.06	0.11		4
5	0.59	0.03	—	—		—	—	tr.	0.13	—	0.04	0.18		5
6	0.11	—	0.10	—		—	0.33	0.02	0.36	—	0.23	0.01		6
7	0.38	—	0.41	—			0.02	—	—	—	0.18	0.03		7
8	0.10	—	0.53	—			0.25	—	0.01	—	0.32	—		8
9	0.61	0.42	0.09	—	tr.		0.34	—	0.11	—	0.05	—		9
10	0.01	0.27	—	—			0.01	—	0.01	—	0.33	—		10
11	0.38	0.11	—	—		—	0.26	0.03	0.09	—	0.82	1.34		11
12	0.02	—	—	0.21		—	1.08	0.16	—	0.38	—	0.11		12
13	0.05	—	0.02	—			0.04	0.01	0.03	—	0.12	—		13
14	—	0.03	tr.	0.01		—	0.52	—	0.15	—	tr.	—		14
15	—	0.02	—	—			0.10	—	0.02	—	0.11	0.25		15
16	—	0.25	—	—	0.26		0.19	—	tr.	—	0.13	0.15		16
17	1.12	1.32	—	—	0.06		0.61	—	—	0.14	0.05	0.30		17
18	—	0.36	0.47	—	—	—	0.38	0.01	—	—	—	0.12		18
19	—	0.01	—	0.11	—	—	0.31	0.20	—	—	—	0.01		19
20	—	0.36	—	0.04	—	—	tr.	0.01	0.26	—	—	0.02		20
21	—	0.17	0.08	0.74	—	—	—	—	—	—	—	tr.		21
22	0.10	0.21	0.42	—	—		0.37	—	0.02	—	—	0.02		22
23	0.03	0.06	0.03	0.24	0.02	—	0.06	—	—	0.09	tr.	—		23
24	0.37	0.09	0.02	—	0.21	—	0.52	—	0.17	0.17	—	0.01		24
25	0.31	—	0.39	0.11	—	—	0.22	—	0.07	0.26	—	—		25
26	0.25	0.05	0.30	—	—	—	0.33	—	0.04	0.02	—	—		26
27	0.34	0.04	0.04	—	—	—	—	—	0.01	—	—	—		27
28	0.88	0.01	0.86	0.02	—	tr.	0.15	—	—	—	—	0.36		28
29	0.02	0.05	0.02	—	—	0.05	—	—	—	0.09	0.13	0.12		29
30	0.23	—	—	—	—	0.07	0.02	—	—	0.16	—	tr.		30
31	0.11	—	0.52	—	0.14	—	0.04	—	—	0.01	—	0.43		31
TOTAL	6.05	4.04	4.47	2.52	0.69	2.24	6.39	0.31	3.76	1.21	3.02	3.59	38.29	
* Days with .01 in. or more.	27	20	21	12	5	14	26	8	20	13	17	22	(20.5)	
* Days with .04 in. or more.	19	16	15	9	4	11	23	1	13	9	16	14	(15.0)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. H. Leathart

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

1817/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File 451974/36

Kept at *Elidon, West Hill, Ottery St. Mary*in the County of *Devon*Diameter of Funnel of Gauge.....*5*" in.Height of top of Gauge above Ground.....*1* ft. *0.2* in.,, Ground ,, Sea Level *350* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.08	.02	tr	.69	—	—	—	—	.16	.02				1
2	0.02	.33	.05	.20	—	—	—	—	.08	—				2
3	tr.	.45	.15	.05	.06	—	.04	—	.02	—				3
4	0.11	.89	.01	tr.	.04	—	—	.01	—	—				4
5	0.18	.01	.03	.02	—	—	.56	—	—	—				5
6	0.02	.54	.31	.22	.01	—	.25	—	tr.	.01				6
7	—	.77	.01	.13	—	—	—	—	—	—				7
8	—	.04	—	tr.		.05	.08	—	—	—				8
9	0.02	—	.01	.23	.89	—	.02	.04	.74	—				9
10	0.39	.03	.95	.54	—	.11	.03	.14	—	—				10
11	0.04	—	.28	.20	.53	.04	.38	tr	—	—				11
12	0.74	0.29	.03	.15	.01	.29		.76	.06	—				12
13	tr.	.08	.87	.23	—	tr		.21	.12	—				13
14	—	.02	.61	.11	—	—	2.40	.15	.01	—				14
15	0.49	.07	.15	.64	—	—		tr.		—				15
16	0.08	.08		.01	—	—	.04	.16			no record kept from 15 Oct '37 to 11/2/38 owing to absence abroad.			16
17	1.00	.06		—	—	—	—	.01						17
18	0.07	.26		—	—	.18	tr.	—	2.05					18
19	0.13	.05		.14	.08	—	—	—						19
20	0.51	.04	2.29	.18	.10	—	tr.	—						20
21	0.71	.53		.07	.43	—	0.08	—						21
22	0.26	tr		tr	.28	—	.15	—						22
23	0.20	.26		—	.04	—	tr	—	—					23
24	0.48	.56		—	—	—	—	—	.03					24
25	0.24	.94		—	.10	—	—	—	.02					25
26	—	.23		—	.20	—	—	—	—					26
27	0.03	.42	—	tr	—	—	—	—	—					27
28	0.47	.09	—	—	—	—	—	—	—					28
29	0.07		—	—	—	—	—	—	—					29
30	0.66	X	—	—	—	.03	—	—	tr.					30
31	0.33	X	—	X	—	X	—	—	X		X			31
TOTAL	7.33	7.06	5.38	3.81	2.77	0.70	4.03	1.48	3.29				Year's Total	78
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. H. Leachman

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1817/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Feb 451974/36

Kept at Elsdon, Westhill, Ottery, Strumary

in the County of S. Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 2 in.

Ground Sea Level.....350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			—	—	0.01	0.36	0.12	0.04	—	0.66	0.05	0.03		1
2			—	0.01	tr	0.03	—	—	—	0.10	0.01	0.16		2
3			—	—	—	0.03	0.10	0.11	—	0.33	0.05	0.01		3
4		0.20	—	tr	0.27	0.12	0.11	1.57	tr	0.11	—	0.15		4
5			—	—	—	0.02	0.04	—	0.02	0.52	0.01	0.01		5
6			—	—	—	0.18	1.22	—	0.19	0.02	tr	0.02		6
7			—	—	—	0.03	0.36	—	0.03	0.03	—	0.07		7
8			—	—	—	0.01	0.03	0.04	tr	0.11	0.01	0.01		8
9			—	—	—	0.11	tr	—	—	0.01	—	0.48		9
10			—	—	—	0.01	0.04	0.04	—	tr	—	0.77		10
11		—	—	—	—	—	tr	—	—	tr	0.39	0.77		11
12		—	—	—	0.18	—	—	0.01	—	0.33	0.82	0.13		12
13	snr tr	—	—	—	0.16	—	—	—	tr	tr	0.08	0.74		13
14	" tr	—	—	—	0.15	—	0.90	0.01	0.01	tr	—	0.01		14
15	" 0.01	—	—	—	0.26	—	—	0.01	—	0.27	—	0.36		15
16	" 0.02	—	—	—	0.09	—	—	—	—	0.01	1.08	0.04		16
17	" 0.12	0.01	—	—	0.03	—	—	—	0.01	0.15	—	tr		17
18	—	—	—	—	0.15	0.13	—	tr	0.42	0.02	—	—		18
19	—	—	—	—	tr	—	0.01	tr	0.21	—	0.79	—		19
20	—	—	—	—	—	—	—	—	0.01	—	0.06	—		20
21	—	—	—	—	—	—	—	0.01	0.09	—	0.23	0.43		21
22	—	—	—	0.06	—	0.17	—	0.44	0.07	—	0.31	0.10		22
23	—	—	—	0.05	—	tr	—	0.02	—	—	0.12	0.02		23
24	tr	0.18	—	—	—	—	—	0.06	—	—	0.32	—		24
25	0.34	—	—	—	0.73	—	0.53	0.01	—	0.05	0.96	0.10		25
26	0.33	—	—	—	—	tr	0.01	—	—	0.11	0.02	0.09		26
27	0.04	—	0.01	—	—	0.16	0.60	—	0.44	0.07	0.23	—		27
28	0.10	0.01	—	—	0.15	0.10	—	1.05	—	—	0.01	0.04		28
29	—	tr	—	—	0.42	—	—	—	—	0.25	0.23	0.03		29
30	—	0.02	—	—	tr	0.93	0.01	—	—	tr	0.05	0.05		30
31	—	tr	—	—	0.15	—	—	—	—	0.17	—	0.19		31
TOTAL	3.72	1.16	0.22	0.13	2.75	2.41	4.08	3.92	1.50	3.32	5.83	4.81	Year's Total 33.88	Print

* Days with
.01 in.
or more.

* Days with
.04 in.
or more.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

From J. H. Leathart

COPY FOR OFFICIAL USE

Station No. 1817/5

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File 451974/36

Kept at Elsdon, West Hill, Ottery St. Mary

in the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....13 in.

„ Ground „ Sea Level 350.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.07	—	.10	.03	.01	—	.08	.06	.02	—	.23	.01		1
2	.09	—	—	.36	—	—	—	.45	1.11	—	.13	.11		2
3	.35	—	.14	.52	.39	—	✓ .73	.18	.15	—	.19	.38		3
4	.01	—	.46	.25	—	—	✓ .73	.03	—	.56	.21	.19		4
5	—	.01	.06	.12	tr	—	✓ .73	.03	—	.22	1.09	.01		5
6	.68	—	.08	.07	—	—	.49	.03	—	.24	.14	—		6
7	tr	✓ .50	.03	—	—	.02	tr	.04	—	—	.55	.38		7
8	.01	✓ .50	.01	—	.10	—	.03	.04	—	1.39	.57	.08		8
9	.04	✓ .50	.02	—	—	—	—	.12	—	.10	.03	.10		9
10	.51	✓ .50	.05	—	—	.03	—	.08	.04	.06	tr	.20		10
11	.01	.02	.06	—	—	—	—	tr	—	.08	.01	.01		11
12	—	.03	—	.03	—	.02	—	—	—	.01	.01	—		12
13	—	—	—	.15	.02	.02	.44	—	.15	1.20	.10	—		13
14	.83	.01	—	.02	.03	.14	.18	—	.03	.03	.17	✓ .06		14
15	.32	—	.02	tr	.15	.60	.12	—	—	—	.30	.02		15
16	.09	—	—	.07	.01	.01	.50	—	—	tr	.26	—		16
17	1.08	.01	—	—	.03	.05	.62	—	.01	—	.14	—		17
18	.01	.02	✓ .02	—	tr	.06	1.22	—	✓ .44	—	.63	.04		18
19	.28	—	✓ .02	—	—	.02	.48	tr	—	—	.01	.03		19
20	.38	—	✓ .02	—	.01	.18	.13	1.15	—	—	—	.01		20
21	.15	.28	.03	.01	.06	.15	.07	.02	—	—	—	—		21
22	.57	.42	.09	.02	—	.34	.23	tr	—	—	✓ .14	—		22
23	.01	.01	.02	.17	—	.02	.12	—	—	tr	✓ .14	—		23
24	.74	—	.14	.05	—	.45	✓ .45	—	—	.07	1.67	—		24
25	.77	.11	tr	tr	—	—	✓ .27	.21	—	.10	✓ .10	—		25
26	.03	.07	—	.01	—	tr	✓ .27	.20	—	.13	✓ .13	—		26
27	—	.31	tr	.01	—	.07	—	.11	—	—	✓ .11	—		27
28	—	.04	.01	.03	—	.06	—	—	—	.01	.51	.05		28
29	—	✓ .04	—	.30	—	.10	.21	—	—	.14	tr	—		29
30	—	✓ .04	.04	.02	—	.07	.01	.05	—	.52	.01	—		30
31	—	✓ .04	—	✓ .04	—	✓ .04	tr	.13	✓ .04	.65	✓ .04	—		31
TOTAL	7.03	1.84	1.38	2.24	0.81	2.41	5.93	2.03	1.51	5.51	6.96	1.68	40.23	"d"
* Days with .01 in. or more.	22	16	18	19	10	19	21	17	7	17	25	16	207	
* Days with .04 in. or more.	16	8	10	10	4	12	18	13	4	14	20	10	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. H. Leathart

[P.T.O.]

Kept at **ASHE...HOUSE...HO**
in the County of **...E...DEVO**
Diameter of Funnel of Gauge **...5**
Height of top of Gauge above Grou
,, Ground ,, Sea I

1818/5
MUSBURY ASHETHOUSE
1937 — 40

780309

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	.66	—	.54	—	—	—	—	.14	—	—	X 1.25		1
2	X	.63	—	.26	—	—	—	—	.21	—	.06	X		2
3	X	.23	—	.06	—	—	—	—	—	—	.05	—		3
4	X	.82	.07	—	—	—	—	.01	—	.01	—	—		4
5	X	—	—	—	—	—	.55	—	—	—	—	.26		5
6		—	.45	.16	.01	.03	.86	—	.01	—	—	.09		6
7		<u>1.52</u>	—	.08	.01	—	.03	—	—	—	—	.36		7
8		—	—	—	.81	.01	—	—	—	—	.15	.04		8
9		—	.11	.18	.20	—	—	—	.71	—	—	—		9
10	X	.02	.83	.20	—	.27	.43	—	—	—	—	.38		10
11	X	—	.11	.14	.59	.01	.85	.01	—	—	—	—		11
12	X	—	.03	.16	—	.38	.18	<u>.50</u>	.07	—	.05	.58		12
13		.10	<u>1.52</u>	.38	—	.01	.16	.31	.04	—	.15	—		13
14		.25	.12	.02	—	—	—	—	.05	—	—	.03		14
15	X	.03	.13	<u>.63</u>	—	—	.19	.01	.19	—	—	.31		15
16	X	.19	.46	.03	—	.02	.81	.18	<u>.74</u>	—	—	—		16
17	X	.18	.44	—	—	—	.10	—	.05	—	.26	—		17
18		.11	.12	—	—	.01	.05	—	.05	—	.15	X		18
19	X	.09	.09	.17	.06	—	—	—	.10	—	.05	X .32		19
20	X	—	.10	<u>.20</u>	.04	—	—	—	—	—	—	<u>1.20</u>		20
21	X	.19	.08	.05	.44	—	.01	—	.32	.01	—	.10		21
22	X	.52	.05	—	.49	.28	.21	—	.21	.75	<u>1.05</u>	.07		22
23	X	.30	.02	—	.46	—	—	—	—	.07	.56	.03		23
24	X	.62	.02	—	—	—	—	—	—	<u>1.01</u>	—	.01		24
25	X	.51	.34	—	.24	—	—	—	—	—	.23	.02		25
26		.41	.04	—	.26	—	—	—	.05	—	.05	.01		26
27		—	—	—	—	—	.01	—	—	.51	—	—		27
28	X	.37	—	—	—	—	—	—	—	.28	—	—		28
29		—	—	—	—	.01	—	—	—	.42	.26	—		29
30	X	X	—	—	—	.05	—	—	.02	.05	.19	—		30
31	X	X	—	X	—	X	—	—	X	.94	X	—		31
TOTAL	8.59	7.75	5.17	3.26	3.61	1.08	3.84	1.02	2.96	4.05	3.26	5.06	49.61	Year's Total
* Days with .01 in. or more.	21	22	20	16	12	11	14	6	16	10	14	18	180	
* Days with .04 in. or more.	21	20	17	14	10	4	11	3	14	8	14	5	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) **Des Hayes (His)** [P.T.O.]

pp. No 5 Peak

Section



for the entry of Daily Observations

Station No.

1818/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ASHE HOUSE MOSBURY

in the County of E. DEVONS HIRE

Diameter of Funnel of Gauge.....5.2.....in.

Height of top of Gauge above Ground....1.....ft.....in.

,, Ground ,, Sea Level ...11.6.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	.66	—	.54	—	—	—	—	.14	—	—	1.25		1
2	X	.63	—	.26	—	—	—	—	.21	—	.06	X		2
3	X	.23	—	.06	—	—	—	—	—	—	.05	—		3
4	X	.82	.07	—	—	—	—	.01	—	.01	—	—		4
5	X	—	—	—	—	—	.55	—	—	—	—	.26		5
6		—	.45	.16	.01	.03	.36	—	.01	—	—	.09		6
7		1.52	—	.08	.01	—	.03	—	—	—	—	.36		7
8		—	—	—	.81	.01	—	—	—	—	.15	.04		8
9		—	.11	.18	.20	—	—	—	.71	—	—	—		9
10	X	.02	.83	.20	—	.27	.43	—	—	—	—	.38		10
11	X	—	.11	.14	.59	.01	.85	.01	—	—	—	—		11
12	X	—	.03	.16	—	.38	.18	.50	.07	—	.05	.58		12
13		.10	1.52	.38	—	.01	.16	.31	.04	—	.15	—		13
14		.25	.12	.02	—	—	—	—	.05	—	—	.03		14
15	X	.03	.13	.63	—	—	.19	.01	.19	—	—	.31		15
16	X	.19	.46	.03	—	.02	.81	.18	.74	—	—	—		16
17	X	.18	.44	—	—	—	.10	—	.05	—	.26	—		17
18		.11	.12	—	—	.01	.05	—	.05	—	.15	X		18
19	X	.09	.09	.17	.06	—	—	—	.10	—	.05	.32		19
20	X	—	.20	.20	.04	—	—	—	—	—	—	1.20		20
21	X	.19	.08	.05	.44	—	.01	—	.32	.01	—	.10		21
22	X	.52	.05	—	.49	.28	.21	—	.21	.75	1.05	.07		22
23	X	.30	.02	—	.46	—	—	—	—	.07	.56	.03		23
24	X	.62	.02	—	—	—	—	—	—	1.01	—	.01		24
25	X	.51	.34	—	.24	—	—	—	—	—	.23	.02		25
26		.41	.04	—	.26	—	—	—	.05	—	.05	.01		26
27		—	—	—	—	—	.01	—	—	.51	—	—		27
28	X	.37	—	—	—	—	—	—	—	.28	—	—		28
29		—	—	—	—	.01	—	—	—	.42	.26	—		29
30	X	X	—	—	—	.05	—	—	.02	.05	.19	—		30
31	X	X	—	X	—	X	—	—	X	.94	X	—		31
TOTAL	8.59	7.75	5.17	3.26	3.61	1.08	3.84	1.02	2.96	4.05	3.26	5.06	49.61	Year's Total
* Days with .01 in. or more.	21	22	20	16	12	11	14	6	16	10	14	18	180	
* Days with .04 in. or more.	21	20	17	14	10	4	11	3	14	8	14	5	141	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) B. Desanges (this) [P.T.O.]

PP. No 5 Peak

Section

A

for the entry of Daily Observations

Station No. 18175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ASHE HOUSE, MUSBURY, WILTSHIRE

in the County of DEVON

Diameter of Funnel of Gauge $5\frac{1}{2}$ in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 116 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.07	—	—	.03	.28	—	—	—	.69	.04	.15		1
2	.01	—	.05	.01	.01	.02	.15	—	—	.28	.11	.07 ⁽⁰⁷⁾		2
3	—	—	—	—	.31	—	—	.82	—	.41	.08	—		3
4	—	—	—	—	—	—	—	.64	—	.27	~~.08~~	.11		4
5	—	—	—	—	—	—	.10	—	.01	.08	.07	—		5
6	.05	—	—	—	—	.05	1.02	.05	.05	.42	—	—		6
7	.15	—	—	—	—	.40	.51	—	—	.05	.10	.10		7
8	.31	.03	—	—	—	.05	—	—	—	.25	—	.58		8
9	.18	.03	—	—	—	.18	.15	—	—	.05	—	—		9
10	.35	—	—	—	—	—	.05	—	—	—	—	.35		10
11	.25	—	—	—	—	—	—	.05	—	.09	.27	.68		11
12	.37	.05	—	—	.26	—	.01	—	—	.26	.08	.04		12
13	.21	—	—	—	.12	—	.01	—	—	.10	.32	.84		13
14	.92	—	—	—	.10	—	.76	—	—	—	.10	.54		14
15	.35	—	—	—	.03	—	.30	.02	—	.25	.36	.03		15
16	—	—	—	—	.05	—	.15	.06	—	—	—	—		16
17	.09	—	.03	—	.03	—	—	—	.10	.32	—	—		17
18	.18	—	—	—	—	.09	—	—	.50	—	.28	.05		18
19	—	.03	—	—	—	—	.02	.03	.42	—	1.25	—		19
20	—	.15	—	.01	—	—	—	.04	.05	.01	.41	—		20
21	.02	—	—	—	—	—	—	—	—	~~.01~~	.38	.21		21
22	—	—	—	—	—	.19	—	.38	.05	.07	.50	.31		22
23	.03	.05	—	.05	—	—	—	—	.02	—	.07	.07		23
24	—	.10	.14	—	—	.22	—	—	—	—	.39	—		24
25	.15	.51	—	—	.28	—	.50	.02	—	.04	1.51	—		25
26	.38	—	—	—	.42	.22	—	—	—	.10	—	.35		26
27	.18	.06	—	—	.05	.12	.61	.32	.06	.18	.37	—		27
28	.32	.42	—	—	.22	—	—	.58	.75	—	.09	.02		28
29	.23	.10	—	—	.74	—	—	—	—	—	.11	.03		29
30	.06	~~X~~	—	—	.05	.63	.01	—	.26	.31	.07	.05		30
31	.57	~~X~~	—	~~X~~	.25	~~X~~	—	—	~~X~~	.24	~~X~~	—		31
TOTAL	5.46	1.61	.22	.07	2.95	1.93	4.35	2.91	2.27	4.54	6.94	4.58	Year's Total	37.86
* Days with .01 in. or more.	23	12	3	3	16	12	15	12	11	21	22	19		169
* Days with .04 in. or more.	20	9	2	1	12	11	11	9	9	20	22	16		142

† Spare column, no entries required.

(Signed) Des Forges [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 1818/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ASHE HOUSE, MUSBURY, AXMINSTER

in the County of EAST DEVON.

Diameter of Funnel of Gauge. 5½ in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 116 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.01	—	—	—	—	.15	.30	—	.04	.04		1
2	.35	—	—	—	.05	.14	.05	.35	.55	—	—	.14		2
3	.07	—	—	.62	—	—	—	.15	—	—	.63	.52		3
4	—	—	.56	.30	.42	—	.32	.38	.02	.61	.10	.22		4
5	—	—	—	.62	—	—	.24	—	—	.42	.87	.40		5
6	.75	.01	.10	.76	.09	—	.74	—	—	—	.24	—		6
7	.01	.76	.06	.24	—	—	.07	.02	—	1.62	.54	.78		7
8	.05	.35	.06	—	—	—	.32	.10	—	.18	.24	—		8
9	.05	.02	—	—	—	—	—	.09	—	.01	—	.13		9
10	.18	—	—	—	—	.05	.14	.15	.04	.17	—	.21		10
11	.05	.02	.10	—	—	—	—	—	—	—	.10	—		11
12	.38	.02	—	—	—	—	—	—	—	—	.05	—		12
13	.02	—	—	.16	—	.38	.48	—	.15	.06	.44	—		13
14	.85	.01	—	.06	.35	.34	.35	—	—	.04	.18	—		14
15	.62	—	—	.02	—	1.05	.43	—	—	—	—	.05		15
16	.25	.01	—	.10	—	—	.70	—	—	—	—	—		16
17	.67	.04	—	.11	.09	.21	.25	—	—	.05	—	—		17
18	—	—	.05	—	—	.21	—	—	—	—	.55	.05		18
19	.46	—	—	—	—	.28	.14	—	—	—	—	.26		19
20	.51	.01	—	—	—	—	.14	.28	—	—	—	—		20
21	.07	.23	.05	—	—	.28	.02	—	—	—	—	—		21
22	.77	.52	.15	—	—	—	.13	—	—	.35	.54	—		22
23	—	—	—	.24	—	—	.10	—	—	—	1.17	—		23
24	.72	—	—	.09	—	.45	—	—	—	—	—	—		24
25	1.32	.12	—	—	—	—	1.32	.12	—	—	.30	.05		25
26	.11	.11	—	—	—	—	.20	—	—	.42	.33	.15		26
27	.05	.13	.05	.10	—	.02	.25	.14	—	—	.18	—		27
28	—	.36	.02	.15	—	.07	—	—	—	—	.46	—		28
29	.01	.10	—	.05	—	—	.11	—	—	—	.02	—		29
30	—	X	.03	.28	—	.14	—	.11	—	.32	.05	.03		30
31	—	X	—	X	.90	X	—	.17	X	.76	X	—		31
TOTAL	8.32	2.82	1.24	3.90	1.90	2.94	6.50	2.21	1.06	4.81	7.03	3.02	Year's Total 45.25	
* Days with .01 in. or more.	23	17	12	16	6	12	21	13	5	13	20	14	174	
* Days with .04 in. or more.	20	10	9	15	6	11	20	12	4	12	19	13	151	

† Spare column, no entries required.

(Signed)

b. Dea Forge

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1818/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at ASHE HOUSE

in the County of E. DEVON.

Diameter of Funnel of Gauge 5 1/2 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 116 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.04												1
2		.22					.03				.06			2
3	.08	.89									1.38	1.26		3
4		.31		.38						.18		.34		4
5			.24					.05		.28	.53	.18		5
6			.03							.02	.06			6
7		.75								.32				7
8	.38						.10		.01	.39		.44		8
9	.05			.02			.26			.05	.86	.18		9
10							.45				.18	.21		10
11		.03					.21			.66	1.07	.12		11
12			.28			.06	.26		.52	.36	.18			12
13							.01		.02		1.75			13
14				.06			.06		.13			.93		14
15		.22		.08	1.42		.20		.22	1.24	.56	.02		15
16		1.42	.62	.13	.31		.10		.10		.26			16
17		.13	.37	.77			.31			.17	.28	.01		17
18		.43	.58	.11	.32		.15		.45		.21	.04		18
19		.13	.05				.02		.05	.15	.05			19
20							.34	.02	.38		.68			20
21			.02	.02						.06				21
22					.26		.05		.15					22
23	.21	.45	.29	.11		.51					.07			23
24			.38	.07			.11							24
25			.21							.25				25
26	1.36		.31			.05	.05				.01			26
27	.26	.22		.04	.35					.07		.26		27
28	.24		.15		.25									28
29		.26		.72		.07				.11				29
30		~~X~~		.05						.51		.21		30
31		~~X~~	.11	~~X~~		~~X~~			~~X~~	.50	~~X~~	.18		31
TOTAL	2.58	5.51	3.64	2.56	2.91	.69	2.71	.07	2.03	5.33	8.19	3.38	39.60	Year's Total
* Days with .01 in. or more.	7	14	14	13	6	4	17	2	10	17	17	14	135	
* Days with .04 in. or more.	7	13	12	11	6	4	14	1	8	16	16	12	120	

† Spare column, no entries required.

(Signed)

b. Des. Faye 8

P.T.O.

* See Instruction 3 (f) on other side.

AXMINSTER (KILMINGTON)

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090.

Kept at **Gosport** **Kilminster**

in the County of **Devon**

Diameter of Funnel of Gauge.....

Height of top of Gauge above Ground

„ Ground „ Sea Level.....

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.16	.07	.19	-	.38	.25	.06	-	-	.20	.07		1
2	-	-	-	.06	-	-	.29	.04	.06	-	.09	-		2
3	.01	-	-	.84	-	-	.11	.05	.83	-	.35	-		3
4	.01	-	.19	-	-	.14	.02	-	.69	-	.04	.10		4
5	.54	.02	.07	-	-	-	.04	.04	.02	-	-	.14		5
6	.09	-	.06	-	-	.07	.28	.02	.24	-	.30	.06		6
7	.04	-	.26	-	-	-	.26	-	-	-	.28	.04		7
8	.33	-	.51	-	-	-	.12	-	-	-	.48	-		8
9	.46	.03	.04	-	-	-	.48	-	.08	-	.16	-		9
10	.05	.02	-	-	-	-	.04	.04	-	-	.13	-		10
11	~~snow~~	.09	-	.02	-	.07	-	-	.04	-	.89	-		11
12	.30	.03	-	.01	.02	.17	.45	.02	-	-	.09	.99		12
13	.06	-	-	-	-	-	.20	.02	.35	.06	.10	.52		13
14	-	.02	.04	-	-	.03	.54	-	.14	-	-	.38		14
15	.03	.03	-	-	.11	-	.15	-	.01	-	.12	.14		15
16	-	.24	-	.12	.32	-	.21	-	.03	-	.06	.53		16
17	.03	1.48	-	-	.16	-	.55	-	-	.04	.01	.25		17
18	.13	.25	.06	-	-	.16	.63	-	-	.03	-	.14		18
19	.78	.07	.09	.15	-	.18	.13	.03	-	-	-	.04		19
20	.03	.35	.20	.09	-	.07	.04	-	.23	-	-	.06		20
21	.01	.01	.11	.49	-	.05	-	-	-	-	-	-		21
22	.06	1.42	.56	-	-	-	.37	-	-	-	-	.03		22
23	.17	.04	.19	.20	.06	-	.32	-	-	.06	-	-		23
24	.25	.01	-	-	.05	-	.66	-	.09	.19	-	-		24
25	.30	-	.33	.05	-	.08	.48	-	-	.31	-	-		25
26	.26	.08	.39	.16	-	.07	.14	-	.04	.07	-	-		26
27	.24	.05	.03	-	-	-	.62	-	.01	.32	-	-		27
28	.79	.06	.70	-	-	-	.12	-	.03	-	-	.27		28
29	.12	.04	.01	-	-	.03	-	-	-	.11	.10	.22		29
30	.14	~~2~~	-	-	-	.03	-	-	-	.09	-	-		30
31	.14	~~2~~	.71	~~2~~	.16	~~2~~	.06	-	~~2~~	-	~~2~~	.53		31
TOTAL	5.40	4.50	4.62	2.38	.88	1.53	7.56	.32	2.89	1.28	3.40	4.51	39.27	(40.75)
* Days with .01 in. or more.	28	21	20	12	7	14	27	9	16	10	16	18	197	197
* Days with .04 in. or more.	20	13	18	10	6	11	26	5	11	9	15	17	161	161

40-9999 (7.00) (4.00) (5.00)

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

C. Saunders

[P.T.O.]

X MRS C.M. SAUNDERS X

Section **A** for the entry of Daily Observations.

Station No. **1818/E**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **Piscott Kilminster Axminster**

Jan-mar estimated by surrounding stations **753367/27**

Jan-Mar 1823
(Hinton (allington))

in the County of **Devon**

Diameter of Funnel of Gauge.....**8**.....in.

Height of top of Gauge above Ground.....**1** ft. **6** in.

Jan-mar copied onto 1090

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.16	.07	.19	-	.38	.25	.06	-	-	.20	.07		1
2	-	-	-	.06	-	-	.29	.04	.06	-	.09	-		2
3	.01	-	-	.84	-	-	.11	.05	.83	-	.35	-		3
4	.01	-	.19	-	-	.14	.02	-	.69	-	.04	.10		4
5	.54	.02	.07	-	-	-	.04	.04	.02	-	-	.14		5
6	.09	-	.06	-	-	.07	.28	.02	.24	-	.30	.06		6
7	.04	-	.26	-	-	-	.26	-	-	-	.28	.04		7
8	.33	-	.51	-	-	-	.12	-	-	-	.48	-		8
9	.46	.03	.04	-	-	-	.48	-	.08	-	.16	-		9
10	.05	.02	-	-	-	-	.04	.04	-	-	.13	-		10
11	~~snow~~	.09	-	.02	-	.07	-	-	.04	-	.89	-		11
12	.30	.03	-	.01	.02	.17	.45	.02	-	-	.09	.99		12
13	.06	-	-	-	-	-	.20	.02	.35	.06	.10	.52		13
14	-	.02	.04	-	-	.03	.54	-	.14	-	-	.38		14
15	.03	.03	-	-	.11	-	.15	-	.01	-	.12	.14		15
16	-	.24	-	.12	.32	-	.21	-	.03	-	.06	.53		16
17	.03	1.48	-	-	.16	-	.55	-	-	.04	.01	.25		17
18	.13	.25	.06	-	-	.16	.63	-	-	.03	-	.14		18
19	.78	.07	.09	.15	-	.18	.13	.03	-	-	-	.04		19
20	.03	.33	.20	.09	-	.07	.04	-	.23	-	-	.06		20
21	.01	.01	.11	.49	-	.05	-	-	-	-	-	-		21
22	.06	1.42	.56	-	-	-	.37	-	-	-	-	.03		22
23	.17	.04	.19	.20	.06	-	.32	-	-	.06	-	-		23
24	.25	.01	-	-	.05	-	.66	-	.09	.19	-	-		24
25	.30	-	.33	.05	-	.08	.48	-	-	.31	-	-		25
26	.26	.08	.39	.16	-	.07	.14	-	.04	.07	-	-		26
27	.24	.05	.03	-	-	-	.62	-	.01	.32	-	-		27
28	.79	.06	.70	-	-	-	.12	-	.03	-	-	.27		28
29	.12	.04	.01	-	-	.03	-	-	-	.11	.10	.22		29
30	.14	~~X~~	-	-	-	.03	-	-	-	.09	-	-		30
31	.14	~~X~~	.71	~~X~~	.16	~~X~~	.06	-	~~X~~	-	~~X~~	.53		31
TOTAL	5.40	4.50	4.62	2.38	.88	1.53	7.56	.32	2.89	1.28	3.40	4.51	39.27	(40.75)
* Days with .01 in. or more.	28	21	20	12	7	14	27	9	16	10	16	18	197	197
* Days with .04 in. or more.	20	13	18	10	6	11	26	5	11	9	15	17	161	161

40-9999 (7.00) (4.00) (5.00)

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **C. M. Saunders** [P.T.O.]

X MRS C.M. SAUNDERS X

Section

A

for the entry of Daily Observations

Station No.

181818

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Goscott, Kilminster, Axminster.

in the County of Devon.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1.....ft.....6.....in.

,, Ground 1, 6" Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	-	-	.41	-	-	-	-	.09	-	.08	.85		1
2	-	.73	-	.17	-	-	-	-	.12	-	-	.16		2
3	.04	.37	.05	-	-	-	-	-	-	-	-	-		3
4	.08	.91	-	.04	-	-	.02	-	-	-	-	.26		4
5	.26	-	.03	-	-	-	.36	-	-	-	-	.02		5
6	.12	.21	-	.17	.03	-	.56	-	-	-	-	-		6
7	-	.91	.31	.11	-	.10	-	-	.02	.01	-	Snow		7
8	-	-	-	-	.49	.04	.02	-	-	-	.19	"		8
9	-	-	Snow	.15	.20	-	.19	-	.71	-	-	"		9
10	.38	-	.73	.16	-	.27	-	.01	-	-	-	.65		10
11	.07	-	.23	.10	.50	-	.37	-	-	-	-	-		11
12	.83	.24	.02	.06	-	.34	.10	.41	.07	-	-	.54		12
13	-	-	.53	.35	-	.07	-	.20	.04	-	-	-		13
14	-	-	.61	-	-	-	-	-	-	-	-	.04		14
15	.32	.09	.06	.44	-	-	1.42	-	.22	-	-	.26		15
16	-	.11	.58	.21	-	.01	.09	.19	1.06	-	.04	-		16
17	.53	.09	.52	-	-	-	-	-	.02	-	.22	-		17
18	.20	.08	.08	-	-	.02	-	-	.11	-	.21	.18		18
19	.09	.07	.03	.14	.05	-	-	-	-	-	.09	.04		19
20	.61	.11	-	.18	-	-	-	-	.05	-	-	1.03		20
21	.35	.49	.19	.08	.46	-	.03	-	.12	.03	.14	.11		21
22	.17	-	.03	-	.54	.30	.18	-	.30	.90	.65	.12		22
23	.14	.19	.02	-	.33	-	-	-	-	.25	.47	-		23
24	.71	.64	.01	-	-	-	-	-	.03	.47	-	.07		24
25	.04	.55	.24	-	.25	-	-	-	.07	.37	-	-		25
26	-	.50	.03	-	.06	-	-	-	-	-	-	-		26
27	-	.34	-	-	-	-	-	-	-	.27	-	-		27
28	Snow	Snow	-	-	-	-	-	-	-	.03	-	-		28
29	Snow	.15	-	-	-	-	-	-	-	.44	.16	-		29
30	.73	X	-	-	-	.04	-	-	.03	.03	.21	-		30
31	.21	X	-	X	-	X	-	-	X	.69	X	-		31
TOTAL	6.01	6.69	4.30	2.77	2.92	1.19	3.34	.81	3.06	3.49	2.46	4.33	Year's Total	
* Days with .01 in. or more.	20	19	19	15	10	9	11	4	16	11	11	14	159	
* Days with .04 in. or more.	20	19	12	15	9	7	8	3	12	7	11	13	136	

† Spare column, no entries required.

(Signed)

C. W. P. O.

[P.T.O.]

* See Instruction 3 (f) on other side.

Kept at Goscott, Kilminster, Axminster.
in the County of DEVON
Diameter of Funnel of Gauge.....8.....in.
Height of top of Gauge above Ground.....1.....ft.....6.....in.
„ Ground „ Sea Level ft.

my low 1937
f 753367/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.04	-	-	.02	.38	.06	-	-	.73	.01	.15		1
2	-	-	-	.02	-	-	.16	-	-	.25	.03	.11		2
3	-	-	-	-	.24	-	-	-	-	.72	.15	-		3
4	-	-	-	-	.01	.03	.06	1.14	-	.07	-	.10		4
5	-	-	-	-	-	.02	.02	.08	-	.47	-	-		5
6	.06	-	-	-	-	.09	.83	-	.07	.05	.01	.09		6
7	.16	-	-	-	-	.05	.49	-	.02	.07	.03	.08		7
8	.37	.02	-	-	-	.09	.13	.04	-	.24	-	.04		8
9	.19	.04	-	-	-	.06	.05	-	-	-	-	.71		9
10	.19	-	-	-	-	-	-	.08	-	-	-	.39		10
11	.09	-	-	-	-	-	-	.04	-	-	.31	.63		11
12	.29	-	-	-	.35	-	.02	-	-	.30	.21	.03		12
13	.23	-	-	-	.21	-	-	-	-	-	.32	.91		13
14	.76	-	-	-	.10	-	.73	-	-	-	-	-		14
15	.23	-	-	-	.22	-	.28	.02	-	.34	.04	.43		15
16	.13	-	-	-	.03	-	-	.06	-	.05	.38	-		16
17	-	.12	-	-	.01	-	-	-	.10	.21	.05	-		17
18	.17	-	-	-	.15	.09	-	-	.46	.02	.33	-		18
19	-	-	-	-	-	-	-	.03	.30	-	1.11	-		19
20	-	-	-	-	-	-	-	-	-	-	.27	-		20
21	-	-	-	-	-	-	-	-	-	-	.31	Snow		21
22	-	-	-	.01	-	.39	-	.42	.02	-	.38	.11		22
23	-	-	-	-	-	-	-	.01	.03	.02	.14	-		23
24	.02	-	.13	.02	-	-	-	.03	-	-	.31	-		24
25	.09	.58	.01	-	.25	-	.48	-	.07	.05	1.35	-		25
26	.29	.53	-	-	.46	-	-	-	-	.04	.11	.08		26
27	.07	.03	-	-	.07	.25	.92	.38	-	.14	.44	-		27
28	.13	.09	-	-	.04	.18	-	.64	.17	-	-	.02		28
29	-	-	.01	-	.60	-	-	-	.50	-	.55	.03		29
30	.27	~~x~~	-	-	.03	.50	.01	-	.14	-	.10	.04		30
31	.33	~~x~~	-	~~x~~	.20	~~x~~	-	-	~~x~~	.29	~~x~~	.30		31
TOTAL	4.07	1.45	.15	.05	2.99	2.13	4.24	2.97	1.88	4.06	7.23	4.25	Year's Total	
* Days with .01 in. or more.	19	8	3	3	17	12	14	13	11	18	23	18	35.47	
* Days with .04 in. or more.	18	6	1	-	12	10	11	9	8	16	19	15	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

X MRS C-M. SAUNDERS X (Mrs)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1812/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Gossett, Kilminster Exminster

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

Ground Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.22	.02	.02	-	-	.13	.39	-	.01	.15		1
2	-	-	-	.46	.03	-	-	.30	.59	-	.11	.16		2
3	.51	-	.02	.93	-	-	-	.17	.04	-	-	.35		3
4	-	-	.57	.28	.36	-	.35	-	-	.49	.44	.18		4
5	-	-	.04	.04	-	-	.14	.17	-	.21	.81	-		5
6	.89	-	.03	.03	-	-	.83	.09	-	.05	.31	-		6
7	-	.56	-	-	-	-	-	-	-	-	.44	.73		7
8	.05	.35	.05	-	.02	-	.14	.03	-	1.13	.13	.22		8
9	.03	.01	-	-	-	-	-	.20	-	.14	.04	.21		9
10	.17	-	-	-	-	.05	-	.09	.04	.03	.03	.23		10
11	.04	.02	.09	-	-	-	-	-	-	.06	-	-		11
12	-	.08	-	-	-	-	-	-	-	.03	.05	-		12
13	-	-	-	.22	-	.03	.63	-	.14	.14	-	-		13
14	1.16	-	.04	-	.01	.09	.34	-	-	.96	.37	-		14
15	.83	.01	-	.06	.37	1.05	.17	-	-	-	.41	.03		15
16	.18	.02	-	.07	.04	-	.48	-	-	.14	.22	-		16
17	.61	-	-	-	.37	-	.22	-	-	-	.04	-		17
18	.05	-	-	-	-	.05	.62	-	-	-	-	-		18
19	.52	-	-	-	-	-	.02	-	-	-	-	.11		19
20	.50	-	.01	-	-	.13	.03	.24	-	-	-	-		20
21	-	.23	.06	-	.05	.36	.02	-	-	-	-	-		21
22	.88	.35	.15	.07	-	.41	.27	.01	-	-	-	-		22
23	-	-	-	.30	-	-	.09	-	-	-	1.03	-		23
24	.31	-	.02	-	-	1.52	.27	-	-	-	-	-		24
25	Snow	.09	-	-	-	-	.09	-	-	.17	.33	-		25
26	.98	.13	-	.14	-	-	-	.07	-	.20	.38	-		26
27	-	.08	.02	-	-	.02	.01	.28	-	-	.13	-		27
28	-	.01	-	-	-	.04	.24	-	-	-	.42	.12		28
29	-	-	-	.07	-	.12	.06	.07	-	.23	.05	-		29
30	-	~~X~~	-	.21	-	.07	-	-	-	-	.15	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	-	.23	~~X~~	.42	~~X~~	.03		31
TOTAL	7.43	1.94	1.32	2.90	1.27	3.94	5.02	2.08	1.20	4.40	5.90	25.9	40.02	✓
* Days with .01 in. or more.	17	13	13	14	9	13	20	14	5	15	21	12	166	✓
* Days with .04 in. or more.	15	8	8	12	5	11	16	12	5	13	19	10	134	✓

Year's Total

† Spare column, no entries required.

(Signed)

Christine Saunders Mrs. P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

1818/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at GOSCOTT KILMINGTON AYLESFORD

Jan. & Feb. appointed.

in the County of DEVON

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft. 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	(.22)	-	-	-	-	-	-	-	-	.10	-		1
2	-	.09	-	.38	.01	-	-	-	-	-	.65	.20		2
3	-	.71	-	.01	-	-	-	-	-	.10	.85	.16		3
4	-	.10	-	-	-	-	.10	-	-	-	-	.03		4
5	-	-	-	-	-	-	-	-	-	.11	.49	.19		5
6	.38	.86	-	-	-	-	-	-	-	.12	.08	.27		6
7	.09	-	-	-	-	-	.07	-	-	.01	-	.26		7
8	-	-	-	-	-	-	-	-	-	.43	.40	.24		8
9	-	-	-	-	-	-	.24	-	-	.06	.35	.30		9
10	-	-	-	-	-	-	.46	-	.03	.08	.19	.18		10
11	-	.02	-	-	-	-	.34	.10	-	-	.99	-		11
12	-	-	.27	-	-	.07	.46	-	.51	-	.26	-		12
13	-	-	-	-	-	-	.03	-	.05	.22	1.39	.53		13
14	-	-	.31	.06	1.08	-	-	-	.10	-	-	.56		14
15	-	.12	.07	-	.45	-	.13	-	.20	.13	.41	.01		15
16	-	Snow	.67	.12	-	-	.14	-	.16	1.05	.27	-		16
17	-	Snow	.41	.10	-	-	.06	-	.01	-	.18	-		17
18	.11	1.31	-	.65	-	-	.07	-	-	-	-	-		18
19	-	-	.08	-	-	-	.09	-	.84	.10	.17	-		19
20	-	.03	-	.11	-	-	.02	.07	.01	.09	-	.05		20
21	.05	-	.05	.02	.24	.55	-	-	.06	.05	.85	-		21
22	-	-	.10	-	-	-	.05	-	.12	-	-	-		22
23	-	.10	.05	.08	-	-	-	-	-	-	.04	-		23
24	-	-	.20	-	-	-	-	-	-	-	-	-		24
25	.14	-	.11	.06	-	.05	.32	-	-	-	.03	-		25
26	.98	.82	-	-	.27	-	.05	-	-	-	-	-		26
27	.33	.13	-	-	.21	-	.04	-	-	-	-	-		27
28	.27	.09	-	.01	-	-	-	-	-	-	-	-		28
29	Snow	.24	.35	.61	-	-	-	-	-	.10	-	.22		29
30	(22) ~~.11~~	~~.09~~	-	.06	.01	.05	-	-	-	.78	-	.17		30
31	-	~~.03~~	~~.03~~	~~.03~~	-	~~.03~~	-	-	~~.03~~	.77	~~.03~~	.20		31
TOTAL	2.35	4.62	2.70	2.27	2.27	.72	2.67	.17	2.09	4.20	7.70	3.57	Year's Total	35.55
* Days with .01 in. or more.	8	14	13	13	7	4	17	2	11	16	18	16		139
* Days with .04 in. or more.	8	12	12	10	5	4	15	2	8	15	17	14		122

2.57

† Spare column, no entries required.

(Signed)

C. S. Anderson.

[P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of
AIR MINSTER

FORM 1090.

REGI

AXMINSTER

1937 — 40

Station No. 1818/9
FALL ORGANIZATION.
1937.

Kept at Axminster
in the County of Devon

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

740309

Ground Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	—	0	.49	—	—	—	—	.14	.02	.07	1.20		1
2	.03	.73	.05	.28	—	—	—	—	.09	—	—	.21		2
3	—	.20	.03	.06	—	—	—	—	—	—	—	Str		3
4	.07	1.20	—	—	—	—	—	—	—	—	—	.26		4
5	.25	—	—	—	—	—	.69	—	—	—	—	—		5
6	.08	.67	.45	.18	.02	—	.12	—	.02	Str	—	—		6
7	—	.61	.03	.06	.03	.04	—	—	—	Str	.03	.17		7
8	—	—	—	—	.82	.02	.06	—	—	.02	.05	.27		8
9	—	—	.10	.20	.09	—	.10	.02	.69	—	—	—		9
10	.44	.03	.88	.30	.20	.34	.03	—	—	—	—	.28		10
11	.10	—	.12	.13	.30	.03	.36	—	—	—	—	—		11
12	.75	.22	.03	.06	—	.40	.06	.47	.08	—	—	.58		12
13	.05	1.38	.41	—	.07	—	.32	.03	—	—	—	—		13
14	—	.02	.19	—	—	—	.44	—	.05	—	—	.06		14
15	.47	.13	.24	.92	—	—	1.07	—	.21	—	—	.24		15
16	.00	.00	.44	.05	—	—	.06	.19	.82	—	.08	—		16
17	.61	.11	.45	—	—	—	—	—	.06	—	.21	—		17
18	.10	.11	.15	—	—	.04	—	—	.08	—	.23	.21		18
19	.10	.03	.07	.15	.08	—	—	—	.03	—	.08	.03		19
20	.81	.10	.00	.18	—	—	—	—	.21	—	Str	1.30		20
21	.40	.45	.00	.05	.46	—	.04	—	.19	Str	.314	.07		21
22	.20	—	—	—	.50	.29	.21	—	.03	1.12	.98	.03		22
23	.34	.34	—	—	.47	—	—	—	—	.33	.27	.03		23
24	.40	.65	.03	—	—	—	—	—	.05	1.18	—	—		24
25	—	.72	.33	—	.29	—	—	—	.03	.12	—	.03		25
26	.03	.36	.02	—	.17	—	—	—	—	.06	—	.03		26
27	—	.25	—	—	—	—	—	—	—	.50	—	—		27
28	—	—	—	—	—	—	—	—	—	.25	—	—		28
29	—	—	—	—	—	—	—	—	—	.47	.20	Str		29
30	1.00	X	—	—	—	.04	X	—	.02	.12	.19	—		30
31	.30	X	—	X	—	X	—	—	X	.94	X	—		31
TOTAL	6.67	6.96	5.20	3.21	3.43	1.27	3.24	1.00	2.83	5.13	2.75	5.04	46.73	
* Days with .01 in. or more.	X 21	21	20	15	12	9	12	4	18	12	12	13	153	
* Days with .04 in. or more.	19	18	15	15	12	7	11	3	12	10	10	11	145	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. L. Paykey.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1818/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Axminster
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
Ground Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.10	—	0	.40	—	—	—	—	.14	.02	.07	1.20		1
2	.03	.73	.05	.28	—	—	—	—	.09	—	—	.21		2
3	—	.20	.03	.06	—	—	—	—	—	—	—	Str		3
4	.07	1.80	—	—	—	—	—	—	—	—	—	.26		4
5	.25	—	—	—	—	—	.69	—	—	—	—	—		5
6	.08	.67	.45	.18	.02	—	.12	—	.02	Str	—	—		6
7	—	.61	.03	.06	.03	.04	—	—	—	Str	.03	.17		7
8	—	—	—	—	.82	.02	.06	—	—	.02	.05	.27		8
9	—	—	.10	.20	.09	—	.10	.02	.69	—	—	—		9
10	.44	.03	.88	.30	.20	.34	.03	—	—	—	—	.28		10
11	.10	—	.12	.18	.30	.03	.36	.4	—	—	—	—		11
12	.75	.22	.03	.06	—	.40	.06	.47	.08	—	—	.58		12
13	0	.05	1.38	.41	—	.07	—	.32	.03	—	—	—		13
14	—	.02	.19	—	—	—	.44	—	.05	—	—	.06		14
15	.47	.13	.24	.62	—	—	1.07	—	.21	—	—	.24		15
16	.00	.00	.44	.05	—	—	.06	.19	.82	—	.08	—		16
17	.61	.11	.48	—	—	—	—	—	.06	—	.21	—		17
18	.10	.11	.15	—	—	.04	—	—	.08	—	.23	.21		18
19	.10	.03	.07	.15	.08	—	—	—	.03	—	.08	.08		19
20	.01	.10	.00	.18	—	—	—	—	.21	—	Str	1.30		20
21	.40	.45	.00	.06	.46	—	.04	—	.19	Str	.31	.07		21
22	.20	—	—	—	.50	.29	.21	—	.08	1.12	.08	.08		22
23	.34	.34	—	—	—	—	—	—	—	.33	.27	.03		23
24	.40	.65	.03	—	—	—	—	—	.05	1.18	—	—		24
25	—	.72	.35	—	.29	—	—	—	.03	.12	—	.03		25
26	.08	.36	.02	—	.17	—	—	—	—	.06	—	.08		26
27	—	.25	—	—	—	—	—	—	—	.50	—	—		27
28	—	—	—	—	—	—	—	—	—	.25	—	—		28
29	—	—	—	—	—	—	—	—	—	.47	.20	Str		29
30	1.00	X	—	—	—	.04	5	—	.02	.12	.19	—		30
31	.30	X	—	X	—	X	—	—	X	.94	X	—		31
TOTAL	6.67	6.96	5.20	3.21	3.43	1.27	3.24	1.00	2.83	5.13	2.75	5.04	46.73	
* Days with .01 in. or more.	X 21	21	20	15	12	9	12	4	18	12	12	17	153	173
* Days with .04 in. or more.	19	18	15	15	12	7	11	3	12	10	10	14	130	145

† Spare column, no entries required.

(Signed) A. J. Bayley.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 18/8/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Axminster.

in the County of Devon.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...4 ft...6 in.

,, Ground ,, Sea Level 115.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.25	—	—	.03	.22	—	str	—	.77	.02	.04		1
2	—	—	—	—	str	—	.13	—	—	.17	.05	.12		2
3	—	—	—	—	.26	—	.05	—	—	.16	—	.08		3
4	.03	—	—	—	—	.03	.06	1.74	—	.11	—	.10		4
5	str	—	—	—	—	—	.04	—	—	.36	str	—		5
6	.05	—	—	—	—	.11	1.07	—	.08	.16	.05	.16		6
7	.20	—	—	—	—	.14	.38	—	.02	.03	.07	.09		7
8	.32	.03	—	—	—	—	.14	.05	—	.28	—	.02		8
9	.25	.04	—	—	—	.05	—	—	—	—	—	.61		9
10	.11	—	—	—	—	—	.05	str	—	—	—	.42		10
11	.10	—	—	—	—	—	.03	—	—	—	.31	.69		11
12	.32	—	—	—	.27	—	—	.03	—	.29	.15	.04		12
13	.23	—	—	—	.14	—	—	—	—	.03	.37	.92		13
14	.57	—	—	—	.11	—	.84	—	—	—	.02	—		14
15	.21	—	—	—	.13	—	.23	.03	—	.32	.09	.46		15
16	.18	.03	—	—	.04	—	—	.03	—	.6	.25	—		16
17	—	.14	—	—	.03	—	—	—	.10	.22	.05	—		17
18	.09	—	—	—	.14	.08	—	.02	.36	.03	.25	—		18
19	—	—	—	—	—	—	—	.03	.33	—	1.04	—		19
20	—	—	—	—	—	—	—	—	.02	—	.28	—		20
21	—	—	—	—	—	—	—	—	.03	—	.32	.10		21
22	.02	—	—	.03	—	.36	—	.35	.03	str	.42	.11		22
23	str	—	—	.05	—	—	—	—	.03	.01	.10	—		23
24	.03	—	.15	—	.04	—	—	—	.08	—	.32	—		24
25	.08	.50	str	—	.21	—	.14	.02	—	.05	1.48	.05		25
26	.31	.43	—	—	.82	—	.05	—	—	.20	—	.30		26
27	.07	.03	—	—	.06	.29	.70	.42	—	.15	.38	—		27
28	.14	.08	.02	—	.10	.21	—	.60	.10	—	—	.02		28
29	—	—	—	—	.44	—	—	—	.65	.26	.57	.03		29
30	.21	—	—	—	—	.62	.01	—	.24	—	.17	.04		30
31	.30	—	—	—	.22	—	str	—	—	.27	—	.29		31
TOTAL	3.92	1.33	.17	.08	2.74	2.11	4.22	3.32	2.09	3.92	6.59	3.89	34.38	
* Days with .01 in. or more.	21	9	2	2	16	10	15	11	13	20	22	21	162	
* Days with .04 in. or more.	18	6	1	1	14	9	13	5	9	16	19	19	129	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) A. L. Bayley.

P.T.O.

Section



for the entry of Daily Observations

Station No. 181819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Axminster
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
Ground Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	.12	.02	.03	—	.08	.11	.36	—	.09	.06		1
2	—	—	—	.64	.03	—	.07	.36	.50	—	.18	.12		2
3	.53	—	.14	.72	—	—	.02	.17	.02	—	.55	.40		3
4	—	—	.54	.23	.41	—	.38	.36	—	.54	.18	.21		4
5	—	—	.07	.30	—	—	.26	—	—	.25	.95	—		5
6	.58	—	.04	.07	—	—	.74	.09	—	.04	.26	—		6
7	.02	.66	—	—	—	—	—	—	—	—	.54	.80		7
8	.06	.27	.04	—	.04	—	.17	.18	—	1.45	.24	.09		8
9	.57	.02	.02	—	—	—	—	.12	—	.11	.08	.13		9
10	.18	—	—	—	—	.07	—	.09	.04	.05	.02	.17		10
11	—	.09	.09	—	—	—	—	—	—	.09	.03	.02		11
12	—	.06	—	.03	—	—	—	—	.04	.02	.03	—		12
13	—	—	—	.15	.87	.05	.39	—	.12	1.36	.06	—		13
14	.98	—	—	.03	.04	.09	.26	—	—	.06	.46	—		14
15	.60	—	—	.04	.31	1.15	.19	—	—	—	.40	.03		15
16	.22	—	—	.08	.03	—	.33	—	—	.03	.12	—		16
17	.72	.03	—	—	.06	.20	.61	—	—	.03	.02	—		17
18	—	—	.01	—	—	.14	.45	—	—	—	.57	.06		18
19	.49	—	—	—	—	.05	.13	—	—	—	—	.10		19
20	.40	—	—	—	—	.45	.05	.32	—	—	—	—		20
21	.00	.21	.08	—	.07	.08	.17	.03	—	—	—	—		21
22	.66	.48	.17	—	—	.26	.21	—	.03	—	.61	.02		22
23	.81	—	—	.25	—	.02	.09	—	—	—	.96	—		23
24	1.33	—	.03	.04	—	.56	.18	—	—	.02	—	—		24
25	.10	.13	—	str	—	—	.17	.07	—	.08	—	—		25
26	—	.10	—	.11	—	—	—	.15	—	.23	.71	—		26
27	—	.38	.04	—	—	.03	.02	.06	—	—	.06	—		27
28	—	.04	.03	.21	—	.09	.19	—	—	—	.38	.09		28
29	—	—	str	.09	—	.07	.15	—	—	.29	.05	—		29
30	—	✕	.02	.24	—	.08	.03	.20	—	.21	.07	—		30
31	—	✕	—	✕	—	✕	.02	.19	✕	.80	✕	.07		31
TOTAL	7.77	2.41	1.44	3.35	1.02	3.37	5.53	2.49	1.11	5.69	7.59	2.47	44.24	
* Days with .01 in. or more.	16	12	15	17	9	16	25	15	17	18	25	15	190	
* Days with .04 in. or more.	15	9	10	14	6	14	21	15	5	14	22	12	157	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) A. C. Bayley P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 18/8/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Axminster

in the County of Devon

Diameter of Funnel of Gauge three in.

Height of top of Gauge above Ground 4 ft. 9 in.

Ground Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	—	0.01	—	—	—	—	—	—	.10	—		1
2	—	.09	—	0.39	.02	—	.04	—	—	—	.74	.15		2
3	.08	.04	—	—	—	—	—	—	—	.12	.84	.18		3
4	.02	.16	—	—	—	—	.11	—	—	.23	.14	.03		4
5	.03	—	—	—	—	—	—	—	—	.02	.60	.17		5
6	.27	.90	—	—	—	—	.12	—	—	.24	.07	.18		6
7	.70	—	—	—	—	—	—	—	—	.02	—	.17		7
8	—	—	—	—	—	—	.03	—	—	.44	.63	.31		8
9	—	—	—	—	—	—	.29	.04	—	.04	.34	.17		9
10	—	—	—	—	—	—	.41	.03	.05	.05	.20	.13		10
11	—	—	.08	—	—	—	.37	—	—	—	1.03	.11		11
12	—	—	.14	—	—	.09	.30	—	.57	—	.11	—		12
13	—	—	.56	.02	—	—	.07	—	.03	.42	1.66	.48		13
14	—	—	.02	.03	1.68	—	—	—	.14	.69	.04	.44		14
15	—	.31	—	.14	.24	—	.17	—	.22	.16	.59	—		15
16	—	1.73	.69	.10	—	—	.10	—	.11	1.10	.31	.02		16
17	—	.10	.35	.04	—	—	—	—	—	—	.22	—		17
18	.40	.32	.31	.63	—	—	.15	—	.05	.13	.02	.03		18
19	—	.03	.04	.13	—	—	.16	—	.73	.10	.17	—		19
20	—	—	.04	.03	—	—	.03	—	.04	—	.05	—		20
21	—	—	.02	—	.37	.09	—	—	.04	—	.68	—		21
22	—	—	.05	—	—	.48	—	—	.05	0.05	.02	—		22
23	—	.06	.26	.15	.02	—	—	—	—	—	.03	—		23
24	—	—	.02	—	—	—	.30	—	—	—	—	—		24
25	.20	—	.13	.06	—	.03	—	—	—	—	—	—		25
26	1.02	.80	—	.03	.31	—	.02	—	—	—	.02	—		26
27	.80	.12	—	—	.22	—	.04	.02	—	—	—	—		27
28	.25	.11	—	SEK	—	—	—	—	—	—	—	—		28
29	—	.15	0.34	.59	—	.09	—	—	—	.12	—	.21		29
30	—	X	0.01	.08	—	—	—	—	—	.71	—	.21		30
31	.27	X	0.05	X	—	X	—	—	X	.54	X	.31		31
TOTAL	2.94	5.68	3.30	2.45	2.86	.72	2.73	.09	2.03	5.13	8.61	3.30	30.90	
* Days with .01 in. or more.	11	15	17	15	7	5	17	3	11	18	23	17	159	
* Days with .04 in. or more.	9	13	13	11	5	4	15	1	10	16	19	15	131	

Year's Total

† Spare column, no entries required

(Signed)

H. L. Bayly

P.T.O.

* See Instruction 3 (f) on other side.

Kept at *Exminster*
in the County of *Devon*
Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
Ground Sea Level

1819
AXMINSTER, LEACOMBE HOUSE
1931—38

780304

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14		.57			.05		.36				1
2				.54					.47		.03	.15	2
3	.44		.81	.09		.75	.02		.14		2.50	.03	3
4	.09		.09		.07	1.39	.34	.10	.12	.02	.05		4
5		.43	.03	x		.63 ⁷⁵		.18			.03	.20	5
6		.12				.10				.16	.28	.55	6
7		.02			.39	.30	.13	.17		.08	.83	.12	7
8		.30		x		.47		.10			.13	.07	8
9		.20				.10	.02				.44		9
10		.04				.12		.16	.14		.48		10
11	.17	.38				.20	.01		.04		.46		11
12		.01					.23			.20			12
13					.04		.13	.04	.01				13
14	.05					.22	.85	.22	.14		.30		14
15		.10		1.25	.26				.04			.03	15
16				x	.11	.83		.03	.15				16
17	.05	.18				.03	.42				.02		17
18	.01	.07		.24		.22	.03	1.32	.04		.37		18
19	.05		.05			.16		.02			.33		19
20		.13	.20					.38		.03	.10		20
21	.25				.25					.02	.02		21
22	.48		.03	x	.10								22
23	.39	.03		.31	.75						.60		23
24	.10			.78	.10		1.14	.76			.05		24
25	.24	.03		.31	.01		.07				.28		25
26		.05		.03			.24				.62		26
27	.18	.24			.48					.01	.05		27
28	.13	.09			.05			.04		.03		.11	28
29	.06		.26		.05		.06	.14	.02	.02	.11		29
30	.02	x			.09			.01	.09				30
31	.79	x		x	.03	x			x		x	.33	31
TOTAL	3.50	2.56	1.47	3.00	2.83	4.79	3.78	3.57	1.76	.57	7.53	1.59	YEAR'S TOTAL 36.95
*Days with or in. or more.	17	18	7	8	15	13	16	15	13	9	22	9	170
*Days with or in. or more.	15	14	4	8	13	12	12	12	11	3	19	7	129

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at *Exminster*
in the County of *Devon*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
Ground Sea Level *170* ft.

Feb. 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.14		.51			.05		.36				1
2				.54					.47		.03	.15	2
3	.44		.81	.09			.02		.14		2.50	.03	3
4	.09		.09		.07	1.39	.34	.10	.12	.02	.05		4
5		.43	.03	x		.63 ⁷³		.18			.03	.20	5
6		.12				.10				.16	.28	.55	6
7		.02			.39	.30	.13	.17		.08	.83	.12	7
8		.30		x		.47		.10			.13	.07	8
9		.20				.10	.02				.44		9
10		.04				.12		.16	.14		.48		10
11	.17	.38				.20	.01		.04		.46		11
12		.01					.23			.20			12
13					.04		.13	.04	.01				13
14	.05					.22	.85	.22	.14		.30		14
15		.10		1.25	.26				.04			.03	15
16				x	.11	.83		.03	.15				16
17	.05	.18				.03	.42				.02		17
18	.01	.07		.24		.22	.03	1.32	.04		.37		18
19	.05		.05			.16		.02			.33		19
20		.13	.20					.38		.03	.10		20
21	.25				.25					.02	.02		21
22	.48		.03	x	.10								22
23	.39	.03		.31	.75						.60		23
24	.10			.78	.10		1.14	.76			.05		24
25	.24	.03		.31	.01		.07				.28		25
26		.05		.03			.24				.62		26
27	.18	.24			.48					.01	.05		27
28	.13	.09			.05			.04		.03		.11	28
29	.06		.26		.05		.06	.14	.02	.02	.11		29
30	.02	x			.09			.01	.09				30
31	.79	x		x	.03	x			x		x	.33	31
TOTAL	3.50	2.56	1.47	3.00	2.83	4.79	3.78	3.57	1.76	.57	7.53	1.59	36.95
*Days with "or in. or more.	17	18	7	8	15	13	16	15	13	9	22	9	170
*Days with ".04 in. or more.	15	14	4	8	13	12	12	12	11	3	19	7	134

Section

A

for the entry of Daily Observations.

Station No.

1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at

Axminster

in the County of

Devon

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

6

in.

Ground Sea Level

170

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

69

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.12	.02	.02	.03	.35			.10		1
2	.05			.22	.06			.02	.60	.02		.27	2
3					.04	.48	.06			.08	.05	.02	3
4	.05		.01			.19		.04			.22		4
5	.19	.05	.02						.21				5
6			.03	.22					.43				6
7				.07					.85	1.70			7
8	.21		.70		.18				.15	.07			8
9	.75			.02	.17				.10	.10			9
10	.23			.14					.02	.04	.02		10
11	.03			.27			.07		.06	.19		.09	11
12	.80			.14					.05	.24		.05	12
13	.05				.48		.23	.20		.65	.02	.22	13
14	.48			.20	.04					.03	.06	.01	14
15	.03			.25	.17		.20			.06		.03	15
16	.16			.30	.26		.15				.11	.03	16
17	.01			.03	.02						.21		17
18					.49				.25				18
19	.02				.32				.05	.35			19
20					1.25		.01	.12	.08	.72	.19		20
21	.02		.13	.22	.03			.13	.16	.29	.06	.08	21
22			.02		.06		.01		.78	.48	.22	.21	22
23						.04	.76		.06	.60	.05	.23	23
24					.04		.75		.15	.08	.04	.09	24
25			.34				.12		.08	.22	.05		25
26		.01	.28				.04			.10	.09		26
27			.35		.75		.15			.53		.16	27
28			.05	.82	.06		.04					.28	28
29			.40	.11	.43	.52	.47	.60	.61	.52	.06	.45	29
30		×	.05	.12		1.85	.05		1.15	.03	1.42	.05	30
31	.02	×	.03	×	.02	×			×	.01	×	.70	31
TOTAL	3.17	.06	2.41	3.25	4.29	3.00	2.64	1.46	5.84	7.11	3.07	2.97	YEAR'S TOTAL 39.27
*Days with .01 in. or more.	16	2	13	16	20	6	16	7	19	23	17	17	172
*Days with .04 in. or more.	10	1	8	15	16	5	13	6	18	19	15	13	139

a. G. G. G.

Section **A** for the entry of Daily Observations.

Station No. 1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *de la Cour House Arundel*in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *2* ft in.Ground Sea Level *170* ft.*S = Snow. (B.A.)**S.R. Snow & Rain**T.S. Thunderstorm**T.S.S. Snow & Thunderstorm**Rain 1st half 21.89**2nd half 12.53**Rain day Phil 69.59**2nd half 63.256**April corrected for arithmetic.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	.41	.15								10	.57	1
2	.98		1.29		.51	.05					04		2
3	.12	.13	.24										3
4	.25		.02		.03								4
5	.04		.49		.14								5
6	.02	.55	.01		.19		.10			.13	.03		6
7		.10			.07		.05			.28			7
8	.03		.03		.04	.20	.19			.03			8
9		.03			.50		.25			.23			9
10		.17					.93			.52	.04		10
11	.09	20 ^{SR}					.09	51 ^{TS}					11
12				.15			.30		.55				12
13					.06	.05	.05	72 ^{TS}		.10			13
14	.09						1.10	.03		.33	.38		14
15	.72		.28			.03				.10			15
16			1.00			.03		.02		.10			16
17			.25			.10		.03	.24				17
18			.34								.10		18
19	.12		.21						.05		.48		19
20		.03				.36		.02					20
21						.14		.12		.06			21
22					.15	.03		.36	.36				22
23		.90 ^{SR}		.71	.05	.20			.24	.29		.23	23
24		1.45 ^{SR}		.61					.05	.01			24
25	.25	1.78		.30	.04	.51			.22	.05		.07	25
26		.70		.16	.23								26
27		.03			.04		.02			.35		.07	27
28				.25	.10		.23			.25		.70	28
29	.25			.08			.02					.04	29
30		X	.11						.11				30
31	.24	X	.13	X		X		.181	X		X		31
TOTAL	3.64	6.48	4.55	3.26	2.15	1.70	3.33	1.81	1.82	2.83	1.17	1.64	33.42
* Days with .01 in. or more.	13	13	14	7	14	13	13	8	8	16	7	6	132
* Days with .04 in. or more.	11	12	11	7	14	11	11	4	8	14	6	6	115

Section **A** for the entry of Daily Observations.

Station No. 1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *de la Combe House Almarpton*in the County of *Deron*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *2* ft. in.Ground Sea Level *170* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	.41	.15								.10	.57	1
2	.98		1.29		.51			.05			.04		2
3	.12	.13	.24										3
4	.25		.02		.03								4
5	.04		.49		.14								5
6	.02	.55	.01		.19		.10			.13	.03		6
7		.10			.07		.05			.28			7
8	.03		.03		.04		.19	.20		.03			8
9		.03			.50		.25			.23			9
10		.17					.93			.52	.04		10
11	.09	20 ^{5.11}				.51 ^{7.5}	.09						11
12				.15			.30		.55				12
13					.06	72 ^{7.5}	.05	.05		.10			13
14	.09					.03	1.10			.33	.38		14
15	.72		.28					.03		.10			15
16			1.00			.02		.03		.10			16
17			.25			.03		.10	.24				17
18			.34								.10		18
19	.12		.21						.05		.48		19
20		.03				.02		.36					20
21						.12		.14		.06			21
22					.15	.36		.03	.36				22
23		.90 ^{5.12}		.71	.05			.20	.24	.29		.23	23
24		1.45 ^{2.11}		.61					.05	.01			24
25		1.78		.30	.04			.57	.22	.05		.07	25
26		.70		.16	.23								26
27		.03			.04		.02			.35		.07	27
28				.25	.10		.23			.25		.20	28
29	.25			.08			.02					.20	29
30		×	.11						.11		1.17		30
31	.24	×	.13	×		×			×		×		31
TOTAL	3.64	6.48	4.55	3.26	2.15	1.81	3.33	1.70	1.82	2.83	1.17	1.68	YEAR'S TOTAL
*Days with or in. or more.	13	13	14	7	14	8	13	13	8	16	27	6	13.2
*Days with .04 in. or more.	11	12	11	7	14	4	11	11	8	14	6	6	11.5

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at La Combe House Axminster

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

Ground Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						18		1.12	44		.13	75	1.25	1
2	20							.02	1.09		.03	22	23	2
3	05				24			.06		12		08	30	3
4	07		.35	12				.04	35	40		.15	.23	4
5					09			1.50		.25	06	1.10	.45	5
6	04		41	08	20			.02	.02	.02	08	21	65	6
7	06							11		.46		.33	.75	7
8				03	27				.02	.14	.60	.35	.22	8
9	29		41								.35		.08	9
10	07		12	.55				.07			.10		.15	10
11	61		03	30				.05					1.10	11
12	.05			45			02	24			.2		.21	12
13	40			02							.12		.33	13
14	41		.52								.02		.35	14
15	.07		.06		09					.40	.19		.35	15
16	.10		43							.01			.25	16
17	.10								.58	.20			.13	17
18	07		45	53									.20	18
19			12	02		05		.07	02				.16	19
20		.20	03	10			.01		.04	.05			.04	20
21			.05			43		.04	.6	44			.45	21
22			.04					.22		.02			.82	22
23	.03		02	25		80	.04	.01	37	.04			.30	23
24		.05	.05			.12			.25	.03			.05	24
25	.33	.03		46		21			24	30			1.20	25
26			.05	29					29	.05			.30	26
27				.05		08		.04	06	.03	.05		.27	27
28				.03		02		.64	19				1.01	28
29								.83	14	.03	.03		.04	29
30	.02	X					.03		16				.52	30
31		X		X		X			X		X		.06	31
TOTAL	2.97	.28	3.14	3.28	.89	1.69	.10	4.28	4.43	.03	1.76		12.87	38.72 ⁵
* Days with .01 in. or more.	18	3	16	15	5	8	4	17	16	18	12		31	166
* Days with .04 in. or more.	17	2	13	14	5	7	1	13	13	12	10		31	136

September A hot stormy month with a considerable excess of rain
Temp was fairly high & there were spells of heat but it was
a distinctly autumnal month.

October Unsettled & stormy with frequent but not heavy rainfalls.
Rainfall slightly below average, but frequency above.
Temp generally high except last week. Vegetation very vigorous.
There were 3 gales on 5th, 15th & 22nd the last from NW was severe.

November Very dry calm & generally mild. In spite of low rainfall
the frequency was somewhat high owing to dry spells from
northerly gales. Great absence of wind.

December The coldest month & the mildest. December got cleared.
Rainfall was considerably above any I have yet recorded at
this station & beats the very last December of 1911 by 2 inches.
The next coldest month being Nov 1924 with 11.44. It also
establishes a record for frequency being the only month since 1908
with rain on every day. The extraordinary mildness was shown in
vegetation with autumn flowers continuing to the close. There was an
entire absence of frost in the shade. Gales on several days.
Bar on 14 fell to 28.75. Much sheet lightning on 9th.

Summary of quarterly rainfalls

Winter

Jan to Mar Rain 6.39 on 39 days of 01 & 22 of 04. Rainfall much
below normal owing to very dry Feb. Though the frequency was
about average. Temp except Jan rather low, but without any
severe weather. The season was extremely backward at the end of
March: there being no sign of spring.

Spring: Rainfall 5.86 on 28 days of 01 & 26 of 04. With the exception
of April a very dry period. The combined fall of May & June
being only 2.58 on 13 days. Temp which was low at first became
high in June. Until mid May the season was very backward
but the sun & heat of that month made considerable alteration.

Summer: Rain 8.86 on 37 days of 01 & 27 of 04. Owing to the extreme drought
of July the rainfall looks only fairly near average; though both
August & September were very wet months. The frequency however
was very much in excess of the ordinary, owing to the rainy conditions
of both August & September.

The Year
1934

The year 1934 is divided into almost two equal
types of weather. The first 7 months with a decided
deficiency of rainfall both in amount & frequency!
The last 5 gives three quarters of the whole year fall.
Contrary to expectations the years rainfall is above the
average, though in points of frequency it is about
normal or slightly above. The outstanding feature of
the rain is the tendency to concentrate in great quantities
during rather short periods. The rain periods of the
year may be segregated into 3 distinct periods, i.e.
March April, August & September, & December. During
the rest of the year rain was either deficient or
about normal. Of these 3 periods March April give
6.42 & 31 rain days, August & Sept 8.76 in 33 rain days,
& December 12.91 in 31 days. Of these by far the most
intense was December. Which yields just double the rain
of March & April, in exactly the same number of
days. The drought period comes to two climaxes, one in Feb
& the second in July. The dry autumn of 1933 was really
continued till the end of Feb. The rainy spell of January being
only a slight break. After another break more prolonged,
the dry conditions return & lead up to the second climax in
July. December shows a very marked contrast to December 1933
both in rainfall and temperature, though the months of October &
November in both years are not dissimilar. The two summers are
though alike in character, different materially in actual rainfall.
Both are hot & sunny. but while in 1933 a hot dry June is followed
by a hot washed early July, & a very hot dry August. 1934
with an even drier June is succeeded by an intensely hot
& dry July & then which then gives place to a cooling &
cool August & September. In temperature the year is decidedly
above the average due to the warm summer autumn &
very warm early winter. It is significant that no snow
was recorded during the year, nor was there a translocation
of any significance or proximity.

Summer

July to Sept
after

The chief feature of this curious season was the sudden & complete collapse of the drought & heat with the last day of July. Autumn came with the first of August & never really again gave place to Summer. The great heat & sun of July, a month which stands out from most others for continuous high temp was suddenly & completely extinguished & never really again revived. Vegetation owing to the tropical conditions of July made tremendous strides & most of the harvest crops secured till the end of that month.

Autumn after
Oct to Dec

Rain 17.70 in 61 days of 01 to 53 of 04. An extremely wet quarter owing to the abnormal December. Had this been an average month the rainfall would have been decidedly on the low side. The rainfall exceeds the entire amount for the first half year & December alone ~~beats~~ ^{exceeds} the rest! It was with great exceptions a period of extreme warmth at the same time great sunburners. Much of the warmth was due to cloudy muggy nights rather than to hot days, though Britain had some gentle summer temperatures, & some days in December were distinctly warm.

1st half year
Jan-June

Rain 12.25 in 67 days of 01 to 58 of 04. This was a very dry period only 2 months March & April had a rainfall excess, while some Feb may especially were extremely dry. Temp was fairly normal. The cold & backward spring was compensated by the brilliant June.

2nd half
July-Dec

Rain 26.56 in 98 days of 01 to 80 of 04. A very wet period supplying more than $\frac{3}{4}$ of the whole year's fall. There were 3 very wet months Aug Sept & Dec & only one dry one. December falls almost equalled the other 5 put together. At the close of the year owing to the incessant rain of December, the country was very sodden. Temp generally high throughout. The only months with lack of reasonable temperatures were August & part of Sept & November.

Summer
June to Aug

Rainfall 6.07 in 29 days of 01 to 21 days of 04. Except for August which was very wet, a very dry & scorching season, June & July together only producing 1.79 in 12 days, July being practically rainless. With the close of that month a complete collapse of Summer occurred & the months of Aug & Sept were with little & continuous. Most of the harvest was gathered in by the end of July.

Notes on weather at Lexington 1924

- Jan. Showery & stormy, throughout with frequent gales & strong winds from SW to NW. Rain though frequent was moderate in fall & did not reach the average for station. Temp. mild. ✓
- Feb. An abnormally dry month with much night frost & morning fog but fine days during the high & steady barometer hardly any wind. but monthly sum an 2 quarters ✓
- March A Showery unsettled month with frequent lighter than heavy rain. Temp. fairly normal but nights nearly always cold. Rainfall above average. ✓
- April A wet & stormy month with great fluctuations of Temp. Some days being abnormally warm, & others in door thermometer unusually cold. Rainfall again above the average both in volume & frequency. ✓
- May. A very dry & rather parching month. Some very cold NW winds in mid May did much harm, & caused frost in many places. Rainfall was very deficient both in amount & frequency. ✓
- June A dry warm month. The only real rainfall was during the last 10 days. There was great heat during the 3rd week. The last week was chilly & unsettled with heavy showers at times. There were only 8 days with appreciable rain. ✓
- July A month of great drought & intense heat. ~~There~~ Temp. reached 90 on 4 occasions & 80 on half the days of the month. It was one of the driest months recorded, only 1.5 of inch fall on 4 days only, .01, & one only of .04 the very sunny month with sunshine on every day. ✓
- August A wet unsettled stormy month with a considerable excess of rainfall both in amount & frequency. Temp. was fairly high, sometimes quite high & there were spells of brilliant weather but the general character of the month was distinctly autumnal. The sudden change of the drought & heat of May June & July at the beginning of August was remarkable. There were several spells of strong winds but no thunderstorms. ✓



Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935

Kept at

in the County of

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground....1...ft.....6...in.

Ground

Sea Level ... 710 ... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

40-9399.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ... dca. Lough Linn A. M. ...

in the County of ... Down

Diameter of Funnel of Gauge... 5 in.

Height of top of Gauge above Ground... 1 ft. 6 in.

,, Ground ,, Sea Level ... 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.20		.33		.45	.29					.05		1
2				.06		.06	.42	.19			.10			2
3				.92			.11	.04	.68		.40			3
4			.19	.03		.20			.48		.02	.11		4
5	.80		.03						.15		.02	.10		5
6	.09		.05			.06	.22		.51		.35			6
7	.09		.68				.28				.25			7
8	.49		.65				.26				.10	.05		8
9	.50		.15				.30		.09		.25			9
10	.05	.03 ^{SR}					.04				.25			10
11	.35					.10	.02		.05		1.05			11
12			.01	.02	.09	.25	.40		.40		.07			12
13							.20				.19	1.30		13
14		.04		.28			.45		.15	.04	.09	.89		14
15		.04			.08		.15		.04		.04	.15		15
16		.35			.24		.20				.02	.60		16
17	.05	1.23		.20	.25		.85			.05		.08		17
18	.05	.30	.04			.70 ^{TS}	.60							18
19	1.02	.04	.15			.20 ^{TS}	.13	.05						19
20	.07	.35	.21	.09			.04		.30					20
21		.15	.05	.73		.20								21
22	.20	.57	.73				.50					.05		22
23	.05	.02	.10	.20			.12					.03		23
24	.65	.03	.03				.60			.08				24
25	.20		.43	.20	.05	.07	.20		.23	.20				25
26	.32	.06	.30		.08	.25	.06		.03	.24				26
27		.30	.10				.72		.02	.03				27
28	1.51		.97				.02			.31		.26		28
29	.11	.04	.04							.10	.10	.32		29
30	.20	~~X~~	.01							.30		.65		30
31	.13	~~X~~	.55	~~X~~		~~X~~	.05		~~X~~		~~X~~			31
TOTAL	7.02	4.25	5.39	3.16	.79	2.54	7.73	.28	2.93	1.45	2.30	4.74	Year's Total	42.58
* Days with .01 in. or more.	21	17	22	11	7	11	25	3	13	9	16	14	168	168
* Days with .04 in. or more.	21	12	17	8	7	11	24	3	11	8	13	13	148	148

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. C. ... [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *22, Munster*in the County of *Down*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...*6* ft.....in.,, Ground ,, Sea Level*17.0* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>10</i>								<i>12</i>	<i>04</i>	<i>09</i>	<i>1.29</i>		1
2	<i>13</i>	<i>1.03</i>		<i>50</i>					<i>09</i>			<i>27</i>		2
3	<i>08</i>	<i>27</i>	<i>08</i>	<i>30</i>			<i>02</i>							3
4	<i>30</i> ~~<i>40</i>~~	<i>1.05</i>		<i>05</i>	<i>03</i>							<i>26</i>		4
5	<i>12</i>		<i>02</i>				<i>65</i>							5
6		<i>65</i>	<i>48</i>	<i>20</i>					<i>02</i>					6
7		<i>75</i>		<i>09</i>			<i>06</i>			<i>07</i>		<i>50^s</i>		7
8		<i>02</i>		<i>14</i>	<i>85</i>	<i>05</i>					<i>10</i>			8
9			<i>08^{8.20}</i>	<i>24</i>	<i>11</i>		<i>08</i>		<i>72</i>		<i>06</i>			9
10	<i>50</i>		<i>94</i>	<i>14</i>	<i>28</i>							<i>26</i>		10
11	<i>10</i>		<i>15</i>	<i>09</i>	<i>35</i>	<i>03</i>	<i>35</i>							11
12	<i>94</i>	<i>25</i>	<i>03</i>			<i>48</i>	<i>10</i>	<i>49</i>	<i>09</i>			<i>55</i>		12
13		<i>05</i>	<i>1.28</i>	<i>42</i>				<i>40</i>	<i>06</i>					13
14			<i>23</i>	<i>03</i>			<i>60⁷⁵</i>		<i>05</i>			<i>06</i>		14
15	<i>57</i>	<i>12</i>	<i>55</i>	<i>49</i>			<i>1.02⁷⁵</i>		<i>22</i>			<i>27</i>		15
16	<i>10</i>	<i>10</i>	<i>28</i>	<i>26</i>				<i>20</i>	<i>92</i>		<i>02</i>			16
17	<i>100</i>	<i>13</i>	<i>53</i>				<i>06</i>		<i>38</i>		<i>08</i>			17
18		<i>08</i>	<i>19</i>			<i>09</i>			<i>40</i>		<i>44</i>	<i>25</i>		18
19	<i>15</i>	<i>08</i>		<i>15</i>							<i>09</i>			19
20	<i>70</i>	<i>15</i>	<i>14</i>	<i>21</i>								<i>1.24</i>		20
21	<i>43</i>	<i>45</i>	<i>08</i>	<i>06</i>	<i>60</i>		<i>05</i>		<i>23</i>		<i>31</i>	<i>10</i>		21
22	<i>22</i>		<i>09</i>		<i>50</i>	<i>30</i>	<i>21</i>		<i>31</i>	<i>1.10</i>	<i>50</i>	<i>08</i>		22
23	<i>38</i>	<i>37</i>	<i>13</i>		<i>60</i>					<i>34</i>	<i>32</i>			23
24	<i>32</i>	<i>65</i>							<i>05</i>	<i>1.11</i>		<i>03</i>		24
25	<i>08</i>	<i>78</i>	<i>40</i>		<i>25</i>				<i>04</i>	<i>15</i>		<i>02</i>		25
26		<i>38</i>			<i>24</i>					<i>60</i>				26
27		<i>38^{8.20}</i>		<i>01</i>						<i>28</i>				27
28	<i>35^{8.20}</i>	<i>03^{8.20}</i>								<i>50</i>		<i>01</i>		28
29						<i>02</i>				<i>07</i>	<i>25</i>			29
30	<i>70</i>	~~<i>21</i>~~				<i>04</i>					<i>21</i>			30
31	<i>30</i>	~~<i>21</i>~~		~~<i>21</i>~~		~~<i>21</i>~~			~~<i>21</i>~~	<i>60</i>	~~<i>21</i>~~			31
TOTAL	<i>7.55</i>	<i>7.72</i>	<i>5.68</i>	<i>3.38</i>	<i>3.86</i>	<i>1.01</i>	<i>3.20</i>	<i>1.09</i>	<i>3.70</i>	<i>4.86</i>	<i>2.77</i>	<i>5.29</i>	Year's Total	<i>48.87</i>
* Days with .01 in. or more.	<i>21</i>	<i>21</i>	<i>18</i>	<i>18</i>	<i>10</i>	<i>7</i>	<i>11</i>	<i>3</i>	<i>15</i>	<i>11</i>	<i>11</i>	<i>15</i>	<i>160</i>	<i>50.16</i>
* Days with .04 in. or more.	<i>21</i>	<i>19</i>	<i>17</i>	<i>14</i>	<i>10</i>	<i>5</i>	<i>10</i>	<i>3</i>	<i>14</i>	<i>11</i>	<i>10</i>	<i>12</i>	<i>146</i>	<i>48.87</i>

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *a. D. Smith* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1819

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... *Deal, Kent* ...

in the County of ... *Down* ...

Diameter of Funnel of Gauge ... *5* ... in.

Height of top of Gauge above Ground ... *6* ... ft.

Ground Sea Level ... *70* ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.14			.03	.45				.57	✓	.07		1
2					.01	.36	.11			.13	.24	.09		2
3					.28	.40	.04			.43	X			3
4					.03	.04		1.53		.19		.08		4
5							.12		.07	.26	.01			5
6	.07					.10	1.00			.16	.02	.16		6
7	.19					.45	.52		.01		.05			7
8	.31	.03					.13	.80		.29	.02	.01		8
9	.19	.04				.10						.63		9
10	.16						.83	.03				.53		10
11	.12						.02				X	.53		11
12	.36				.26		.01			.27	.58	.04		12
13	.26				.15		.80				X	.92		13
14	.81				.09		.22				✓			14
15	.25				.12			.01		.36	.27	.53		15
16	.80				.05			.02			.23	—		16
17	.15	.19			.19				.07	.24		—		17
18					X	.20					.30			18
19					.25			.04	.40	.03	.75			19
20					.45				.31		.33			20
21									.10		X	X		21
22	.03			.02		.20		.33			.73	.24		22
23				.05							.05			23
24						.20			.03		.39			24
25	.11	.50	.15				.48	.09		.24	1.60			25
26	.30	.46					.02			.10		.36		26
27	.07					.45	.75	.38			X			27
28	.19	.03	.02		.05	.17		.50	.07		.10	.02		28
29	.17	.09	.02		.55				.50	.24	X	✓	.03	29
30	.09	X				.49			.17		.72	X	.05	30
31	.36	X		X	.20	.25			X	.20	X	X	.25	31
TOTAL	4.99	1.48	.19	.07	2.51	3.27	4.25	2.45	1.73	3.71	6.64	5.71	36.33	
* Days with .01 in. or more.	20	8	3	02	146	810	14	910	10	145	17	138	151	
* Days with .04 in. or more.	19	6	1	01	146	810	10	56	8	184	149	125	152	
Year's Total														36.33

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

BUCKERELL (COGAN)

Section

A

for the entry of
AIR MINISTE

FORM 1090

REGIS

Kept at ...Buckerell...

in the County of ...Devons...

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gr

Ground

Sea

Station No.

1819/8

FALL ORGANIZATION

BUCKERELL, COGAN HAYES

1936 — 39

036

17

163372/27

780309

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						-04	-06	-06	-	-	-03	-		1
2						-40	-54	-01	-	-	-03	-07		2
3						-43	-10	-06	-	-	-09	-01		3
4						-	-	-02	1-16	-	-26	-		4
5						-	-06	-	-44	-	-05	-		5
6						-	-06	-01	-13	-	-01	-12		6
7						-	-9	-	-31	-	-32	-17		7
8						-	-40	-	-	-	-40	-		8
9						-	-22	-	-	-	-50	-		9
10						-	-	-	-08	-	-16	-		10
11						-07	-	-	-	-	-23	-		11
12						-10	-47	-	-06	-	-88	-04		12
13						-	-14	-	-32	-	-07	-		13
14						-04	-55	-	-	-06	-08	-66		14
15						-	-	-	-17	-02	-02	-53		15
16						-05	-	-1	-	-01	-	-10	-13	16
17						-24	-	-14	-	-02	-	-10	-08	17
18						-09	-14	-44	-	-	-08	-01	-21	18
19						-	-50	-50	-	-	-	-	-22	19
20						-	-04	-11	-03	-	-	-	-	20
21						-	-	-1	-01	-19	-	-04		21
22						-	-	-2	-	-	-	-		22
23						-	-	-25	-	-	-	-		23
24						-	-	-3	-	-	-05	-		24
25						-16	-31	-22	-	-06	-24	-		25
26						-	-	-32	-	-09	-28	-		26
27						-	-	-11	-	-02	-11	-		27
28						-	-	-13	-	-	-24	-		28
29						-	-03	-18	-	-	-05	-	-35	29
30						-	-	-	-	-	-08	-15	-11	30
31						-	-	-	-	-	-	-	-	31
TOTAL						-54	2-10	5-70	-20	3-06	1-43	3-49	2-74	18-56
* Days with .01 in. or more.						1	26	7	14	11	19	14	102	ins.
* Days with .04 in. or more.						4	10	25	2	11	10	14	13	89

† Spare column, no entries required.

(Signed)

Margaret A. Finch [P.T.O.]

* See Instruction 3 (f) on other side.

MRS M.A. FINCH

BUCKERELL (COGAN)

Section

A

for the entry of Daily Observations

Station No.

1819/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at ...Buckerell...nr Honiton.....

S. Dew. 17

in the County of ...Devonshire.../7

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

f. 763372/27

„ Ground „ Sea Level ...500.....ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						-04	-06	-06	-	-	-03	-		1
2						-40	-54	-01	-	-	-03	-07		2
3						-43	-10	-06	-	-	-09	-01		3
4						-	-	-02	1-16	-	-26	-		4
5						-	-06	-	-44	-	-05	-		5
6						-	-06	-01	-13	-	-01	-12		6
7						-	-9	-	-31	-	-32	-17		7
8						-	-40	-	-	-	-40	-		8
9						-	-22	-	-	-	-50	-		9
10						-	-	-	-08	-	-16	-		10
11						-07	-	-	-	-	-23	-		11
12						-10	-47	-	-06	-	-88	-04		12
13						-	-14	-	-32	-	-07	-		13
14						-04	-55	-	-	-06	-08	-66		14
15						-	-	-	-17	-02	-02	-53		15
16						-05	-	-1	-	-01	-	-10	-13	16
17						-24	-	-14	-	-02	-	-10	-08	17
18						-09	-14	-44	-	-	-08	-01	-21	18
19						-	-50	-50	-	-	-	-	-22	19
20						-	-04	-11	-03	-	-	-	-	20
21						-	-	-1	-01	-19	-	-04	-	21
22						-	-	-2	-	-	-	-	-	22
23						-	-	-25	-	-	-	-	-	23
24						-	-	-3	-	-	-05	-	-	24
25						-16	-31	-22	-	-06	-24	-	-	25
26						-	-	-32	-	-09	-28	-	-	26
27						-	-	-11	-	-02	-11	-	-	27
28						-	-	-13	-	-	-24	-	-	28
29						-	-03	-18	-	-	-05	-	-35	29
30		~~X~~				-	-	-	-	-	-08	-15	-11	30
31		~~X~~	~~X~~	~~X~~	~~X~~	-	~~X~~	-01	-	~~X~~	-22	~~X~~	-	31
TOTAL						-54	2-10	5-70	-20	3-06	1-43	3-49	2-74	Year's Total 8 Mths 18-26 ins.
* Days with .01 in. or more.						1	26	7	14	11	19	14	102	
* Days with .04 in. or more.						4	10	25	2	11	10	14	89	

† Spare column, no entries required.

(Signed)

Margaret A Finch

[P.T.O.]

MRS M.A. FINCH

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

1819/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Buckerell

in the County of Devon

Diameter of Funnel of Gauge 5 1/4 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 48.5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.01		.29					.12			.62		1
2	.05	.31	.02	.14								.10		2
3		.54	.09				.02							3
4		.60		.09								.37		4
5	.35	.42	.02	.12			.80					.12		5
6	.07	.11	.18	.20	.02		.11							6
7		.41	.01	.16								.32		7
8					.32		.09				.05	.02		8
9	.01	.12	.02	.23	.10				.64					9
10	.17	.03	1.13	.40	.31	.13		.10				.22		10
11	.03		.21	.11	.44	.03	.69							11
12	.47	.20	.04	.04		.23		.36	.07			.71		12
13		.09	1.01	.26		.005		.19	.04			.01		13
14	.62		.14	.05				.01	.02			.09		14
15	.28	.08	.23	.52					.83			.27		15
16		.10	.55	.03			1.70	.14	.11					16
17	.08	.07	.74			.07			.02		.10			17
18	.03	.19	.16						.72		.14	.12		18
19	.08	.02	.04	.18	.10		.03		.01		.15	.03		19
20	.69	.09		.22	.03		.01				.09	.96		20
21	.55	.55	.16		.43	.10			.07	.03		.01		21
22	.21	.01	.12		.19				.07	.70	.61	.04		22
23	.28	.26	.01		.80					.21	.19	.01		23
24	.51	.69	.01						.10	1.21				24
25		.61	.25		.10				.01	.48		.03		25
26		.82	.04		.15		.17					.02		26
27	.01	.30								.24				27
28	.50	.01								.20	.02			28
29	.30									.59	.31			29
30	.40					.05				.07	.28			30
31	.27							.09		.52				31
TOTAL	6.25	6.54	5.18	2.95	3.08	.66	3.62	.89	2.83	4.25	1.94	4.07	Year's Total	43.06
* Days with .01 in. or more.	23	24	23	15	13	7	9	6	14	10	10	12		178
* Days with .04 in. or more.	18	20	16	14	11	6	7	5	10	9	9	12		139

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Margaret A. Smith [P.T.O.]



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Logan Knapp's Buckner's
in the County of DeWitt
Diameter of Funnel of Gauge.....4 1/2 in.
Height of top of Gauge above Ground...1 ft.....in.
" Ground " Sea Level 486 ft.

1937 up low
5/29 Dec. adj.

Dec. adjusted by
nearly 50ms. *chr.*
19/4/30

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	1R				04	22	1R	-	48	03	12		1
2	-	1R			01	-	1R	-	-	12	1R	52		2
3	-	-			20	1R	01	-	-	38	04	03		3
4	-	-			005	14	12	1.42	-	11	-	11		4
5	10	-				1R	-	-	-	28	1R	10		5
6	11	-				18	1.08	-	-	-	1R	02		6
7	55	-				03	33	-	-	06	1R	03		7
8	32	05					10	-	-	18	1R	05		8
9	05	04				04	-	-	-	-	-	01		9
10	12	1R				-	04	62	-	-	-	51		10
11	13	-				-	1R	19	-	-	34	70		11
12	12	-			13	-	-	-	-	30	76	80		12
13	73	-			10	-	-	-	-	-	07	05		13
14	09	-			10	-	78	-	-	-	-	61		14
15	06	-			16	-	-	-	-	31	20	-		15
16	-	-			07	-	-	1R	-	-	40	37		16
17	30	-			1R	-	-	-	-	15	02	05		17
18	-	-			08	09	-	-	1.36	04	33	-		18
19	-	-			-	-	-	-	16	-	70	-		19
20	-	-			-	-	-	-	1R	-	17	-		20
21	-	-				05	-	-	09	-	23	-	Sum	21
22	-	-	0.3	0.3		-	-	-	13	-	29	30		22
23	1R	-	0.3	0.3		-	-	-	1R	-	12	-		23
24	10	-	13		03	-	-	42	04	-	30	-		24
25	31	26	02		23	-	43	-	-	-	73	-		25
26	14	35			32	-	05	-	-	19	23	-	Sum	26
27	18	08			10	09	50	18	-	11	28	-		27
28	32	07			07	04	-	63	1R	-	-	-		28
29	10		02		23		-	-	18	23	-	23		29
30	19	X			03	80		-	25	-	(40)	09		30
31	09	X		X	15	X			X	29	X	23		31
TOTAL	4.01	85	17	06	2.01	1.50	3.66	3.46	2.21	3.23	5.44	4.82	Year's Total	
* Days with .01 in. or more.	20	6	8	2	16	10	11	6	7	15	20	21	31 42	✓
* Days with .04 in. or more.	20	6	1	-	13	9	10	6	7	15	17	16	137	17/41

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

1819/19

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Bucknell (H. Sept. 17. Colyford)

in the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground...1 ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	-	.05	-	.28	-	-	.01	-	-	-	.03		1
2	.04	-	.11	.03	-	-	-	.37	.12	-	.03	.02		2
3	.01	-	-	.39	tr	-	-	.47	1.34	-	.11	.12		3
4	.17	-	.44	.43	.01	-	-	.25	tr	-	.30	.02		4
5	-	-	.03	.48	.31	-	.20	.05	tr	-	.15	.18		5
6	-	-	-	.11	.005	-	.30	.06	-	.14	.82	.005		6
7	.50	tr	.03	.02	-	-	-	.03	-	-	.20	-		7
8	.02	.22	-	-	-	.03	-	.02	-	.03	.38	-		8
9	-	.21	-	-	.04	-	-	.04	-	1.53	.21	.10		9
10	.005	.02	tr	-	-	-	-	.04	-	.10	.05	.09		10
11	.30	-	-	-	-	.03	-	.20	.04	.05	.04	.13		11
12	-	.01	.11	-	-	-	-	-	-	.16	.02	.01		12
13	-	.09	-	tr	-	-	-	-	-	-	.04	-		13
14	-	-	-	.12	tr	.01	-	-	.13	.23	.03	-		14
15	.61	-	-	.07	.01	.03	.50	-	-	.06	.11	-		15
16	.25	-	.06	.02	-	.80	-	-	-	.09	.55	.04		16
17	.08	-	-	.07	tr	-	.49	-	-	.02	.18	-		17 Colyford
18	.80	.02	-	-	.02	.13	.34	-	-	.03	.04	-		18
19	-	.02	.01	-	tr	.15	1.06	-	-	-	tr	.07		19
20	.23	-	-	-	-	.04	-	-	-	-	-	.12		20
21	.35	-	-	-	.005	.13	.06	1.15	-	-	-	-		21
22	.14	.32	.04	-	-	-	.02	.02	-	-	-	-		22
23	.62	.48	.13	.19	-	.31	.21	.01	-	-	.57	-		23
24	-	.005	-	-	-	.20	.11	-	-	-	.90	-		24
25	.55	.13	.06	.09	-	.10	.14	-	-	.05	-	-		25
26	.11	.11	-	-	-	-	tr	-	-	.15	.28	-		26
27	.47	.38	-	.05	-	.05	-	-	-	.17	.02	-		27
28	-	-	.01	-	-	-	.01	.18	-	.05	.18	.08		28
29	-	-	-	-	-	-	.08	-	-	-	.60	-		29
30	-	.05	-	.06	-	.11	.04	.03	-	.22	.02	-		30
31	-	.02	-	-	-	-	.01	.11	-	.35	.83	-		31
TOTAL	5.71	2.07	1.05	2.43	.40	2.18	3.57	3.03	1.63	4.74	6.07		Year's Total	
* Days with .01 in. or more.	18	14	12	15	6	14	15	17	4					
* Days with .04 in. or more.	15	9	7	12	2	11	12	12	4					

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Mr. M. A. Finch [P.T.O.]

Kept at Beech House
in the County of Deer
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
Ground Sea Level

1820
HONITON, BEECH HOUSE 31.
1931 — 40
780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.05		.31			.05		.40	.02			I
2	.35	.03		.52	.02	.10			.53		.12	.07	2
3	.05		.85						.15		1.24	.02	3
4	.03		.10	.01	.08	.17	.14	.27	.12	.04	.02		4
5		.40	.02	.17	.02	.51	.01	.07	.01		.14	.18	5
6		.14		.05	.06	.10	.02			.17	.05	.74	6
7		.03			.36	.28	.64	.25		.07	1.16	.12	7
8		.26		.21		.46	.02	.08		.01	.15	.04	8
9		.15		.03		.05	.07				.57	.04	9
10		.07			.04	.05		.02	.02		.68		10
11	.22	.46				.24	.15		.13		.35		11
12	.08	.04			.01		.32		.09	.13			12
13		.05			.05		.59	.13			.02		13
14	.05	.04	.03		.02	.37	1.03	.20	.07		.57		14
15	.02	.11		.03	.29			.45	.05			.03	15
16		.12		.07	.30	.48		.09	.11				16
17	.01	.07				.04	.41	.01	.08				17
18	.03	.01	.02			.08	.05	.88			.26		18
19	.07	.09	.07			.04	.15	.09			.13		19
20		.06	.25					.47			.15		20
21	.35	.02	.02		.17								21
22	.26	.02	.02	.11	.12						.03		22
23	.28	.01		.17	.64		.02	.01			.34		23
24	.20			.67	.10		.84	.58			.06		24
25	.26	.06		.41	.04		.11				.33		25
26	.02	.06		.11			.25				.69		26
27	.16	.33			.74		.09				.11		27
28	.15	.09	.09	.02	.01			.05		.04	.01	.19	28
29	.08	X	.14		.06		.10	.15		.06	.09	.09	29
30	.08	X			.11		.02	.02	.05				30
31	.83	X	.02	X	.02	X	.01	.01	X		X	.41	31
TOTAL	3.58	2.80	1.63	2.88	3.26	2.97	5.09	3.83	1.81	.54	7.27	1.93	37.59
* Days with "or in. or more.	20	25	12	15	21	14	22	19	13	8	23	11	203
* Days with ".04 in. or more.	15	19	6	11	15	14	16	14	11	6	19	9	155

Section

A

for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Beech Hamm, Hamilton
in the County of Devonshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.05		.31			.05		.40	.02			I
2	.35	.03		.52	.02	.10			.53		.12	.07	2
3	.05		.85						.15		1.24	.02	3
4	.03		.10	.01	.08	.17	.14	.27	.12	.04	.02		4
5		.40	.02	.17	.02	.51	.01	.07	.01		.14	.18	5
6		.14		.05	.06	.10	.02			.17	.05	.74	6
7		.03			.36	.28	.64	.25		.07	1.16	.12	7
8		.26		.21		.16	.02	.08		.01	.15	.04	8
9		.15		.03		.05	.07				.57	.04	9
10		.07			.04	.05		.02	.02		.68		10
11	.22	.46				.24	.15		.13		.35		11
12	.08	.04			.01		.32		.09	.13			12
13		.05			.05		.59	.13			.02		13
14	.05	.07	.03		.02	.37	1.03	.20	.07		.57		14
15	.02	.11		.03	.29			.45	.05			.03	15
16		.12		.07	.30	.48		.09	.11				16
17	.01	.07				.04	.41	.01	.08				17
18	.03	.01	.02			.08	.05	.88			.26		18
19	.07	.09	.07			.04	.15	.09			.13		19
20		.06	.25					.47			.15		20
21	.35	.02	.02		.17								21
22	.26	.02	.02	.11	.12						.03		22
23	.28	.01		.17	.64		.02	.01			.34		23
24	.20			.67	.10		.84	.58			.06		24
25	.26	.06		.41	.04		.11				.33		25
26	.02	.06		.11			.25				.69		26
27	.16	.33			.74		.09				.11		27
28	.15	.09	.09	.02	.01			.05		.04	.01	.19	28
29	.08	X	.14		.06		.10	.15		.06	.09	.09	29
30	.08	X			.11		.02	.02	.05				30
31	.83	X	.02	X	.02	X	.01	.01	X		X	.41	31
TOTAL	3.55	2.80	1.63	2.88	3.26	2.97	5.09	3.83	1.81	.54	7.27	1.93	37.59
* Days with or in. or more.	20	25	12	15	21	14	22	19	13	8	23	11	203
* Days with .04 in. or more.	15	19	6	11	15	14	16	14	11	6	19	9	155

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. T. Baker Major R.A.F.C. P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Beech Town, Hamilton
in the County of Downshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft. 10 in.
Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.15	.02		.03	.28		.02	.07	.02	1
2	.05			.14	.10			.01	.41			.36	2
3	.02			.01		.39	.04		.31	.07	.04	.07	3
4	.02					.09		.09			.27		4
5	.14								.22				5
6	.17		.03	.15			.04		.22				6
7	.03		.08	.06	.31		.03		.79	1.29			7
8			.68	.04	.17				.23	.05			8
9	1.40			.25						.04			9
10	.50			.19	.01				.05	.19			10
11				.04	.06			.02	.03	.23		.10	11
12	.52				.42				.09	.37	.01	.04	12
13	.05			.29	.03		.25	.39		.76		.29	13
14	.32			.57	.19				.02	.02	.06	.03	14
15	.01			.25	.24		.03			.05	.02		15
16	.20			.10			.15			.02			16
17				.01	.01					.06			17
18					.42				.67		.24		18
19	.12				.29				.05	.27	.02		19
20	.03		.01		1.20			.02		.54	.15	.30	20
21	.01		.10	.15				.22	.11	.24	.09	.19	21
22			.02	.02	.10		.09	.05	.47	.36	.22	.02	22
23					.02		.20	.02	.03	.60	.03	.24	23
24		.04					1.25		.20	.08	.06		24
25			.50				.12		.04	.24	.12		25
26			.20	.04			.11		.03	.14	.12		26
27			.67	.77	.15		.09			.33		.13	27
28			.13	.04	.20		.04			.02		.14	28
29			.47	.11	.30	.47	.02	.49	.67	.55	.05	.91	29
30		×	.03	.04		2.41	.47	.03	.85	.05	1.13	.04	30
31		×	.13	×		×	.33		×	.02	×	1.20	31
TOTAL	3.65	.04	3.05	3.42	4.24	3.36	3.29	1.62	5.49	6.66	2.70	4.08	41.6
*Days with or in. or more.	17	1	13	.21	19	4	17	11	20	26	17	16	182
*Days with .04 in. or more.	11	1	9	.18	15	4	13	6	16	21	13	13	140

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. T. Baker P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1820

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Beech Hill Farm

in the County of Devonshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 10 ft. in.

Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.43	.20		.06				.01	.01	.14	1.21	1
2	.50		.85		.64	.30					.03	.01	2
3	.10	.14	.24		.01								3
4	.40		.02		.09								4
5	.04	.01	.46		.05								5
6		.62	.10		.23		.15			.10	.01		6
7	.02	.25	.02		.07		.03			.53			7
8		.03	.03		.03		.15			.02			8
9		.03			.66		.24			.08	.01		9
10	.10	.27				.02	.30			.60	.02		10
11	.05					.85	.03	.30					11
12				.15	.05	.02	.29		.70	.01		.03	12
13					.06	.01	.15	.10		.15	.02		13
14	.12						.50	.15			.41		14
15	.47		.29			.08	.43	.09		.08			15
16			1.07			.03		.02	.01	.11			16
17	.03	.06	.16			.14			.15				17
18	.05		.59			.08					.05		18
19	.15		.17			.03					.46	.03	19
20		.09				.20		.06	.06		.01		20
21		.62				.81		.09	.02	.06			21
22				.18	.15	.10		.31	.36	.04	.01		22
23		1.02		.34		.14			.20	.22			23
24		.63		.15					.06	.02			24
25		1.64		.31		.19			.13			.10	25
26		.62		.20	.17	.14			.02	.20			26
27		.01			.01				.02	.34		1.10	27
28		.06		.53	.25		.20			.32		.13	28
29	.04	X		.05			.02					.05	29
30	.01	X	.09				.03		.24	.04		.11	30
31	.05	X	.09	X	.02	X			X	.05	X		31
TOTAL	2.76	5.93	4.38	1.91	2.55	3.14	2.52	1.12	1.98	2.98	1.17	2.77	33.21
*Days with .01 in. or more.	16	17	15	8	16	16	13	8	13	19	11	9	161
*Days with .04 in. or more.	13	12	13	8	12	11	9	7	8	15	4	6	117

Section



for the entry of Daily Observations.

Station No. 1820

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Beach House, Hamilton*
in the County of *Devon*Diameter of Funnel of Gauge *5 1/2* in.
Height of top of Gauge above Ground *10* ft.
,, Ground ,, Sea Level *10* ft.*Days*
*alt**and*
Water Rec.
alt

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03					.11		.05			.19	.23		1
2	.09		.09					.07	.18	.01	.08	.19		2
3		.03								.28		.50		3
4	.10		.18		.42			.20	.12	.15		.40		4
5			.18		.23	.02				.09	.09	.50		5
6	.01		.24	.05	.47			1.50	.03	.23	.04	.49		6
7	.03									.14	.03	.82		7
8					.20			.14	.03		.36	.42		8
9	.02		.44	.02	.01					.01	.29	.08		9
10	.38		.01	.59						.01	.11	.05		10
11	.44		.11	.40			.01	.07				.85		11
12	.06						.45					.15		12
13	.50			.82				.40		.03	.06	.48		13
14	.54		.61	.02						.01	.17	.41		14
15	.03		.09						.14	.04	.10	.29		15
16	.04		.25		.08							.24		16
17	.10		.03	.21	.06				.12	.00		.42		17
18	.16		.44	.68					.13	.01		.12		18
19			.18	.05	.02	.13			.09			.17		19
20			.05				.11		.09			.01		20
21			.10		.24				.11	.29		.40		21
22	.01		.10				.12	.07	.02		.01	1.36		22
23	.01		.04	.00	.81			.24	.11	.10		.01		23
24		.18	.04		.26		.17	.01	.02	.25		.15		24
25	.41	.05	.07	.26	.08					.42		.15		25
26	.02			.28	.24				.07		.07	.20		26
27				.01	.01		.03	.01	.05	.04		.25		27
28			.15	.22				.52	.15	.02	.01	.92		28
29								.11	.04	.07		.08		29
30		X						.17	.07			.28		30
31		X		X		X	.03	.03	X	.02	X	.10		31
TOTAL	2.48	.26	3.70	3.91	3.13	.26	.42	2.59	2.17	2.92	1.71	13.04	30.59	
* Days with .01 in. or more.	19	3	20	14	14	3	7	15	18	21	14	31	149	
* Days with .04 in. or more.	14	2	19	11	11	2	4	12	16	13	11	30	142	

BMonthly
Summary.**C**

Particulars of Station.

1820

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Beech House, Hamilton
In the County of Dumfries

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date	Number of Days with '.01 in. or more	Number of Days with '04 in. or more
JAN.	1.78				
FEB.	4.61				
MAR.	1.41				
APRIL	5.23				
MAY	1.59				
JUNE	2.06				
JULY	1.56				
AUG.	2.53				
SEPT.	3.69				
OCT.	2.77				
NOV.	7.51				
DEC.	5.16				
Total	42.12				

Signature M. Baker

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station.....Distance.....Direction from gauge.....

Nearest Parish Church at.....Distance.....Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move.....Distance.....Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

906 sent 28/2
suggesting 4.61 for Feb.

Feb cont. Observer's correspondence
with Obs: f. 732738/26.

M.O.

7 JAN 1936

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the 18 |

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Wt. 283/202 16,000 5/34. Gp. 119/110.

BMonthly
Summary.**C**

Particulars of Station,

1820

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Beach House, HanstonIn the County of Derby

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with		
	Inches	Inches	Date	*0.1 in.	*0.1 in. or more
JAN.	7.38				
FEB.	4.00				
MAR.	5.43				
APRIL	2.46				
MAY	1.84				
JUNE	2.05				
JULY	7.27				
AUG.	1.25				
SEPT.	3.63				
OCT.	1.64				
NOV.	3.75				
DEC.	2.97				
TOTAL	41.67				

Signature M. M. Baker

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

M. M. Baker
Beach House, Hanston, Derby

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances ...

Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D

E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- It is known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt. 3430/1699 15,000 2/35 W. H. & S. 668/91.

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Hamilton
In the County of Deron

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with		
	Inches	Inches	Date	* 0.1 in. or more	* 0.4 in. or more
JAN.	7.87				
FEB.	7.22				
MAR.	6.35				
APRIL	2.83				
MAY	2.77				
JUNE	1.35				
JULY	3.51				
AUG.	1.89				
SEPT.	2.97				
OCT.	4.80				
NOV.	2.77				
DEC.	4.41				
TOTAL	47.44				

Signature

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. M. Baker
Back House, Lonsdale, Devon

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

4 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

W. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999



1820

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At HamiltonIn the County of Dumfries

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	01 in. or more	04 in. or more
	Inches	Inches	Date	*	*
JAN.	4.33				
FEB.	1.11				
MAR.	.30				
APRIL	.09				
MAY	3.17				
JUNE	2.07				
JULY	4.75				
AUG.	2.96				
SEPT.	2.61				
OCT.	3.55				
NOV.	6.12				
DEC.	5.23				
TOTAL	36.29				

Signature M. M. Baker

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

M. M. Baker
Buch House, Hamilton, Dumfries

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

4 in. snow Dec: 22 - 25

* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H. & S. 668/91

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station.

1820

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Buckhampton, Dorset
In the County of Dorset

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	6.79		
FEB.	2.56		
MAR.	1.42		
APRIL	2.75		
MAY	1.01		
JUNE	2.83		
JULY	5.05		
AUG.	2.75		
SEPT.	1.58		
OCT.	5.88		
NOV.	7.91		
DEC.	2.05		
TOTAL	42.58		

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

M. M. Baker
Buckhampton, Dorset

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....


Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—


NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature M. M. Baker

Total



* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumshugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2086 21,000 10/38 W.H. & S. 668/91

S.O. Code No. 40 9999



* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Beech House, Hamelin
In the County of Hereford

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Number of Days with 0.1 in. or more 0.4 in. or more
JAN.	2.26		
FEB.	4.54		
MAR.	2.81		
APRIL	2.76		
MAY	1.95		
JUNE	1.93		
JULY	5.91		
AUG.	1.91		
SEPT.	2.09		
OCT.	5.29		
NOV.	7.84		
DEC.	9.57		
TOTAL	40.86		

Signature M. Baker

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. M. Baker
Beech House, Hamelin, Hereford

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances.....


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumshugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2086 21,000 10/38 W.H.&S. 668/91

S.O. Code No. 40-9999

Kept at Coaxdon Hall
in the County of Dev

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" Ground " Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED

An observer who does not conform to this rule should insert the reading of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions on the reverse side of this form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12		.35	.04		.06		.21	---			1
2	.34	.03		.51		---			.53	.02	.01	.07	2
3	.09		.83						.16		1.36	.03	3
4	.05		.06		.03	.61	.26	.09	.08	.03	.11		4
5		.31		.04		.64		.30			.03	.16	5
6		.08		.02	.04	.08		.07		.15	.31	.53	6
7		.01			.35	.30	.24	.13		.04	.88	.09	7
8		.07		.20		.46	---	.14		---	.08	.08	8
9	.02	.17				.06							9
10		.02			.03	.12	.01	.07	.10		.46		10
11	.15	.47			---	.20	.02		.03		.37		11
12		---			---		.22		.08	.02			12
13		.02			.04	---	.08	.02	.04	.02			13
14					.02	.33	.80	.02			.28		14
15		.12		.03	.21		---	.10				.02	15
16	.02	.07		.04	.13	.66	---	.08	.08				16
17	.05	.14		.03	---	.04	.32		.08				17
18	.01		---	.06		.34	.01	1.33			.33		18
19	.05		.03	.05		.19	---	.01			.30		19
20		.11	.13	---				.53			.10		20
21	.24				.20								21
22	.32		.02	.07	.15						.01		22
23	.39	.03		.06	.60		.02				.53	---	23
24	.08			.75	.16		1.00	.70			.05		24
25	.25	.02		.26			.07				.20		25
26		.04		.09			.33				.53		26
27	.14	.24		---	.61		.22				.05		27
28	.15	.08	.04		.12					.04		.10	28
29	.05	X	.17		.04		.05	.15	---	.01	.15	.10	29
30		X			.10		---	.04	.08	---			30
31	.65	X	.02	X	---	X	.02		X		X	.25	31
TOTAL	3.05	2.15	1.30	2.56	2.87	4.03	3.73	3.78	1.47	.33	6.60	1.43	YEAR'S TOTAL 33.80
Days with ".01 in. or more.	18	19	8	15	17	13	17	16	11	8	21	10	173
Days with ".04 in. or more.	15	13	5	12	13	13	12	13	10	3	19	8	136

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1921.

Kept at Coaxdon Hall, Axminster

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED

Jan. 1, following.

An observer who does not conform to this rule should insert the reading of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Over

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12		.35	.04		.06		.21	---			1
2	.34	.03		.51		---			.53	.02	.01	.07	2
3	.09		.83						.16		1.36	.03	3
4	.05		.06		.03	.61	.26	.09	.08	.03	.11		4
5		.31		.04		.64		.30			.03	.16	5
6		.08		.02	.04	.08		.07		.15	.31	.53	6
7		.01			.35	.30	.24	.13		.04	.88	.09	7
8		.07		.20		.46	---	.14		---	.08	.08	8
9	.02	.17				.06							9
10		.02			.03	.12	.01	.07	.10		.46		10
11	.15	.47			---	.20	.02		.03		.37		11
12		---			---		.22		.08	.02			12
13		.02			.04	---	.08	.02	.04	.02			13
14					.02	.33	.80	.02			.28		14
15		.12		.03	.21		---	.10				.02	15
16	.02	.07		.04	.13	.66	---	.08	.08				16
17	.05	.14		.03	---	.04	.32		.08				17
18	.01		---	.06		.34	.01	1.33			.33		18
19	.05		.03	.05		.19	---	.01			.30		19
20		.11	.13	---				.53			.10		20
21	.24				.20								21
22	.32		.02	.07	.15						.01		22
23	.39	.03		.06	.60		.02				.53	---	23
24	.08			.75	.16		1.00	.70			.05		24
25	.25	.02		.26			.07				.20		25
26		.04		.09			.33				.53		26
27	.14	.24		---	.61		.22				.05		27
28	.15	.08	.04		.12					.04		.10	28
29	.05	X	.17		.04		.05	.15	---	.01	.15	.10	29
30		X			.10		---	.04	.08	---			30
31	.65	X	.02	X	---	X	.02		X		X	.25	31
TOTAL	3.05	2.15	1.30	2.56	2.87	4.03	3.73	3.78	1.47	.33	6.60	1.43	YEAR'S TOTAL 33.80
Days with ".01 in. or more.	18	19	8	15	17	13	17	16	11	8	21	10	173
Days with ".04 in. or more.	15	13	5	12	13	13	12	13	10	3	19	8	136

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Coaxdon Hall Axminster
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 165 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.16	.03	.02	.04	.58	---	.02	.11		1
2	.03			.15	.14			---	.06	.02	.01	.27	2
3	---				.01	.29	.04		.45	.13	.03	.02	3
4	.04					.18		.04			.26		4
5	.17		.02				.02		.15				5
6	.29		---	.16	.15		.04		.34				6
7	.02			.10			.02		.35	1.66			7
8			.72	.02	.19				.29	.07			8
9	.77	.02		.11	.08					.01			9
10	.25			.33	---				.02	.11	.01		10
11	.03			.13	.03		.01		.05	.07		.07	11
12	.75				.40				.04	.29	.01	.06	12
13	.05			.31	.02		.28	.17		.61		.20	13
14	.32			.26	.15					.03	.06		14
15	.02			.27	.28		.02			.05	.14	.04	15
16	.20			.11	---		.26					.01	16
17	.01			.01									17
18	---				.47				.30		.21		18
19	.01			---	.32				.05	.30			19
20	---		---	---	1.20			.09	.02	.64	.20	.07	20
21	.01		.11	.15				.05	.06	.20	.02	.19	21
22	---		.02	.01	.02		.02	.01	.77	.29	.20	---	22
23		---			.02	.03	.20		.05	.47	.03	.10	23
24							.91		.27	.13	.04		24
25			.24	.02			.06		.07	.23	.07		25
26			.16	.02			.13		---	.13	.05		26
27			.44	.80	.16		.05			.56		.16	27
28			.03	.09	.04	---	.07					.10	28
29			.43	.11	.51	.44	---	.60	.46	.38	.04	.60	29
30		X	.04	.01	---	1.75	.30		1.22	.04	1.03	.15	30
31		X	.15	X	.03	X	.20		X		X	.68	31
TOTAL	3.02	.02	2.36	3.33	4.25	2.71	2.67	1.54	5.02	6.44	2.52	2.72	YEAR'S TOTAL 36.60
*Days with ".01 in. or more.	17	1	11	21	20	6	18	7	19	23	18	15	176
*Days with ".04 in. or more.	10	0	8	15	13	4	13	6	17	19	12	13	130

Section

A

for the entry of Daily Observations.

Station No. 1821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at Coaxdon Hall, Axminsterin the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level 165 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.73	.31	.13	—	.02	—					.03	.35	1
2	.40		1.09		.40	.02						.01	2
3	.09	.11	.20		.01								3
4	.17				.15								4
5	.06		.41		.04						.04	—	5
6	—	.56			.21		.07			.14			6
7		.07	.02		.04		—			.24	—		7
8	.02		.02		.02	.22	.18			.05			8
9		.02			.41		.25			.16			9
10		.12					.24			.36	.05		10
11	.07						.17	.53					11
12				.13	.03		.18		.58				12
13					.07		.14	.49		.04			13
14	.07						.51	.04		.23	.29		14
15	.67		.22			.04	.75	.01		.06	.01		15
16			.84			.02			.04	.15			16
17		.18	.34			.03		.03	.16				17
18			.49			.13					.02		18
19	.08		.23						.04		.37	—	19
20						.28			.04		.01		20
21		.05			.04	.18		.14	.02	.10	—		21
22				.10	.07	.03		.44	.27	.02	—		22
23		.86		.43		.18			.31	.28			23
24		1.33		.30		.02			.03				24
25		1.70		.33	.05	.58			.15			.10	25
26		.66		.13	.11	.11			.04	.02		.02	26
27		.04			.10				.02	.30		.63	27
28				.26	.07		.17			.24		.04	28
29	.32			.09	—		.03					.04	29
30	—	×	.07				.03		.10			.08	30
31	.15	×	.13	×	—	×			×	.03	×		31
TOTAL	2.83	6.01	4.19	1.77	1.84	1.84	2.72	1.68	1.80	2.42	.82	1.27	29.19
*Days with or in. or more.	12	13	13	8	17	13	12	7	13	16	8	8	140
*Days with .04 in. or more.	11	12	11	8	13	8	10	5	10	13	4	6	111

40-9999

*See Instruction 2 (f) on other side.

(Signed) Cecil Woodhouse: M.D.

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1821

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Axminster (Boasedon)

in the County of Devon S.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 16.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01					.05	1.04	1.04						1
2	.18		.05											2
3	.03	.02					.25	.25						3
4	.05		.16	.16	.24		.20	.20						4
5			.02		.10		1.31	1.31						5
6	.03		.39	.03	.19		.02	.02						6
7	.05						.09	.09						7
8					.24									8
9	.03		.40	.02										9
10	.28		.11	.45			.02							10
11	.44		.04	.24				.10						11
12	.04													12
13	.35			.50			.02							13
14	.46		.49	.01										14
15	.04		.06		.12									15
16	.08		.30		.03									16
17	.08			.04	.10									17
18	.08		.44	.45										18
19			.08	.08				.03						19
20			.02	.09										20
21						.20								21
22			.06					.40						22
23	.02		.01	.22		.45								23
24		.13	.05	.05		.09	.03							24
25	.29	.05		.26										25
26			.08	.34		.19								26
27				.03		.05		.05						27
28				.04				.41						28
29								.02						29
30	.02	X					.02							30
31		X		X		X	.15	.02	X		X			31
TOTAL	2.59	.20	2.46	3.10	1.08	1.03	.22	4.26					Year's Total	
* Days with .01 in. or more.	19	3	14	14	4	6	4	14						
* Days with .04 in. or more.	13	2	14	13	6	6	1	9						

REGISTER

Kept at Yarby House
in the County of Devon

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
Ground Sea Level

1822
MEMBURY, YARTY HOUSE
1931 — 40

780309

1822
COPY FOR OFFICIAL USE.
ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	—	.30	.06	—	.04	—	.29	—	—	—	1
2	.27	.02	—	.64	—	.01	—	—	.50	—	.07	.09	2
3	.05	—	.81	—	—	—	.01	—	.15	—	1.42	.02	3
4	.04	—	.11	—	—	.62	.22	.09	.14	.03	.04	.79	4
5	.02	.38	.01	.06	—	.55	.04	.20	—	—	.16	.48	5
6	—	.09	—	T	.05	.10	.02	—	—	.15	.17	.48	6
7	.01	.01	—	—	.34	.35	.25	.12	—	.04	.95	.07	7
8	—	.25	—	.23	—	.51	—	.12	—	—	.08	.07	8
9	—	.17	—	T	—	.06	.02	—	—	—	.60	.01	9
10	—	.02	—	—	.03	.08	—	.07	.09	—	.41	—	10
11	.14	.39	—	—	—	.27	.01	—	.02	—	.22	—	11
12	.01	—	—	—	—	T	.62	—	.10	.03	—	—	12
13	—	T	.01	—	.03	—	.52	.03	T	—	—	—	13
14	.01	.02	T	—	—	.17	1.05	.03	.03	—	.31	—	14
15	.01	.10	—	.02	.21	—	—	.10	.01	—	.01	.02	15
16	—	.16	—	.04	.16	.54	—	.08	.06	—	—	—	16
17	.03	.09	—	.11	—	.01	.28	—	.09	—	—	—	17
18	.03	T	T	.09	—	.18	.01	1.28	—	—	.26	—	18
19	.05	.02	.04	.06	—	.09	.02	.03	—	—	.24	—	19
20	—	.08	.18	—	—	—	—	.44	—	—	.07	—	20
21	.37	.01	.02	—	.14	—	—	—	—	—	—	—	21
22	.30	.02	.01	.04	.08	—	—	—	—	—	—	—	22
23	.30	—	—	.09	.67	T	.02	—	—	—	.50	.01	23
24	.07	—	—	.58	.09	—	1.01	.65	—	—	.04	—	24
25	.20	.01	—	.26	.01	—	.09	—	—	—	.41	—	25
26	—	.03	—	.06	.92	—	.30	—	—	—	.69	—	26
27	.16	.21	—	—	—	—	.29	—	—	—	.11	—	27
28	.15	.05	.04	—	.01	—	—	.02	—	.02	—	.06	28
29	.05	X	.06	—	.04	—	.06	.11	—	.02	—	.07	29
30	.03	X	—	—	.14	—	—	.14	.05	—	.11	—	30
31	.70	X	.01	X	.01	X	—	—	X	—	X	.27	31
TOTAL	3.01	2.21	1.30	2.58	2.99	3.54	4.88	3.51	1.53	.29	6.87	1.36	34.07
*Days with or in. or more.	23	21	11	14	17	14	20	16	12	6	21	12	187
*Days with .04 in. or more.	14	13	6	13	12	12	13	12	9	2	20	8	134

40-9999

*See Instruction 2 (f) on other side.

(Signed) W. H. Walker

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Yarby House, Chelmsbury
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 245 ft.

Station No. 1822.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	—	.30	.06	—	.04	—	.29	—	—	—	1
2	.27	.02	—	.64	—	.01	—	—	.50	—	.07	.09	2
3	.05	—	.81	—	—	—	.01	—	.15	—	1.42	.02	3
4	.04	—	.11	—	—	.62	.22	.09	.14	.03	.04	.79	4
5	.02	.38	.01	.06	—	.55	.04	.20	—	—	.16	.19	5
6	—	.09	—	T	.05	.10	.02	—	—	.15	.17	.48	6
7	.01	.01	—	—	.34	.35	.25	.12	—	.04	.95	.07	7
8	—	.25	—	.23	—	.51	—	.12	—	—	.08	.07	8
9	—	.17	—	T	—	.06	.02	—	—	—	.60	.01	9
10	—	.02	—	—	.03	.08	—	.07	.09	—	.41	—	10
11	.14	.39	—	—	—	.27	.01	—	.02	—	.22	—	11
12	.01	—	—	—	—	T	.62	—	.10	.03	—	—	12
13	—	T	.01	—	.03	—	.52	.03	T	—	—	—	13
14	.01	.02	T	—	—	.17	1.05	.03	.03	—	.31	—	14
15	.01	.10	—	.02	.21	—	—	.10	.01	—	.01	.02	15
16	—	.16	—	.04	.16	.54	—	.08	.06	—	—	—	16
17	.03	.09	—	.11	—	.01	.28	—	.09	—	—	—	17
18	.03	T	T	.09	—	.18	.01	1.28	—	—	.26	—	18
19	.05	.02	.04	.06	—	.09	.02	.03	—	—	.24	—	19
20	—	.08	.18	—	—	—	—	.44	—	—	.07	—	20
21	.37	.01	.02	—	.14	—	—	—	—	—	—	—	21
22	.30	.02	.01	.04	.08	—	—	—	—	—	—	—	22
23	.30	—	—	.09	.67	T	.02	—	—	—	.50	.01	23
24	.07	—	—	.58	.09	—	1.01	.65	—	—	.04	—	24
25	.20	.01	—	.26	.01	—	.09	—	—	—	.41	—	25
26	—	.03	—	.06	.92	—	.30	—	—	—	.69	—	26
27	.16	.21	—	—	—	—	.29	—	—	—	.11	—	27
28	.15	.05	.04	—	.01	—	—	.02	—	.02	—	.06	28
29	.05	X	.06	—	.04	—	.06	.11	—	.02	—	.07	29
30	.03	X	—	—	.14	—	—	.14	.05	—	.11	—	30
31	.70	X	.01	X	.01	X	—	—	X	—	X	.27	31
TOTAL	3.01	2.21	1.30	2.58	2.99	3.54	4.88	3.51	1.53	.29	6.87	1.36	34.07
*Days with or in. or more.	23	21	11	14	17	14	20	16	12	6	21	12	187
*Days with or in. or more.	14	13	6	13	12	12	13	12	9	2	20	8	134

Section **A**

for the entry of Daily Observations.

1822
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Yarby House, Membury
in the County of Devon

Station No. 1822

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
Ground Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.09	.02	—	.05	.51	—	—	.07	—	1
2	.02	—	—	.11	.14	—	.01	.01	.06	—	.01	.25	2
3	T.	—	—	—	.01	31	.04	—	.42	.08	.04	—	3
4	.02	—	—	—	—	16	.01	.03	—	—	.22	—	4
5	.14	—	.02	—	—	—	T.	—	.20	—	—	.01	5
6	.17	—	T.	.11	T.	—	.04	—	.32	—	—	—	6
7	.03	—	.01	.04	.17	—	—	—	.55	1.77	—	—	7
8	.01	—	.66	.01	.20	—	—	—	.38	.08	—	—	8
9	1.04	.04	—	.16	.06	—	—	—	—	T.	—	—	9
10	.36	—	—	.24	.03	—	—	—	.02	—	.03	—	10
11	T.	—	—	.08	.03	—	—	T.	.04	.10	—	.08	11
12	.74	—	—	.01	.42	—	.22	—	.04	.35	.01	.11	12
13	.02	—	—	.21	.03	—	—	.25	—	.68	—	.25	13
14	.36	—	—	.15	.16	—	—	—	—	.02	.04	.01	14
15	.01	—	—	.26	.24	—	.04	—	—	.04	.12	.03	15
16	.19	—	—	.15	~~8~~	—	.08	—	—	—	.01	.01	16
17	T.	—	—	.01	.01	—	—	—	—	—	—	—	17
18	T.	—	—	—	.52	—	—	—	1.03	.06	.21	—	18
19	.05	—	—	—	.34	—	—	—	.05	.17	—	—	19
20	—	—	—	.01	1.12	—	T.	.10	.01	.56	.16	.51	20
21	.01	—	.09	—	.04	—	—	.38	.09	.27	.02	.26	21
22	—	—	.01	.01	.05	—	.01	T.	.91	.48	.18	.02	22
23	—	.01	—	T.	.04	T.	.20	—	.04	.54	.01	.11	23
24	—	—	—	—	.03	T.	1.03	—	.11	.07	.04	~~1.04~~	24
25	—	—	.29	—	—	—	.08	—	.06	.20	.08	.01	25
26	—	—	.17	.04	—	—	.14	—	.02	.14	.04	—	26
27	—	—	.54	.77	.15	—	.05	—	—	.44	—	.13	27
28	—	—	.10	.09	.09	—	.09	—	—	—	—	.19	28
29	—	—	.45	.07	.30	.52	T.	.58	.60	.43	.03	.75	29
30	—	×	.06	.03	—	1.26	.34	.01	1.45	.03	1.28	.09	30
31	—	×	.09	×	—	×	.15	—	×	T	×	.94	31
TOTAL	3.21	.05	2.49	2.65	4.20	3.25	2.58	1.87	6.40	6.51	2.60	3.76	39.57
*Days with ".01 in. or more.	16	2	12	21	23	4	17	8	20	20	19	18	180
*Days with ".04 in. or more.	10	1	9	15	16	4	7	5	17	18	12	12	133

40-9999

*See Instruction 2 (f) on other side.

(Signed) W. H. Wilkin

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933..

Kept at Yanty House, Hemmings
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 245 ft.

July nearly 1/2" low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.84	.29	.13	—	.04	T	—	—	—	—	.05	.43	1
2	.43	—	.82	—	.54	.04	—	—	—	—	.02	.01	2
3	.12	—	.23	—	—	.04	—	—	—	—	—	—	3
4	.33	T	.01	—	.15	—	—	—	—	—	—	—	4
5	.05	.01	.52	—	.02	—	—	—	—	—	.02	T	5
6	.01	.56	.01	—	.18	—	.05	—	.09	.09	.02	—	6
7	.01	.08	T	—	.05	—	—	—	.40	—	—	—	7
8	.01	.01	.02	—	.02	—	.12	—	.03	—	—	—	8
9	—	.02	—	—	.45	—	.17	—	.09	—	—	—	9
10	—	.18	—	—	—	.02	.16	T	—	.48	.01	—	10
11	.03	—	—	—	—	.03	.12	.59	—	—	—	—	11
12	—	—	—	.17	.03	—	.21	—	.51	.02	—	T	12
13	—	—	—	—	.06	.01	.17	.48	—	.04	T	—	13
14	.07	—	—	—	—	—	.36	.24	—	.06	.52	—	14
15	.53	—	.24	—	—	.05	.62	.02	—	.03	—	—	15
16	—	—	1.07	—	—	.03	—	.01	.03	.09	—	—	16
17	.01	.19	.31	—	—	.04	—	—	.23	—	—	—	17
18	—	—	.47	—	—	.16	—	—	—	—	.02	—	18
19	.10	—	.13	—	—	—	—	—	.01	—	.40	.01	19
20	—	.03	—	T	.01	.23	—	—	.12	—	.03	—	20
21	—	.03	—	—	.03	.19	—	.14	.08	.08	—	—	21
22	—	—	—	.11	.14	T	—	.41	.29	.01	—	—	22
23	—	.69	—	.49	—	.14	—	—	.24	.25	—	—	23
24	—	1.02	—	.27	—	T	—	—	.03	—	—	—	24
25	—	1.23	—	.31	.02	.83	—	—	.12	—	—	.09	25
26	—	.55	—	.10	.12	.16	—	—	—	.02	—	.01	26
27	—	.02	—	—	.16	—	—	—	—	.32	—	.47	27
28	—	—	—	.43	.07	—	.17	—	—	.25	—	.06	28
29	.24	X	—	.14	—	—	.03	—	—	—	—	.02	29
30	.01	X	.04	—	—	—	.02	—	.14	—	—	.09	30
31	.08	X	.09	X	—	X	—	—	X	.03	X	T	31
TOTAL	2.17	4.91	4.09	2.02	2.09	1.97	2.20	1.89	1.76	2.29	1.09	1.19	YEAR'S TOTAL
* Days with .01 in. or more.	16	15	14	8	17	14	12	7	11	17	9	9	149
* Days with .04 in. or more.	10	9	11	8	11	10	10	5	8	11	3	5	101

40-9999

*See Instruction 2 (f) on other side.

(Signed) W. H. Watkins

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Yarby House, Mombury
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
Ground Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	—	—	.04	—	1.07	.16	—	.13	1.12	1
2	.13	—	.04	—	—	—	—	.01	1.38	.07	.02	.16	2
3	.02	.01	—	—	—	—	—	.01	—	.21	—	.43	3
4	.05	—	.16	.10	.32	—	—	.20	.22	.25	—	.54	4
5	T	—	.09	—	.14	—	—	1.27	—	.02	.09	.57	5
6	.01	—	.32	.02	.26	—	—	.01	.02	.55	.08	.58	6
7	.01	—	—	—	—	—	—	.08	—	.11	—	.90	7
8	.03	—	—	—	.23	—	—	—	.10	.01	.54	.28	8
9	—	—	.29	.05	.02	—	—	.04	—	—	.54	.06	9
10	.37	—	.16	.49	—	—	—	.08	—	—	.14	.15	10
11	.50	—	.06	.28	—	—	.02	—	—	—	—	.74	11
12	.02	T	—	—	—	—	.09	.13	—	—	—	.26	12
13	.38	—	—	.63	—	—	—	—	—	—	.05	.46	13
14	.44	.01	.44	.02	—	—	—	—	—	.01	.03	.51	14
15	.05	—	.05	—	.11	—	—	—	T	.23	.15	.42	15
16	.06	—	.30	—	.03	—	—	—	—	.02	—	.22	16
17	.08	—	—	.16	.10	—	—	—	.26	.08	—	.57	17
18	.09	—	.33	.42	—	T	T	—	.02	—	—	.13	18
19	—	—	.18	.06	—	.02	—	.02	.02	—	—	.18	19
20	—	—	—	.09	—	—	—	—	T	.03	—	.01	20
21	T	—	.04	—	—	.20	—	.05	—	.42	—	.28	21
22	T	—	.06	—	—	—	.01	.36	.39	—	T	.85	22
23	.03	—	.02	.19	—	1.44	—	—	.21	.04	—	.23	23
24	—	.14	.06	.05	—	.12	.08	—	.21	.08	—	.04	24
25	.32	.05	—	.22	—	.02	—	—	—	.43	—	1.23	25
26	T	—	.09	.44	—	.17	—	—	.08	—	.01	.05	26
27	—	—	—	.01	—	.07	—	.01	.07	.04	.01	.46	27
28	—	—	—	.21	—	—	—	.60	.22	.02	T	.93	28
29	—	X	—	—	—	—	T	.02	.11	.01	.01	.03	29
30	.02	X	—	—	—	—	—	.03	.09	.02	.01	.33	30
31	.01	X	—	X	—	X	.25	.02	X	.03	X	.03	31
TOTAL	2.64	.21	2.69	3.44	1.21	2.08	.42	14.01	3.56	2.68	1.81	12.75	37.70
*Days with or in. or more.	20	4	17	17	8	8	5	18	16	21	14	31	177
*Days with .04 in. or more.	11	2	16	14	6	6	3	10	13	12	8	28	131

40-9999

*See Instruction 2 (f) on other side,

(Signed) W. H. Watkins

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM, 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Yarby House, Membury
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01	.47	—	—	.25	.05	—	.15	.28	.18	.17		1
2	—	.01	.01	—	—	.10	—	—	.10	.33	.13	.04		2
3	—	.02	.05	—	.03	.44	—	—	.06	.33	.29	—		3
4	—	.18	—	.07	—	.53	—	—	.07	.03	.22	.29		4
5	—	.32	.02	.04	—	.05	—	—	.22	.11	.05	T.		5
6	T.	.01	—	.55	—	.97	—	—	—	.06	.13	.17		6
7	—	—	—	.35	—	.07	—	—	.03	.33	.02	.03		7
8	—	—	—	.36	—	—	—	—	.31	.09	.40	.01		8
9	—	T.	—	.36	—	.05	—	—	.03	.59	.54	—		9
10	.02	—	.33	.09	—	.08	—	—	—	—	.06	.04		10
11	.17	—	—	—	—	.38	—	—	.07	.02	.57	.01		11
12	.01	.10	—	—	—	.55	—	.02	.06	—	.10	—		12
13	.03	.12	—	.36	T.	.09	—	—	.01	—	.13	—		13
14	T.	.05	—	.20	.03	—	—	—	.08	T.	1.16	.37		14
15	—	.08	T.	1.00	.09	.03	—	—	.39	—	.26	.14		15
16	—	.04	T.	.11	—	.10	—	—	.90	—	1.31	.01		16
17	—	—	—	.03	.84	.25	—	.30	.03	—	.04	—		17
18	—	.06	—	.26	.02	.05	.07	.02	.32	.03	—	.06		18
19	—	.04	—	.01	.24	.05	.09	—	.08	.08	.49	—		19
20	—	.30	—	.31	.02	.01	.03	—	—	.01	.24	.01		20
21	—	.61	.02	.15	—	.01	—	—	.07	.04	—	T.		21
22	—	.05	.04	.08	—	—	—	.03	.02	.05	—	—		22
23	—	.02	.10	.09	.03	—	—	.27	.21	.56	.01	.37		23
24	.02	.59	.02	—	.10	—	—	.91	.21	.05	.01	.29		24
25	.25	.34	—	.02	.04	.02	—	.01	—	—	—	.33		25
26	—	.86	—	—	—	.06	—	.30	.11	—	.03	1.15		26
27	—	.09	—	—	—	—	—	.04	.11	.01	.04	.42		27
28	—	.04	—	—	—	—	—	.16	.10	—	.02	.06		28
29	—	X	—	—	.02	—	—	.03	.12	—	.09	.50		29
30	.02	X	—	—	—	.01	—	.66	.06	.03	.35	.58		30
31	—	X	—	X	.14	X	—	.03	X	.80	X	.43		31
TOTAL	.53	3.94	1.06	4.44	1.60	4.15	.24	2.78	3.92	3.83	6.87	5.48	38.84	
*Days with .01 in. or more.	8	22	9	19	12	22	4	13	26	20	26	22	203	
*Days with .04 in. or more.	3	17	5	16	6	18	3	7	22	14	21	17	149	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. H. M. Walker

P.T.O.

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Yarby House, Mearns
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	.27	.03	.44	—	.43	.30	—	T	—	.01	.04		1
2	—	—	—	.07	—	.04	.33	.07	.08	—	.08	T		2
3	—	—	—	.89	—	—	.08	.03	.93	—	.34	.01		3
4	.01	—	.18	.01	—	.17	.01	—	.38	—	.04	.14		4
5	.51	—	.02	—	—	—	.06	.03	.25	—	—	.10		5
6	.16	—	.08	—	—	.07	.27	.02	.26	—	.36	.01		6
7	.06	—	.76	—	—	—	.20	—	—	—	.49	.04		7
8	.55	—	.63	—	—	—	.28	—	—	—	.40	.01		8
9	.66	(T)	.13	—	—	—	.34	—	.11	—	.04	—		9
10	.03	.03	.01	—	—	—	.04	—	—	—	.16	—		10
11	.30	.03	—	—	—	.05	—	.03	.03	—	.97	T.04		11
12	.01	—	—	.08	T	.19	.39	—	.40	—	.07	.03		12
13	.08	—	—	.02	—	—	.18	.02	—	.04	.10	1.06		13
14	T	.01	—	—	—	.05	.61	—	.13	.01	T	.71		14
15	.02	.03	—	—	.15	—	.10	—	.02	—	.11	.45		15
16	.01	.16	—	.09	.32	—	.16	—	.08	—	.04	.11		16
17	.11	1.14	—	—	.28	—	.65	—	—	.04	.02	.47		17
18	.04	.31	—	—	—	.57	.73	—	—	.02	—	.19		18
19	.52	.05	.09	.15	—	.20	.16	.02	—	—	—	T		19
20	.03	.22	.27	.13	—	.01	T	—	.31	.01	—	.02		20
21	—	.15	.09	.55	—	.05	—	—	.01	—	—	—		21
22	.17	.43	.48	—	.04	—	.57	—	—	—	—	—		22
23	.05	.01	.10	.18	—	—	.23	—	—	.07	.01	—		23
24	.21	.02	.06	—	.05	—	.37	—	.08	.22	—	—		24
25	.14	—	.40	.09	—	.13	.47	—	.22	.27	.01	—		25
26	.31	.08	.22	.06	—	.15	.12	—	—	.10	—	—		26
27	.30	.20	.08	—	—	—	.48	—	.01	.34	—	—		27
28	1.05	.01	1.07	—	—	—	.28	—	—	.02	—	.35		28
29	.13	.04	.04	—	—	.02	—	—	—	.09	.08	.14		29
30	.16	X	—	—	T	.03	.01	—	—	.20	—	T		30
31	.07	X	.56	X	.02	X	.04	—	X	.21	X	.53		31
TOTAL	5.74	3.19	5.30	2.76	.86	2.16	7.46	.22	3.30	1.64	3.33	4.41	40.37	✓
* Days with .01 in. or more.	27	18	20	13	6	15	27	7	16	14	18	18	199	✓
* Days with .04 in. or more.	21	11	17	11	5	12	25	1	12	10	14	13	162	✓

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at *Yarkey House, Mombasa*

in the County of *Kenya*

Diameter of Funnel of Gauge.....*5* in.

Height of top of Gauge above Ground.....*1* ft.....in.

„ Ground „ Sea Level *250* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.01	—	.24	—	—	—	—	.12	T.	.13	1.08		1
2	.03	.77	.02	.18	—	—	—	—	.06	—	—	.37		2
3	T.	.43	.06	.03	—	—	.02	—	T.	—	—	T.		3
4	.06	1.20	T.	—	.03	—	—	—	—	—	—	.27		4
5	.27	—	.06	.01	—	—	.55	—	—	—	—	.02		5
6	.11	.32	.38	.21	.01	—	.29	—	—	.01	—	—		6
7	—	.85	.02	.11	—	.09	—	—	—	.01	.01	.63		7
8	—	.01	—	.01	.43	.04	.03	—	—	—	.14	.05		8
9	—	—	.03	.19	.12	—	.11	—	.69	—	—	.08		9
10	.45	.02	.68	.15	.04	.18	.01	.03	—	—	—	.21		10
11	.07	—	.19	.11	.43	.02	.42	—	—	—	—	.01		11
12	.94	.23	.08	.06	—	.39	.06	.27	.06	—	—	.66		12
13	—	.05	1.31	.38	.01	.08	—	.24	.05	—	—	.02		13
14	—	.02	.31	T.	—	—	.34	—	.03	—	—	.04		14
15	.40	.14	.16	.63	—	—	1.24	—	.27	—	—	.26		15
16	.08	.10	.52	.04	—	.01	.05	.22	.97	—	—	.01		16
17	.84	.11	.66	—	—	—	.01	.01	.04	—	.18	—		17
18	.10	.08	.19	—	—	.04	—	—	.11	—	.21	.20		18
19	.08	.07	.03	.13	.05	T.	—	—	.03	—	.08	.01		19
20	.59	.08	.10	.20	.02	—	—	—	.04	—	.01	1.05		20
21	.49	.47	.10	.08	.51	—	.02	—	.09	.05	.20	.07		21
22	.19	—	.09	—	.40	.58	.16	—	.16	1.07	.97	.08		22
23	.27	—	—	—	.35	—	—	—	—	.36	.34	.02		23
24	.50	.22	.01	—	—	—	—	—	.05	.97	—	.01		24
25	.02	.73	.41	—	.14	—	—	—	.04	.37	—	.03		25
26	—	.36	.01	—	.23	—	—	—	—	.03	—	.01		26
27	—	.23	—	T.	—	—	—	—	—	.45	—	—		27
28	.47	.01	—	—	—	—	—	—	—	.22	—	—		28
29	.03	X	—	—	—	.01	—	—	—	.39	.18	T.		29
30	.59	X	—	—	—	.03	—	—	.01	.02	.18	—		30
31	.23	X	—	X	—	X	—	—	X	.68	X	—		31
TOTAL	6.94	6.51	5.62	2.76	2.77	1.47	3.31	.77	2.82	4.63	2.63	5.19	45.	22 ✓
* Days with .01 in. or more.	23	23	22	17	14	11	14	5	17	13	12	23	194	✓
* Days with .04 in. or more.	20	18	16	14	11	7	10	3	14	9	10	14	146	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *W. H. Watkins* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938Kept at Yarby Hook, Mablethorpein the County of LincolnDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 2.50 ft.My average for the 18 years1921-38 inclusive, is 36.61.W.N.W.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.08	—	—	.03	.38	.14	—	—	.54	.26	.07		1
2	—	.01	—	.03	.01	—	.08	—	—	.25	.09	.09		2
3	—	—	—	—	.29	.01	.06	—	—	.64	.08	.01		3
4	T	—	—	—	.02	.03	.08	1.30	—	.08	.01	.12		4
5	—	—	—	—	—	.01	.04	T	T	.39	.01	.01		5
6	.05	—	—	—	—	.08	.66	—	.13	.02	—	.11		6
7	.23	—	—	—	—	.02	.59	—	.02	.03	.02	.08		7
8	.43	.03	—	—	—	.04	.03	.06	—	.22	—	.01		8
9	.25	.04	—	—	—	.09	—	.11	—	T	—	.74		9
10	.18	T	—	—	—	.03	.04	.09	—	—	—	.43		10
11	.15	—	—	—	—	—	.02	.03	—	—	.37	.52		11
12	.31	—	—	—	.27	—	.01	—	—	.21	.34	.02		12
13	.16	—	—	—	.21	—	T	.02	—	.01	.27	.88		13
14	.96	—	—	—	.10	—	.72	.01	—	—	.01	—		14
15	.23	—	—	—	.21	—	.24	.02	—	.31	.02	.47		15
16	.14	.03	—	—	.04	—	—	—	—	.05	.28	.01		16
17	—	.19	—	—	.01	—	—	—	.11	.13	.02	—		17
18	.22	—	—	—	.17	.09	—	T	.43	.04	.33	—		18
19	T	—	—	—	—	—	—	.06	.16	—	.63	—		19
20	—	—	—	—	—	—	—	.02	.01	—	.68	—		20
21	T	—	—	—	—	T	—	—	.04	—	.29	.20		21
22	—	—	—	.02	—	—	—	.36	.03	.02	.36	—		22
23	T	—	—	.05	—	—	—	.01	.02	—	.04	—		23
24	—	—	.16	—	T	—	T	—	.04	—	.27	—		24
25	.11	.60	.01	—	.25	—	.47	—	.02	—	1.11	.10		25
26	.29	.57	—	—	.47	—	.01	—	—	.21	.01	.09		26
27	.06	.03	—	.01	.08	.20	.93	—	—	—	.29	—		27
28	.19	.09	—	—	.03	.08	T	.41	.16	.16	—	.01		28
29	.15	X	.02	—	.48	—	—	—	.38	.22	.40	—		29
30	.08	—	—	—	.07	.59	T	—	.30	—	.09	.05		30
31	.29	—	—	—	.17	—	—	—	—	T	—	.25		31
TOTAL	4.48	1.67	.19	.11	2.91	1.65	4.12	2.86	1.85	3.53	6.28	4.28	33.93	
* Days with .01 in. or more.	19	19	3	4	18	13	16	14	14	18	25	22	176	
* Days with .04 in. or more.	19	6	1	1	13	8	12	8	9	14	18	15	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. N. Walker

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at York House, Newbury

in the County of Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 7 in.

,, Ground ,, Sea Level ... 2.50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.20	.06	.03	—	—	.13	.35	—	.06	.02		1
2	—	—	—	.43	—	—	—	.32	.72	—	.15	.07		2
3	.34	—	.11	1.17	—	—	—	.20	.01	—	.40	.38		3
4	.01	—	.57	.32	.45	—	.35	.21	—	.46	.14	.21		4
5	—	—	.03	.19	—	—	.13	—	—	.43	1.13	.03		5
6	.56	—	.01	.03	—	—	.74	.09	—	.02	.29	—		6
7	.02	.58	—	—	—	T	.01	.01	—	—	.64	.63		7
8	.04	.36	.03	—	.02	—	.07	.10	—	.79	.35	.45		8
9	.02	.02	—	—	—	—	—	.06	—	—	.03	.18		9
10	.20	—	—	—	—	.06	—	.17	.03	.18	.02	.22		10
11	—	.03	.10	—	—	.01	—	.01	—	.06	.02	.02		11
12	—	.01	—	.07	—	—	—	—	.01	T	.12	—		12
13	—	—	—	.19	—	.03	.68	—	.15	1.00	.06	—		13
14	.97	—	—	T	T	.06	.42	—	—	.05	.30	.02		14
15	.60	—	.02	.03	.42	.98	.11	—	—	.04	.47	.01		15
16	.12	—	—	.10	.05	—	.66	—	—	.02	.22	—		16
17	.69	.02	—	—	.03	.06	.22	—	—	.02	.05	—		17
18	.02	.01	.01	—	—	.13	.67	—	.01	—	.57	.09		18
19	.52	—	—	—	—	—	.04	—	—	—	T	.12		19
20	.42	—	—	—	—	.36	.02	.64	—	—	—	—		20
21	.07	.26	.12	.01	.07	.03	.05	.14	.01	—	—	.01		21
22	.73	.43	.10	—	—	.37	.17	—	—	—	.41	.01		22
23	T	—	—	.29	—	.01	.05	—	—	—	.94	—		23
24	.81	—	.03	.02	—	.58	.09	—	—	.01	—	—		24
25	1.01	.12	—	.01	—	—	.20	.08	—	.09	.28	.01		25
26	.13	.16	—	—	—	—	—	.21	—	.31	.33	—		26
27	T	.35	.03	T	—	.05	T	.03	—	—	.08	.01		27
28	—	.11	.03	.18	—	.02	.12	—	—	—	.41	.11		28
29	.02	X	—	.11	—	.04	.17	—	—	.32	.07	.01		29
30	—	X	—	.32	—	.19	.04	.21	—	.17	.03	—		30
31	—	X	—	X	—	X	—	.19	X	.61	X	—		31
TOTAL	7.32	2.46	1.29	3.53	1.07	2.90	5.08	2.80	1.29	4.58	7.57	2.31	42.13	
* Days with .01 in. or more.	20	13	14	17	7	16	21	17	8	17	26	20	196	
* Days with .04 in. or more.	14	8	6	12	4	11	19	14	3	13	22	10	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. H. Walker

[P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 1822

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Yarlington, Huntingdonin the County of DownDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft.....in.,, Ground ,, Sea Level 2.45 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	—	.02	.02	—	—	—	—	—	.20	—		1
2	—	.07	—	.24	.02	—	T.	—	—	—	.79	.10		2
3	.03	.54	—	.02	—	—	—	—	—	.14	1.07	.19		3
4	—	.19	—	T.	—	—	.12	—	—	.23	.13	.05		4
5	.01	.01	—	—	—	—	—	—	—	.03	.55	.13		5
6	.40	.89	—	—	—	—	—	—	—	.21	.10	.13		6
7	.08	.01	—	.01	—	—	—	—	—	.03	—	.14		7
8	.01	—	—	—	—	—	—	—	—	.44	.30	.32		8
9	—	—	—	—	—	—	.33	.01	—	.01	.81	.18		9
10	—	—	—	—	—	—	.37	.04	.03	.04	.19	.18		10
11	—	.03	.04	T.	—	.03	.19	—	.01	—	1.15	.13		11
12	—	—	.25	—	—	.07	.32	—	.60	—	.05	—		12
13	—	.04	.53	—	—	—	.05	—	.01	.23	1.40	.20		13
14	—	.02	.24	.06	1.37	—	—	—	.11	.51	—	1.18		14
15	—	—	—	.08	.32	.01	.14	—	.21	.24	.47	.03		15
16	T.	1.02	.59	.11	—	—	.05	—	.08	1.25	.29	.03		16
17	—	.07	.65	—	—	—	—	—	T.	—	.12	—		17
18	.18 ^s	.39	.33	.72	—	—	.45	T.	—	.09	.02	.02		18
19	—	.04	.06	.13	—	—	.07	—	.61	—	.31	—		19
20	—	—	.07	.03	—	—	—	.03	.02	.12	.03	—		20
21	—	—	.02	—	.39	—	.06	—	.01	—	.83	—		21
22	—	—	.05	.09	—	.58	—	—	.12	—	—	—		22
23	—	.09	.17	.06	.03	—	—	—	—	.03	.03	.01		23
24	—	—	.01	—	—	—	.27	—	—	—	—	T.		24
25	.45	—	.09	T.	—	—	—	—	—	—	.01	—		25
26	.95	.93	—	.04	.29	—	.03	—	—	—	—	—		26
27	.32	.18	—	.07	.20	—	.04	—	—	—	—	—		27
28	.29 ^s	.07	—	.02	—	—	—	—	—	—	—	—		28
29	.28 ^s	.27	.27	.69	—	.04	—	—	—	.06	—	.18		29
30	.05	~~X~~	.01	.08	—	—	—	—	—	.77	—	.10		30
31	.01	~~X~~	.03	~~X~~	—	~~X~~	—	—	~~X~~	.91	~~X~~	.66		31
TOTAL	2.76	4.87	3.41	2.47	2.64	.73	2.45	.12	1.81	5.34	8.74	3.96	Year's Total	
* Days with .01 in. or more.	13	19	17	17	8	5	13	4	11	18	21	19	165	
* Days with .04 in. or more.	9	14	13	12	5	3	12	2	6	14	17	15	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. H. Williams

[P.T.O.]

REGISTE

Kept at *Allington - Aulic*
in the County of *Honiton*

Diameter of Funnel of Gauge *8*
Height of top of Gauge above Ground
Ground Sea Level

1823
HONITON, ALLINGTON
1932—36

780309

COPY FOR OFFICIAL USE.
L ORGANIZATION.

SD 15

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.02</i>			<i>.16</i>							<i>.07</i>		1
2	<i>.01</i>						<i>.03</i>	<i>.24</i>	<i>.13</i>			<i>.45</i>	2
3					<i>.10</i>	<i>34</i>			<i>.64</i>	<i>.09</i>	<i>.04</i>	<i>.04</i>	3
4						<i>.06</i>	<i>.03</i>				<i>.23</i>		4
5	<i>.08</i>							<i>.12</i>	<i>.23</i>				5
6	<i>.07</i>		<i>.03</i>	<i>.14</i>			<i>.04</i>	<i>.02</i>	<i>.18</i>				6
7	<i>.02</i>		<i>.01</i>	<i>.08</i>	<i>.27</i>				<i>.53</i>	<i>1.35</i>			7
8			<i>.66</i>	<i>.02</i>	<i>.19</i>				<i>.49</i>				8
9	<i>.54</i>	<i>Snow</i>		<i>.28</i>						<i>.09</i>			9
10	<i>.28</i>			<i>.15</i>					<i>.07</i>	<i>.26</i>			10
11	<i>.03</i>			<i>.05</i>	<i>.04</i>				<i>.03</i>	<i>.27</i>		<i>.11</i>	11
12	<i>.31</i>				<i>.43</i>				<i>.08</i>	<i>.14</i>		<i>.04</i>	12
13	<i>.02</i>			<i>.30</i>	<i>.18</i>		<i>.26</i>	<i>.33</i>	<i>.01</i>	<i>1.01</i>		<i>.28</i>	13
14	<i>.03</i>			<i>.27</i>	<i>.21</i>			<i>.03</i>		<i>.02</i>	<i>.05</i>		14
15	<i>.01</i>			<i>.20</i>	<i>.12</i>		<i>.04</i>			<i>.05</i>	<i>.03</i>	<i>.03</i>	15
16	<i>.16</i>			<i>.11</i>			<i>.03</i>						16
17					<i>.03</i>					<i>.06</i>			17
18									<i>.69</i>		<i>.24</i>		18
19	<i>.11</i>				<i>.24</i>				<i>.03</i>	<i>.30</i>			19
20	<i>.03</i>		<i>.01</i>		<i>1.15</i>					<i>.53</i>	<i>.18</i>	<i>.29</i>	20
21			<i>.12</i>	<i>.11</i>				<i>.15</i>	<i>.06</i>	<i>.32</i>	<i>.02</i>	<i>.15</i>	21
22			<i>.01</i>	<i>.01</i>	<i>.06</i>		<i>.05</i>	<i>.03</i>	<i>.49</i>	<i>.31</i>	<i>.24</i>		22
23		<i>.05</i>			<i>.04</i>		<i>.02</i>		<i>.03</i>	<i>.62</i>	<i>.01</i>	<i>.22</i>	23
24							<i>1.15</i>		<i>.08</i>	<i>.12</i>	<i>.04</i>		24
25			<i>.36</i>				<i>.16</i>		<i>.05</i>	<i>.23</i>	<i>.07</i>	<i>.02</i>	25
26			<i>.28</i>	<i>.06</i>			<i>.10</i>		<i>.01</i>	<i>.14</i>	<i>.06</i>		26
27			<i>.31</i>	<i>.64</i>	<i>.15</i>		<i>.11</i>			<i>.34</i>	<i>.02</i>	<i>.07</i>	27
28			<i>.17</i>	<i>.04</i>	<i>.25</i>		<i>.03</i>					<i>.06</i>	28
29			<i>.63</i>	<i>.12</i>	<i>.28</i>	<i>.42</i>		<i>.52</i>	<i>.66</i>	<i>.49</i>	<i>.07</i>	<i>.68</i>	29
30		<i>X</i>	<i>.04</i>	<i>.03</i>		<i>2.04</i>	<i>.40</i>		<i>.69</i>	<i>.04</i>	<i>1.02</i>	<i>.05</i>	30
31		<i>X</i>	<i>.07</i>	<i>X</i>		<i>X</i>	<i>.27</i>	<i>.03</i>	<i>X</i>		<i>X</i>	<i>.92</i>	31
TOTAL	<i>1.72</i>	<i>.05</i>	<i>2.90</i>	<i>2.79</i>	<i>4.04</i>	<i>2.86</i>	<i>2.74</i>	<i>1.52</i>	<i>5.19</i>	<i>6.68</i>	<i>2.39</i>	<i>3.41</i>	YEAR'S TOTAL <i>36.29</i>
*Days with or in. or more.	<i>15</i>	<i>1</i>	<i>13</i>	<i>18</i>	<i>16</i>	<i>4</i>	<i>15</i>	<i>9</i>	<i>20</i>	<i>21</i>	<i>16</i>	<i>15</i>	<i>163</i>
*Days with or in. or more.	<i>7</i>	<i>1</i>	<i>9</i>	<i>15</i>	<i>15</i>	<i>4</i>	<i>10</i>	<i>5</i>	<i>15</i>	<i>20</i>	<i>12</i>	<i>13</i>	<i>126</i>

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at *Allington - Auliccombe*
in the County of *Houlton - Devon*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *6* in.
Ground Sea Level *150* ft.

1931.N.R.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.16	—	—	—	—	—	—	.07	—	1
2	.01	—	—	—	—	—	.03	.24	.13	—	—	.45	2
3	—	—	—	—	.10	.34	—	—	.64	.09	.04	.04	3
4	—	—	—	—	—	.06	.03	—	—	—	.13	—	4
5	.08	—	—	—	—	—	—	.12	.23	—	—	—	5
6	.07	—	.03	.14	—	—	.04	.02	.15	—	—	—	6
7	.02	—	.01	.08	.27	—	—	—	.53	1.35	—	—	7
8	—	—	.66	.02	.19	—	—	—	.49	—	—	—	8
9	.54	<i>snow</i>	—	.28	—	—	—	—	—	.09	—	—	9
10	.28	—	—	.15	—	—	—	—	.07	.16	—	—	10
11	.03	—	—	.05	.04	—	—	—	.03	.27	—	.11	11
12	.31	—	—	—	.43	—	—	—	.09	.14	—	.04	12
13	.02	—	—	.30	.18	—	.26	.35	.01	1.01	—	.28	13
14	.03	—	—	.27	.21	—	—	.03	—	.02	.05	—	14
15	.01	—	—	.20	.12	—	.04	—	—	.05	.03	.03	15
16	.16	—	—	.11	—	—	.03	—	—	—	—	—	16
17	—	—	—	—	.03	—	—	—	—	.06	—	—	17
18	—	—	—	—	—	—	—	—	.69	—	.24	—	18
19	.11	—	—	—	.24	—	—	—	.03	.30	—	—	19
20	.03	—	.01	—	1.15	—	—	—	—	.53	.15	.29	20
21	—	—	.12	.11	—	—	—	.15	.06	.32	.02	.15	21
22	—	—	.01	.01	.06	—	.05	.03	.49	.31	.24	—	22
23	—	.05	—	—	.04	—	.02	—	.03	.62	.01	.22	23
24	—	—	—	—	—	—	1.15	—	.08	.12	.04	—	24
25	—	—	.36	—	—	—	.16	—	.05	.23	.07	.02	25
26	—	—	.28	.06	—	—	.10	—	.01	.14	.06	—	26
27	—	—	.31	.64	.15	—	.11	—	—	.34	.02	.07	27
28	—	—	.17	.04	.25	—	.03	—	—	—	—	.06	28
29	—	—	.63	.12	.28	.42	—	.52	.66	.49	.07	.68	29
30	—	×	.04	.03	—	.24	.40	—	.69	.04	1.02	.05	30
31	—	×	.01	×	—	×	.29	.03	×	—	×	.92	31
TOTAL	1.72	.05	2.90	2.79	4.04	2.86	2.74	1.52	5.19	6.68	2.39	3.41	YEAR'S TOTAL 36.29
*Days with or in. or more.	15	1	13	18	16	4	15	9	20	21	16	15	163
*Days with or in. or more.	7	1	9	15	15	4	10	5	15	20	12	13	126

41-9999

*See instruction 2 (f) on other side.

(Signed) *C. M. Saunders* MRS [P.T.O.]

X MRS. C. M. SAUNDERS X

Section

A

for the entry of Daily Observations.

Station No. 1823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ALLINGTON. AWLISCOMBE Hohlton.

in the County of Devon.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

Ground Sea Level 2.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	.42	.30	—	.05	—	—	—	.02	.01	.13	.08	1
2	.39	—	.62	—	.63	.28	—	—	—	—	.02	.03	2
3	.08	.11	.21	—	—	.02	—	—	—	—	—	—	3
4	.38	—	.10	—	.07	—	—	—	—	—	—	—	4
5	.02	—	.32	—	.06	—	—	—	—	—	—	—	5
6	—	.53	.06	—	.18	—	.15	—	—	.09	.02	—	6
7	—	.26	—	—	.04	—	.02	—	—	.32	—	—	7
8	.03	.02	.03	—	.03	—	.06	—	—	.03	—	—	8
9	—	.02	—	—	.62	—	.22	—	—	.08	.02	—	9
10	.02	.27	—	—	—	—	.47	—	—	.66	—	—	10
11	.10	—	—	—	—	.24	.15	.43	—	—	—	—	11
12	—	—	—	.15	—	.03	.21	—	.77	—	—	—	12
13	—	—	—	—	.06	—	.24	.09	—	.01	.03	—	13
14	.07	—	—	—	—	—	.13	.25	—	.08	.31	—	14
15	.48	—	.30	—	—	.15	.72	—	.02	.09	—	—	15
16	—	.01	.88	—	—	.03	—	.01	.10	—	—	—	16
17	Snow	.03	.41	—	—	.08	—	—	—	—	—	—	17
18	.04	—	.54	—	—	.10	—	—	—	—	.02	—	18
19	.11	—	.14	—	—	.02	—	—	.02	—	.30	.02	19
20	—	.08	—	—	—	.20	—	—	.03	—	.01	—	20
21	—	.03	—	—	—	.49	—	.25	.01	—	—	—	21
22	—	—	—	.15	.14	.11	—	.08	.27	.10	.03	—	22
23	—	.31	—	.34	—	.15	—	.31	.28	.22	—	—	23
24	—	.11	—	.13	—	—	—	—	.06	.02	—	—	24
25	—	.40	—	.26	—	.22	—	—	.16	—	—	—	25
26	—	.10	—	.23	.17	.17	—	—	.02	.02	—	.07	26
27	—	—	—	—	.01	—	—	—	—	.20	—	.49	27
28	—	.06	—	.53	.28	—	.24	—	.02	.54	—	.09	28
29	.03	—	—	.09	.02	—	.04	—	—	—	—	.05	29
30	.02	×	.06	—	—	—	.02	—	.22	—	—	.11	30
31	.05	×	.10	×	—	×	—	—	×	.09	×	—	31
TOTAL	2.38	4.36	4.07	1.88	2.36	2.89	2.67	1.07	2.00	2.56	1.00	2.24	29.63
* Days with .01 in. or more.	15	16	14	8	14	15	13	7	14	16	10	8	150
* Days with .04 in. or more.	10	11	13	8	11	11	11	6	7	11	4	6	106

40-9999

*See Instruction 2 (f) on other side,

(Signed)

C. H. Anderson

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Alington Monktonin the County of DevonDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 6 in.,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	—	—	—	—	.03	—	1.12	.10	—	.11	.02		1
2	.09	—	.08	—	—	—	—	—	.09	—	.10	1.44		2
3	.02	.01	—	—	—	—	—	.25	1.08	.23	—	.46		3
4	.08	—	.17	.03	.32	—	—	.02	—	.25	—	.36		4
5	.01	—	—	—	.24	.02	—	1.26	.12	.10	.05	.49		5
6	.01	—	.40	.04	.48	—	—	—	—	.34	.06	.38		6
7	.04	—	—	—	—	—	—	.10	—	.14	—	.69		7
8	—	—	—	—	.19	—	—	.02	—	.01	.31	.48		8
9	.02	—	.39	.01	—	—	—	—	.02	—	.41	.07		9
10	.34	—	.23	.51	—	—	—	—	—	—	.10	.04		10
11	.50	—	.07	.34	—	—	—	.11	—	—	—	.96		11
12	.04	—	—	—	—	—	.71	.29	—	—	—	.08		12
13	.45	—	—	.76	—	—	—	—	—	.04	.03	.46		13
14	.46	—	.59	—	—	—	—	—	—	—	.15	.42		14
15	.04	—	.06	—	.11	—	—	—	.11	.29	.10	.24		15
16	.04	—	.26	—	.03	—	—	—	—	—	—	.30		16
17	.13	—	.02	.17	.12	—	—	—	.17	.18	—	.33		17
18	.12	.02	.43	.67	—	—	—	—	.09	—	—	.17		18
19	—	—	.23	.07	—	.07	—	.01	.08	—	—	.15		19
20	—	—	.05	.11	—	—	.09	—	.09	—	—	—		20
21	—	—	.07	—	—	.24	—	.09	—	.26	—	.31		21
22	—	—	.13	—	—	—	.19	.13	.45	—	.01	1.25		22
23	.04	—	.02	.31	—	.74	—	—	.17	.05	—	.32		23
24	—	.15	.06	.04	—	.19	.16	—	.13	.20	—	.08		24
25	.34	.06	—	.21	—	.09	—	—	—	.40	—	1.02		25
26	—	.01	.03	.17	—	.20	.02	—	.07	—	.06	.08		26
27	—	—	—	—	—	.07	—	.02	.04	.03	—	.34		27
28	—	—	—	.19	—	—	—	.43	.15	.02	—	.94		28
29	—	—	—	—	—	—	—	—	.04	.09	.12	.08		29
30	.02	x	—	—	—	—	.05	—	.07	.03	—	.23		30
31	—	x	—	x	—	x	.08	.22	x	—	x	.08		31
TOTAL	2.82	.25	3.29	3.63	1.49	1.65	1.30	.40	3.07	2.66	1.61	11.84	37.68	Year's Total
*Days with .01 in. or more.	20	5	18	15	7	9	7	14	18	17	13	30	173	
*Days with .04 in. or more.	14	2	15	13	6	7	6	10	17	13	11	29	143	

† Spare column, no entries required.

(Signed)

C. Saunders

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ailington Awliscombe

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level not known ft. X 450' X

See letter to f 698102/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01	.56	-	-	.21	.08	-	.17	.18	.19	.25		1
2	-	-	.02	-	-	.05	-	-	.05	.22	.21	.06		2
3	-	.07	.09	-	.06	.21	.01	-	.40	.65	.39	-		3
4	-	.30	-	.09	.03	.46	-	-	.03	.06	.31	.15		4
5	-	.34	-	-	-	.22	-	-	.23	.31	.06	-		5
6	-	-	.04	.51	-	-	-	-	-	.04	.03	.22		6
7	-	-	-	.29	-	.67	-	-	-	.36	.03	.04		7
8	-	-	-	.27	-	.02	-	-	.22	.15	.29	.03		8
9	-	-	-	.46	-	.19	-	-	-	.51	.38	-		9
10	.02	-	Snow	.13	-	.04	-	-	-	-	-	.02		10
11	.18	-	.25	-	-	.34	-	-	.14	-	.68	.02		11
12	.03	.11	-	-	-	.29	-	.05	.01	.02	.05	-		12
13	.05	.15	-	.26	-	.06	-	-	.01	-	.16	-		13
14	-	.05	-	.17	-	.10	-	-	.06	-	.99	.31		14
15	-	.17	-	.87	.13	.11	-	-	.23	-	.21	.16		15
16	-	.04	.08	.18	-	.07	-	-	1.07	.02	1.06	-		16
17	-	-	-	.05	1.08	.28	-	.27	.08	-	.04	-		17
18	-	.01	-	.42	.01	.03	.18	-	.29	.02	-	.09		18
19	-	-	-	.03	.31	.05	.24	-	.04	.12	.53	-		19
20	-	.29	-	.62	.01	.01	.07	-	.09	-	.22	-		20
21	-	.60	.01	.08	-	-	.02	-	.08	.06	-	-		21
22	-	.05	.06	.16	-	-	-	-	.04	.04	-	-		22
23	-	-	.09	.17	.06	-	-	-	.25	.43	-	.46		23
24	.06	.63	.04	.02	.06	-	-	.30	.19	.08	-	.20		24
25	.27	.39	-	.04	.08	.08	-	.49	-	-	-	1.40		25
26	-	.96	-	-	-	.05	-	.49	.08	-	.06	1.01		26
27	-	.12	-	-	-	-	.01	.03	.06	.08	.03	.63		27
28	-	.14	-	-	-	-	.01	.10	.04	.07	-	.02		28
29	-	.11	-	-	-	-	-	-	.09	.02	.12	.79		29
30	.08	X	-	-	-	.04	-	.70	.05	-	.46	.50		30
31	-	X	-	X	.02	X	-	.03	X	.63	X	.44		31
TOTAL	.70	4.55	1.24	4.82	1.85	3.57	.62	2.46	4.00	4.07	6.50	6.80	41.18	Year's Total.
* Days with .01 in. or more.	8	19	10	19	11	22	8	9	25	21	22	20	194	
* Days with .04 in. or more.	5	17	8	17	7	19	4	7	22	17	19	16	158	

C. J. Anderson

Section

A

for the entry of Daily Observations

Station No. 1823

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Flaxton (Allington)in the County of Devon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.16	.07											1
2														2
3	.01													3
4	.01		.19											4
5	.54	.02	.07											5
6	.09		.06											6
7	.04		.26											7
8	.33		.51											8
9	.46	.03	.04											9
10	.05	.02												10
11	SNOW	.09												11
12	.30	.03												12
13	.06													13
14		.02	.04											14
15	.03	.03												15
16		.24												16
17	.03	1.48												17
18	.13	.25	.06											18
19	.78	.07	.09											19
20	.03	.35	.20											20
21	.01	.01	.11											21
22	.06	1.42	.56											22
23	.17	.04	.19											23
24	.25	.01												24
25	.30		.33											25
26	.26	.08	.39											26
27	.24	.05	.03											27
28	.79	.06	.70											28
29	.12	.04	.01											29
30	.14	X												30
31	.14	X	.71											31
TOTAL	5.40	4.50	4.62										Year's Total	
* Days with .01 in. or more.	27	21	20											
* Days with .04 in. or more.	20	13	18											

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

1823/5

C

Particulars of Station.

1823/5

HONITON COTLEIGH HOUSE

1934-40

ver is requested to fill in this section and also the space for
far as possible:—

dress to which any inquiry relating to this register should be sent:—

rvation by the clock—in Winter.....in Summer.....

way Station..... Distance..... Direction from
gauge.....Direction from
gauge..... Distance.....Rain Gauge (Diameter of Funnel.....5.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.....in.)

Nearest Parish Church at..... Distance.....

Nature of objects
nearest to gauge

Height of objects

Distances ...

Directions from
gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of
gauges which do not represent it. If the pattern is different from any of these please
make a sketch of it. (Good gauges to use are those marked A and E.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please
give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers
to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	Not	measured	
FEB.	0	measured	12
MAR.	3.20	.59	15 16 13
APRIL	4.65	.85	13 18 15
MAY	1.61	.50	6 7 6
JUNE	2.45	1.32	23 8 8
JULY	2.90	2.25	12 7 6
AUG.	4.53	1.36	5 20 13
SEPT.	3.33	1.35	2 16 15
OCT.	2.64	.44	26 17 11
NOV.	1.86	.60	9 14 9
DEC.	14.06	1.34	25 30 30
TOTAL	41.23	11.71	153 128

Signature

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1934

At Colleshawe

In the County of Devon

Rain Gauge (Diameter of Funnel.....5 in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.....in.)

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances ...


Directions from gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month	Total Depth	Greatest Fall In 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	<u>Not measured</u>	<u>measured</u>	<u>15</u>
FEB.	<u>0</u>	<u>measured</u>	<u>15</u>
MAR.	<u>3.20</u>	<u>.59</u>	<u>15</u>
APRIL	<u>4.65</u>	<u>.85</u>	<u>13</u>
MAY	<u>1.61</u>	<u>.50</u>	<u>6</u>
JUNE	<u>2.45</u>	<u>1.32</u>	<u>23</u>
JULY	<u>2.90</u>	<u>2.25</u>	<u>12</u>
AUG.	<u>4.53</u>	<u>1.36</u>	<u>5</u>
SEPT.	<u>3.33</u>	<u>1.35</u>	<u>2</u>
OCT.	<u>2.64</u>	<u>.44</u>	<u>26</u>
NOV.	<u>1.86</u>	<u>.60</u>	<u>9</u>
DEC.	<u>14.06</u>	<u>1.34</u>	<u>25</u>
TOTAL	<u>41.23</u>	<u>11 marks</u>	<u>153</u>

Signature J. S. Delaney

* See Instruction 3 (f) below.

Copied onto 1042 sheet 9/37.

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

FORM 1090.

BMonthly
Summary.**C**

Particulars of Station.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Cotleigh House
In the County of Devon

Rain Gauge
(Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.)

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with		
	Inches	Inches	0.1 in.	0.4 in.	or more
JAN.	.74	.30	25 th	7	9
FEB.	4.92	.87	26 th	22	18
MAR.	*1.22	.64	1 st	10	7
APRIL	5.46	1.00	15 th	17	17
MAY	1.72	.90	17 th	9	8
JUNE	4.25	.81	6 th	21	19
JULY	.42	.15	19 th	7	3
AUG.	2.81	.77	30 th	10	7
SEPT.	4.34	1.29	16 th	23	21
OCT.	5.04	.90	3 rd	23	18
NOV.	7.07	1.30	16 th	24	23
DEC.	5.92	1.05	26 th	20	17
TOTAL	43.91		193	164	

Signature

J. M. Salusbury

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible—

Name and Address to which any inquiry relating to this register should be sent:—

MAJOR J. M. SALUSBURY - TRELAWNY MC
Cotleigh House Nr Honiton

Hour of observation by the clock—in Winter.....9.00 in Summer.....9.00

Nearest Railway Station.....Honiton Distance.....3 1/4 m. gauge.....W

Nearest Parish Church at.....Cotleigh Distance.....50 yds gauge.....NW

Nature of objects nearest to gauge

Laurel Hedge

Lime Tree

Height of objects

4'

20'

Distances ...

75 yds

30 yds

Directions from gauge ...

S.

NW

If gauge has been moved during the year state—

Date of move.....Aug 1936 Distance.....15 yds Direction.....S

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

* On 10th .13 melted snow was measured & is included in cols 1.4 & 5.

N.P. as record not need.
until 8/37.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Vt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1936

At Cotleigh House

In the County of Devon

Rain Gauge (Diameter of Funnel.....5" in.
Height of Top above Ground.....1 ft. 6" in.
Height of Ground above Sea Level.....520 ft.)

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

* Show on 11th .26" 22nd .15"
@ " 10th .04" 27th .14"
+ " 12th .05"

H.P. as record not need.
until 8/37.

Signature J. S. Dale

* See Instruction 3 (f) below.

[D]

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

HONINGTON (COTLEIGH HOUSE)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. **1823/5**

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at **Cotleigh House**
in the County of **Devon**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **6** in.
Ground Sea Level **540** ft.

1936 up late
+ 680356/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
000

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	13	01		38					8		10	97		1
2	9	55		29					19			12		2
3		49	40	04			08		3					3
4	9	96		02	08							35		4
5	32		09				51					3		5
6	15	50	33	25			32							6
7		1.06	02	23		09			3	09		* 25		7
8		01			53		06				24	* 12		8
9				25	21		08	02	77					9
10	42		85	35		31	02	06				31		10
11	6	.03	20	14	45	04	53							11
12	85	.20	13	06		58	11	.29	10			80		12
13		08	80*	32		10		.30	23			2		13
14		02	72	02			60		4			9		14
15	46	12	10	58			1.26	21	28			26		15
16	7	13	60	07		04	07	01	79		1			16
17	1.00	11	78				.05		3		16			17
18	12	17	32			.03			16		17	17		18
19	12	13	7	18	09						13	4		19
20	62	12	15	25	04						1.15			20
21	71	75	09	14	61		.08		9		13	5		21
22	31		17*		31	59	.18		24	1103	56	12		22
23	32	36	5		41					45	56	3		23
24	62	80	02*						4	96		1		24
25		72	41		26					38		2		25
26		70	04		06					1		2		26
27	02	10*		01						52				27
28		10				01				22				28
29										40	20			29
30	1.03*	~~X~~				09				2	32			30
31	29	~~X~~		~~X~~		~~X~~			~~X~~	76	~~X~~			31
TOTAL	7.60	8.22	6.34	3.58	3.05	1.88	3.95	.95	3.20	4.64	2.58	4.93	50.92	Year's Total
* Days with .01 in. or more.	21	24	21	18	11	10	14	6	15	11	10	20	181	
* Days with .04 in. or more.	20	20	19	15	11	8	13	4	12	9	10	14	155	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *John Trelawny* [P.O.]

MAJOR J.M. SANUSBURY-TRELAWNY, MC

Section



for the entry of Daily Observations

Station No. 1823/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Collyer House

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		11			2	58		2		58	6	12		1
2		1		5	2	1	36			37	14	24		2
3					26	9	10	1.91	3	71	9	2		3
4			1		1	3	19			11		17		4
5						14	3	20		40	2	2		5
6	6					6	1.32		18	1		4		6
7	20					3	64	1	6	7	2	16		7
8	59	2				11	14	3		27		2		8
9	32	8				5				3		61		9
10	22	2					8	23				57		10
11	16						3	3			48	79		11
12	26				26					41	87	1.05		12
13	16				22		1	3		1	29	1		13
14	1.14				13		78		2			56		14
15	29				44		9	1		31	13			15
16	9				3			7		2	37			16
17		15 ^x			2				9	16	5	4		17
18	33				14	18		2	89	4	40			18
19									19		1.10			19
20								4	1		12			20
21	2					1			9		26	4 ^x		21
22				2		14		39	7	2	38	10 ^x		22
23				3		2		3	7		8			23
24	1		19		3		1	2	8		29			24
25	15	54	3		27		52		1	5	1.12	5 ^x		25
26	30	77			52		3			11	3	25		26
27	7	8			7	25	86	28		23	38			27
28	30	12	2		6	12		35	9			1		28
29	28		2		39				17	26	36	5		29
30	12	X	3		7	63	1		30		13	6		30
31	28	X		X	20	X			X	31	X	29		31
TOTAL	5.35	1.90	.30	.10	3.16	2.45	5.20	3.67	2.35	4.48	7.17	5.27	41.40	✓
* Days with .01 in. or more.	21	10	6	3	19	16	17	17	16	24	23	23	192	✓
* Days with .04 in. or more.	19	7	1	1	13	11	11	8	12	17	20	18	138	✓
Year's Total														✓

* See Instruction 3 (f) on other side.

X SNOW

† Spare column, no entries required.

(Signed)

W. S. Fulham [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1823/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Cotteridge House*in the County of *Devon*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 4.....in.

,, Ground ,, Sea Level 635.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5		29	9	3		3	45	15		8	5		1
2	7		2	52	1			45	67		12	11		2
3	38		10	90	*			17	2		47	39		3
4			75	32	48		42	6		77	24	45		4
5			5	16			16	4		42	1.34	2		5
6	64	2	4	8			85	9		7	23			6
7	5	38				77	1	1			75	69		7
8	3	57	4		3		7	9		1.26	30	17		8
9	6	4						5		24		21		9
10	33					6		30	7	10	3	29		10
11		4	13					1		17	1	1		11
12	2	4		2							2			12
13				23		3	83		12	73	10			13
14	1.06	1		4	2	5	33			6	30	2		14
15	40		3	5	22	1.14	30				49	5		15
16	15			10	4		19			1	31			16
17	1.08	6		3	3	3	29			2	10			17
18		4	2			28	85		3		73			18
19	42						16					7		19
20	43				1	9	2	19				1		20
21	12	34	10	2	3	3	6	7	1					21
22	98	53	16			35	32		1		52			22
23			1	35		3	9				1.02			23
24	*53		*43	4		51	19			6				24
25	*32	10	X	1			13	9		15	56			25
26	*36	21				6		23		25	48			26
27		37	4			6	1	14			10			27
28		17	*2	14		X	3				45	9		28
29			X	11		3	30			29	15			29
30		X	202	26		16	6	10		16	7			30
31		X		X		X	3	18	X	65	X			31
TOTAL	7.41	2.92	1.85	3.27	.90	3.68	5.73	2.72	1.08	5.41	8.95	2.63	46.65	✓
* Days with .01 in. or more.	19	15	17	19	10	16	24	18	8	17	25	15	203	✓
* Days with .04 in. or more.	17	13	10	14	3	11	18	16	4	15	22	11	154	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

T.O.

* SNOW.

Section

A

for the entry of Daily Observations

Station No. 1823/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940Kept at *Cottage House, Hoxton*
in the County of *Devon*Diameter of Funnel of Gauge.....*As before*
Height of top of Gauge above Ground.....f.....in.
„ Ground „ Sea Level.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5	7		2							24			1
2				29			4				1.18	15		2
3	1	85		2						10	1.12	16		3
4		20		2			13			27	13	7		4
5	5	1								3	68	19		5
6	48	83					3			25	12	26		6
7	4	2		2			1			10		12		7
8							2			58	28	39		8
9							28	5		5	1.04	21		9
10							56	4	8	15	20	23		10
11			1	3			29				1.14	8		11
12			20	2		9	55		75		21			12
13		3*	52				13		4	46	1.38	13		13
14			9*	7	80				16	1.09		1.16		14
15		15*	1	11*	80	1	14		24	23	52	1		15
16		30*	60	22*			8		9	1.08	26	3		16
17		47*	65	2			5		4		9			17
18	5*	44	48	70			32	5		9	3	6		18
19		4	10	13			10		61		23			19
20		1	6	2			1	9	5	6	4			20
21			6		22		12				1.02			21
22			6	33		70			17	1				22
23		12	17	8	3					6	5			23
24	14		1				38							24
25	24		8	25		4								25
26	1.00	1.03		4	43		14				3			26
27	33	23			24		2							27
28	28	8				3								28
29	20*	13*	29	67		3				12		31		29
30	5	X	2	8	2					77		16		30
31	4	X	4	X		X			X	1.03	X	24		31
TOTAL	2.96	5.01	3.45	3.14	2.54	.90	3.40	.23	2.23	6.53	9.99	3.96	Year's Total	
* Days with .01 in. or more.	14	18	18	20	7	6	20	4	10	19	20	18	174	
* Days with .04 in. or more.	13	14	14	12	5	3	15	4	10	17	19	16	142	

* See Instruction 3 (f) on other side.

* SNOW

† Spare column, no entries required

(Signed)

J. S. T. Lawrence
Major

[P.T.O.]

Kept at *Green Down,*
in the County of *Leam*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea Le

1824
MEMBURY GREEN DOWNY
1931—33
780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.9		.39	.4		.6		.31	.1			1
2	.33	.2		.58					.55		.6	.20	2
3	.10		.82				.3		.21	.2	.98	.4	3
4	.6		.15			.67	.33	.13	.20		.5		4
5		.38		.6		.60	.1	.17			.13	.29	5
6		.11		.3	.5	.8	.1		.1	.13	.18	.50	6
7		.2			.38	.38	.30	.14		.4	1.10	.9	7
8		.32		.25		.51		.14			.8	.7	8
9		.23				.7	.4				.55		9
10		.1		.1		.18	.44	.10	.11		.45		10
11	.19	.52			.5	.30			.4		.25		11
12		.1					.40		.11				12
13		.2	.1		.3		.60	.3		.3			13
14		.2			.1	.21	1.29	.4	.5				14
15		.11		.1	.24	.73		.19	.2		.31	.3	15
16	.3	.3		.5	.27		.1	.9	.9				16
17	.4	.10		.5		.2	.23		.9				17
18				.11		.20	.3	1.34			.27		18
19	.6	.2	.5	.7		.35	.3				.23		19
20		.15	.15					.59			.5		20
21	.47		.2		.17						.1		21
22	.51		.3	.6	.9						.2		22
23	.40	.3		.9	.78		.3				.75		23
24	.9			.63	.15		1.09	.73			.8	.1	24
25	.21			.29			.8				.43		25
26		.5		.8			.38				.82		26
27	.15	.50			1.18		.26				.9		27
28	.16	.5			.8					.3		.10	28
29	.5		.10		.4		.8	.17		.4	.15	.8	29
30	.1	×			.13		.1	.15	.10				30
31	.72	×	.2	×		×	.1		×		×	.29	31
TOTAL	3.58	2.79	1.35	2.76	3.69	4.30	4.75	4.01	1.89	.30	7.04	1.70	38.16
*Days with "or in. or more.	17	21	9	16	16	13	23	14	13	7	22	11	182
*Days with "or in. or more.	15	12	5	13	14	12	14	13	11	3	20	9	141

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Green Down, Membury
in the County of Devon

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft..... in.
Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.9		.39	.4		.6		.31	.1			1
2	.33	.2		.58					.55		.6	.20	2
3	.10		.82				.3		.21	.2	.98	.4	3
4	.6		.15			.67	.33	.13	.20		.5		4
5		.38		.6		.60	.1	.17			.13	.29	5
6		.11		.3	.5	.8	.1		.1	.13	.18	.50	6
7		.2			.38	.38	.30	.14		.4	1.10	.9	7
8		.32		.25		.51		.14			.8	.7	8
9		.23				.7	.4				.55		9
10		.1		.1		.18	.46	.10	.11		.45		10
11	.19	.52			.5	.30			.4		.25		11
12		.1					.40		.11				12
13		.2	.1		.3		.60	.3		.3			13
14		.2			.1	.21	1.29	.4	.5				14
15		.11		.1	.24	.73		.19	.2		.31	.3	15
16	.3	.3		.5	.27		.1	.9	.9				16
17	.4	.10		.5		.2	.23		.9				17
18				.11		.20	.3	1.34			.27		18
19	.6	.2	.5	.7		.35	.3				.23		19
20		.15	.15					.59			.5		20
21	.47		.2		.17						.1		21
22	.51		.3	.6	.9						.2		22
23	.40	.3		.9	.78		.3				.75		23
24	.9			.63	.15		1.09	.73			.8	.1	24
25	.21			.29			.8				.43		25
26		.5		.8			.38				.82		26
27	.15	.50			1.18		.26				.9		27
28	.16	.5			.8					.3		.10	28
29	.5		.10		.4		.8	.17		.4	.15	.8	29
30	.1	×			.13		.1	.15	.10				30
31	.72	×	.2	×		×	.1		×		×	.29	31
TOTAL	3.58	2.79	1.35	2.76	3.69	4.30	4.75	4.01	1.89	.30	7.04	1.70	38.16
*Days with ".01 in. or more.	17	21	9	16	16	13	23	14	13	7	22	11	182
*Days with ".04 in. or more.	15	12	5	13	14	12	14	13	11	3	20	9	141

Section



for the entry of Daily Observations.

Station No. 1824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Green Dawn, Membury
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.6			.19	.2	.2	.3	.53			.9		1
2	.5				.20				.9				2
3				.13		.30	.4		.46	.13	.3	.34	3
4	.9					.16		.1			.29	.2	4
5	.24		.4						.26				5
6	.26						.6		.40				6
7	.3			.5	.22				.71	1.80			7
8			.76	.2	.16				.47	.8			8
9	1.59	.4		.12	.5					.2	.3		9
10				.36	.4					.13			10
11	.2			.8					.4	.8		.11	11
12	1.11				.61				.5	.32	.2	.7	12
13	.4			.33	.8		.27	.24		.69		.29	13
14	.51			.15	.16					.3	.3		14
15	.2			.28	.25		.8			.5	.15	.20	15
16	.43			.19			.15						16
17	.2									.7			17
18	.1			.1	.64				.13	.3	.22		18
19	.7				.37				.4				19
20					1.22			.13		.61	.19	.44	20
21	.2		.10					.21	.9	.29		.33	21
22	.1			.3	.1				.92	.65	.26	.2	22
23		.2					.20	.2	.4	.62	.3	.15	23
24					.4		1.14		.14	.12	.4		24
25			.30	.1			.12		.7	.25	.9	.3	25
26			.19	.5			.20			.19	.3		26
27			.64	.88	.16		.5		.1	.57		.20	27
28			.14	.10	.7		.14					.23	28
29			.59	.8	.34	.57		.54	.63	.48	.4	.83	29
30		X	.6	.2		2.51	.33		1.33	.4	1.90	.9	30
31		X	.19	X	.2	X	.16		X	.1	X	.90	31
TOTAL													YEAR'S TOTAL
4.58													44.45
*Days with .01 in. or more.													167
*Days with .04 in. or more.													136

Section

A

for the entry of Daily Observations.

Station No.

1824

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Green Down, Melbury, Arminster*
 in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *in.*
 „ Ground „ Sea Level *500* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.76	.35	.12		.4						.5	.48		1
2	1.14	.15	1.04		.54	.4								2
3	.15	.14			.4	.1					.2			3
4	.44				.19									4
5	.6		.74		.2						.2			5
6	.2	.65	.1		.21		.10			.9				6
7		.12	.1		.3		.4			.56				7
8	.2						.17			.2				8
9		.3			.46		.27			.1	.1			9
10		.18			.2	.1	.22			.76	.3			10
11	.3						.3	.68		.4				11
12					.3		.5		.54					12
13				.15			.25	.41		.6				13
14	.8				.9		.49	.32		.10	.54			14
15			.25			.2	1.05	.2		.4				15
16			1.25			.2	.5	.1	.4	.13	.1			16
17	.68	.20	.41			.3		.1	.29					17
18	.8		.60			.16					.3			18
19			.21						.2		.43	.3		19
20		.3				.30			.3		.3	.1		20
21		.1			.1	.18		.10	.6	.9	.1			21
22				.10	.9			.50	.28	.1				22
23		.84		.68		.15			.27	.28				23
24		.73		.41					.4					24
25		1.43		.36	.2	.82						.12		25
26		.55		.15	.29	.18			.3	.2		.1		26
27		.1			.8				.2	.32		.48		27
28				.40	.15		.17			.24		.6		28
29	.27			.16	.2		.4		.11			.3		29
30	.1	X	.7				.3					.8		30
31	.15	X	.10	X		X			X	.3	X			31
TOTAL	3.89	5.42	4.81	2.41	2.33	1.92	2.96	2.08	1.73	2.80	1.18	1.30	32.83	
*Days with .01 in. or more.	14	15	12	8	18	12	14	8	12	17	11	9	150	
*Days with .04 in. or more.	10	11	10	8	11	7	12	5	8	12	3	5	102	

Year's Total

† Spare column, no entries required.

(Signed)

B. Lee

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

HONITON BROADHEMBURY

Section



for the entry of

AIR MINISTRY

FORM 1090

REGIS

Kept at

Broadhembury

in the County of

Devon

Diameter of Funnel of Gauge.....

Height of top of Gauge above Grou

Ground Sea I

1824/5

HONITON, BROAD HEMBURY

1940

Station No.

1824/5

ALL ORGANIZATION

780309

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.02										1
2				.13			.04				.20	.05		2
3		.14		.01						.22	1.0	.14		3
4		.78					.08			.26	.91	.01		4
5		.26								.03	.16			5
6		.50					.04				.48	.12		6
7	.31	.02		.06			.08			.91	.12	.25		7
8									.04	.35	.42	.40		8
9	.11						.73					.26		9
10							.09	.27	.02	.16	.24	.23		10
11				.05			.45				.91			11
12			.29			.17	.25		.63		.12			12
13			.40				.05		.04	.44	1.31	.38		13
14			.9	.06	.68				.14	.62	.62	.76		14
15				.09	.13		.08		.33	.39	.58			15
16			.60	.13			.09		.09	.64	.12			16
17		1.84	.57				.09		.04		.03	.03		17
18			.42	.70			.11		.06		.03	.25		18
19		.06	.11	.13			.19		.30		.21			19
20									.03	.12				20
21			.05		.25		.21				.50			21
22			.10	.16		.70			.09					22
23		.12	.08	.06							.02			23
24	.06						.31							24
25	.26		.04	.02	.07	.07					.03			25
26		.42		.06	.43		.10							26
27	.89	.11	.01	.13	.25		.05							27
28	.34	.30		.03										28
29	.21		.19	.80		.08						.26		29
30		X	.01							.70		.14		30
31		X		X		X			X	.60	X	.40		31
TOTAL	2.18	4.55	2.96	2.64	1.81	1.02	3.04	.07	1.81	4.54	8.01	3.51	36.14	Year's Total
* Days with .01 in. or more.	7	11	14	19	6	4	18	1	12	13	20	15	45	138
* Days with .04 in. or more.	7	10	12	13	6	4	18	1	12	11	26	14	90	122

* See Instruction 3 (f) on other side

A. ELY ESQ.

† Spare column, no entries required.

(Signed)

A. ELY

[P.T.O.]

HONITON BROADHEMBURY

Section

for the entry of

Station No.

1824/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934-0

Kept at Broadhembury

in the County of Devon

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.

Ground Sea Level 0.500

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.02										1
2				.13			.04				.20	.05		2
3		.14		.01						.22	1.0	.14		3
4		.78					.08			.26	.91	.04		4
5		.26								.03	.16			5
6		.50					.04				.48	.12		6
7	.31	.02		.06			.08			.01	.12	.25		7
8									.04	.35	.42	.40		8
9	.11						.73					.26		9
10							.09	.07	.02	.16	.24	.23		10
11				.05			.45				.91			11
12			.29			.17	.25		.63		.12			12
13			.40				.05		.04	.44	1.31	.38		13
14			.9	.06	.68				.14	.62	.62	.76		14
15				.09	.13		.08		.33	.39	.58			15
16			.60	.13			.09		.09	.64	.12			16
17		1.84	.57				.09		.04		.03	.03		17
18			.42	.70			.11		.06		.03	.05		18
19		.06	.11	.13			.19		.30		.21			19
20									.03	.12				20
21			.05		.25		.21				.50			21
22			.10	.16		.70			.09					22
23		.12	.08	.06							.02			23
24	.06						.31							24
25	.26		.04	.02	.07	.07					.03			25
26		.42		.06	.43		.10							26
27	.89	.11	.01	.13	.25		.05							27
28	.34	.30		.03										28
29	.21		.19	.80		.08						.26		29
30		X	.01							.70		.14		30
31		X		X		X			X	.60	X	.40		31
TOTAL	2.18	4.55	2.96	2.64	1.81	1.02	3.04	.07	1.81	4.54	8.01	3.51	36.14	Year's Total
* Days with .01 in. or more.	7	11	14	18	6	4	18	1	12	13	20	15	45	138
* Days with .04 in. or more.	7	10	12	13	6	4	18	1	12	11	26	14	98	122

* See Instruction 3 (f) on other side

A. ELY ESQ.

† Spare column, no entries required.

(Signed)

[P.T.O.]

REGIST

Kept at *Stockland*
in the County of *Dorset*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Le

1825
STOCKLAND
1931 — 40

1825
COPY FOR OFFICIAL USE,
ALL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.18	—	.21	—	—	.02	—	.28	.01	—	—	1
2	.33	—	—	.57	—	—	—	—	.64	—	.13	.06	2
3	—	—	.70	—	—	—	—	—	.20	—	2.11	.20	3
4	—	—	.11	—	—	.57	.29	.05	.20	.03	.08	.01	4
5	—	.42	—	.11	.06	.60	—	.14	—	—	.13	.26	5
6	—	.08	—	.02	.05	.14	.03	.25	—	.23	.17	.65	6
7	—	.02	—	—	.32	.22	.31	.14	—	.04	.86	.08	7
8	—	.28	—	.22	—	.41	—	—	—	—	.06	.09	8
9	—	.18	—	—	—	.03	.10	—	—	—	.56	—	9
10	—	.02	—	—	.02	.08	.08	.12	.01	—	.86	—	10
11	.30	.62	—	—	.01	.25	.01	—	.06	—	.30	—	11
12	—	—	—	—	—	—	.66	—	.09	.04	—	—	12
13	—	.01	.01	—	.05	—	.94	.04	—	—	—	—	13
14	—	.03	—	—	.01	.27	1.03	.08	.05	—	.47	—	14
15	—	.16	—	—	.33	—	—	.35	.04	—	—	.02	15
16	—	.13	—	.09	.26	.57	.02	.17	.03	—	—	—	16
17	.04	.17	—	—	—	—	.32	—	.08	—	.02	—	17
18	—	—	—	.11	—	.18	.05	1.08	—	—	.31	—	18
19	—	.01	.05	.08	—	.17	.03	.09	—	—	.21	—	19
20	—	.14	.21	—	—	—	—	.65	—	—	.07	—	20
21	.45	—	—	—	.12	—	—	—	—	—	—	—	21
22	.44	.01	—	—	.12	—	—	—	—	—	.03	—	22
23	.61	.04	—	.13	.59	—	—	—	—	—	.48	—	23
24	.14	—	—	.72	.16	—	.80	.66	—	—	.09	—	24
25	.28	.03	—	.30	.02	—	.10	—	—	—	.48	—	25
26	—	.02	—	.10	—	—	.33	—	—	—	.71	—	26
27	.10	.29	—	—	1.17	—	.15	—	—	—	.06	—	27
28	.23	.09	.06	—	.13	—	—	.01	—	.05	—	.11	28
29	.18	×	.15	—	.04	—	.09	.11	—	.03	.08	.12	29
30	.03	×	—	—	.09	—	.02	—	.05	—	—	—	30
31	.90	×	.04	×	.02	×	.01	.05	×	—	×	.29	389.71
TOTAL	4.03	2.93	1.33	2.66	3.57	3.49	5.39	3.99	1.73	.43	8.27	1.89	YEAR'S TOTAL
*Days with ".01 in. or more.	13	21	8	12	19	12	21	16	12	7	22	11	166
*Days with ".04 in. or more.	12	13	7	11	16	11	16	15	11	4	20	9	145

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Stockland
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.18	—	.21	—	—	.02	—	.28	.01	—	—	1
2	.33	—	—	.57	—	—	—	—	.64	—	.13	.06	2
3	—	—	.70	—	—	—	—	—	.20	—	2.11	.20	3
4	—	—	.11	—	—	.57	.29	.05	.20	.03	.08	.01	4
5	—	.42	—	.11	.06	.60	—	.14	—	—	.13	.26	5
6	—	.08	—	.02	.05	.14	.03	.25	—	.23	.17	.65	6
7	—	.02	—	—	.32	.22	.31	.14	—	.04	.86	.08	7
8	—	.28	—	.22	—	.41	—	—	—	—	.06	.09	8
9	—	.18	—	—	—	.03	.10	—	—	—	.56	—	9
10	—	.02	—	—	.02	.08	.08	.12	.01	—	.86	—	10
11	.30	.62	—	—	.01	.25	.01	—	.06	—	.30	—	11
12	—	—	—	—	—	—	.66	—	.09	.04	—	—	12
13	—	.01	.01	—	.05	—	.94	.04	—	—	—	—	13
14	—	.03	—	—	.01	.27	1.03	.08	.05	—	.47	—	14
15	—	.16	—	—	.33	—	—	.35	.04	—	—	.02	15
16	—	.13	—	.09	.26	.57	.02	.17	.03	—	—	—	16
17	.04	.17	—	—	—	—	.32	—	.08	—	.02	—	17
18	—	—	—	.11	—	.18	.05	1.08	—	—	.31	—	18
19	—	.01	.05	.08	—	.17	.03	.09	—	—	.21	—	19
20	—	.14	.21	—	—	—	—	.65	—	—	.07	—	20
21	.45	—	—	—	.12	—	—	—	—	—	—	—	21
22	.44	.01	—	—	.12	—	—	—	—	—	.03	—	22
23	.61	.04	—	.13	.59	—	—	—	—	—	.48	—	23
24	.14	—	—	.72	.16	—	.80	.66	—	—	.09	—	24
25	.28	.03	—	.30	.02	—	.10	—	—	—	.48	—	25
26	—	.02	—	.10	—	—	.33	—	—	—	.71	—	26
27	.10	.29	—	—	1.17	—	.15	—	—	—	.06	—	27
28	.23	.09	.06	—	.13	—	—	.01	—	.05	—	.11	28
29	.18	×	.15	—	.04	—	.09	.11	—	.03	.08	.12	29
30	.03	×	—	—	.09	—	.02	—	.05	—	—	—	30
31	.90	×	.04	×	.02	×	.01	.05	×	—	×	.29	389.71
TOTAL	4.03	2.93	1.33	2.66	3.57	3.49	5.39	3.99	1.73	.43	8.27	1.89	YEAR'S TOTAL
*Days with or in. or more.	13	21	8	12	19	12	21	16	12	7	22	11	166
*Days with or in. or more.	12	13	7	11	16	11	16	15	11	4	20	9	145

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stockland

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	—	—	.22	.01	.01	.31	.27	—	.01	.07	.42	1
2	.04	—	—	.14	.25	—	—	.07	.16	—	.01	.03	2
3	—	—	—	—	—	.18	.03	—	.48	.04	.04	—	3
4	.04	—	—	—	.13	.01	.02	—	—	—	.19	—	4
5	.26	—	.02	—	—	—	—	—	.21	—	—	—	5
6	.26	—	.02	.18	—	—	.08	—	.27	—	—	—	6
7	.06	—	—	.09	.11	—	—	—	.63	1.69	—	—	7
8	—	—	.77	.03	.22	—	—	—	.73	.06	—	—	8
9	1.66	.03	—	.18	.05	—	—	—	—	—	—	—	9
10	.54	—	—	.19	.03	.01	—	—	—	.16	—	—	10
11	.03	—	—	.46	.02	—	—	—	.06	.04	—	.14	11
12	.89	—	—	—	.52	—	—	—	—	.35	.01	.02	12
13	.04	—	—	.41	.03	—	.24	.27	—	.69	.08	.38	13
14	.48	—	—	.06	.18	—	—	.01	—	.03	—	.15	14
15	—	—	—	.37	.23	—	.01	—	—	.06	.06	.06	15
16	.38	—	—	.21	—	—	—	—	—	—	—	.01	16
17	—	—	—	.03	—	—	—	—	—	.01	—	—	17
18	.01	—	—	—	.54	—	—	—	.85	—	.25	—	18
19	.04	—	—	—	.30	—	—	—	.04	.06	—	—	19
20	—	—	—	.02	1.18	—	—	.08	—	.88	.18	.26	20
21	—	—	.06	.23	.01	—	—	.21	.06	.37	.03	.02	21
22	—	—	—	.03	.03	—	.01	—	.83	.43	.06	.07	22
23	—	.02	—	—	.04	—	.18	—	.03	.61	.02	.15	23
24	—	—	—	—	.02	—	1.00	—	.21	.09	.09	—	24
25	—	—	.32	—	—	—	.03	—	.05	.28	.06	.02	25
26	—	—	.21	.02	—	—	.34	—	—	.25	.04	—	26
27	—	—	.84	.96	.12	—	.04	—	—	.50	—	.14	27
28	—	—	.15	.06	.05	—	.29	—	—	—	—	.18	28
29	—	—	.64	.11	.27	.45	—	.56	.58	.54	.09	.94	29
30	—	x	.06	.02	.25	3.05	.43	.02	1.18	.04	1.64	.08	30
31	—	x	.09	x	.02	x	.17	—	x	—	x	1.05	31
TOTAL	4.80	.05	3.18	4.02	4.23	3.83	3.17	1.51	6.37	7.19	2.92	4.11	45.59
*Days with .01 in. or more.	15	2	11	21	23	6	15	9	16	22	17	18	175
*Days with .04 in. or more.	14	—	9	15	17	4	11	6	15	19	13	13	136

Section

A

for the entry of Daily Observations.

Station No.

1825

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at STOCKLAND

in the County of DEVON

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.71	.40	.14	—	.03	—	—	—	—	—	.04	.46	1
2	0.98	—	.92	—	.55	.02	—	—	—	—	.02	.01	2
3	0.10	.12	.31	—	.01	.11	—	—	—	—	—	—	3
4	.30	.01	.02	—	.15	—	—	—	—	—	—	—	4
5	.10	.03	.69	—	.02	—	—	—	—	—	T	—	5
6	.01	.64	.08	—	.22	—	.08	—	—	.05	—	—	6
7	.02	.26	.01	—	.04	—	.02	—	—	.29	—	—	7
8	.01	.01	.03	—	.02	—	.14	—	—	—	—	—	8
9	—	.05	—	—	.55	—	.32	.01	—	.28	—	—	9
10	—	.20	—	—	—	.02	.52	T	—	1.02	.04	—	10
11	.03	—	—	—	—	.03	.12	.42	—	.02	—	—	11
12	—	—	—	.16	.05	—	.25	—	.76	—	—	—	12
13	—	—	—	—	.06	.01	.29	.12	—	.03	.02	—	13
14	.13	—	—	—	—	—	.31	.16	—	.08	.46	—	14
15	.59	—	.30	—	—	.08	.53	.03	—	.04	—	—	15
16	—	—	1.22	—	—	.04	—	.01	.03	.22	—	—	16
17	—	.15 snow.	.38	—	—	.06	—	T	.22	—	—	—	17
18	.02	—	.52	—	—	.24	—	—	—	—	.04	—	18
19	.06	—	.21	—	—	—	—	—	.20	—	.47	—	19
20	—	.06	—	—	—	.17	—	.01	.07	—	.03	—	20
21	—	.05	—	—	—	.31	—	.13	.03	.10	—	—	21
22	—	—	—	.14	.09	—	—	.33	.29	—	—	—	22
23	—	.51	—	.49	—	.14	—	—	.28	.30	—	—	23
24	—	1.30	—	.24	—	.34	—	—	.03	.01	—	—	24
25	—	1.13	—	.39	—	.34	—	—	.05	—	—	.04	25
26	—	.64	—	.16	.16	.06	—	—	—	.02	—	—	26
27	—	.03	—	—	.10	—	—	—	.02	.48	—	.69	27
28	—	—	—	.76	.25	—	.36	—	—	.30	—	.04	28
29	.16	x	—	.03	—	—	.05	—	—	—	—	.03	29
30	.01	x	.08	—	—	—	.03	—	.03	—	—	.10	30
31	.18	x	.16	x	—	x	—	—	x	.06	x	—	31
TOTAL	3.41	5.60	5.07	2.37	2.30	1.63	3.02	1.22	2.01	3.30	1.12	1.37	32.42
*Days with ".01 in. or more.	16	17	15	8	15	14	13	9	12	16	8	7	150
*Days with ".04 in. or more.	11	14	12	7	11	10	11	5	7	12	5	5	110

R.T. Walker Williams

White House, Stockland, Honiton DEVON.

Observer

James Clarke

Section

A

for the entry of Daily Observations.

Station No. 1825

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at STOCKLAND

in the County of DEVON

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 3 ft. in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	.02	—	1.40	.39	—	.23	1.20		1
2	.06	—	.05	—	—	—	—	—	1.57	.02	.04	.21		2
3	.03	—	—	—	—	—	—	.11	—	.17	—	.53		3
4	.05	—	.21	.09	.40	—	—	.17	.12	.41	—	.49		4
5	—	—	.01	—	.29	.01	—	1.64	—	.15	.16	.96		5
6	.04	—	.42	.02	.53	—	—	—	.03	.54	.10	.62		6
7	.06	—	—	—	—	—	—	.14	—	.15	—	1.10		7
8	—	—	.35	—	.20	—	—	—	—	—	.41	.52		8
9	.02	—	—	.11	—	—	—	—	—	.03	.54	.13		9
10	.58	—	.23	.57	—	—	—	.02	—	—	.16	.12		10
11	.74	—	.06	.34	—	—	—	.10	—	—	—	1.13		11
12	.04	—	—	—	—	—	.20	.27	—	—	.03	.33		12
13	.64	—	—	.61	—	—	—	—	—	.02	.02	.49		13
14	.84	—	.69	.10	—	—	—	—	—	.04	.03	.67		14
15	.05	—	.11	—	.16	—	—	—	.02	.31	.17	.47		15
16	.03	—	.38	—	.03	—	—	—	—	—	—	.21		16
17	.16	—	.01	.11	.14	—	—	—	.14	.14	~~.14~~	.64		17
18	.20	—	.46	.62	—	—	—	—	.05	.01	—	.16		18
19	—	—	.20	—	—	.05	—	.02	.06	—	—	.26		19
20	—	—	.01	.13	—	—	.02	—	—	.01	—	—		20
21	—	—	.02	—	—	.19	—	.04	—	.48	—	.39		21
22	—	—	.06	—	—	—	.15	.23	.46	—	—	1.13		22
23	.03	—	.07	.35	—	1.16	—	—	.16	.10	—	.29		23
24	—	.20	—	—	—	.027	.04	—	.18	.19	—	.08		24
25	.42	.07	.12	.35	—	.02	—	—	—	.53	—	1.39		25
26	—	.01	—	.10	—	.20	.02	—	.12	—	.01	.06		26
27	—	—	—	.03	—	.04	—	.02	.03	.04	—	.44		27
28	—	—	—	.16	—	—	—	.57	.22	.02	—	1.03		28
29	—	X	—	—	—	—	—	.03	.10	.06	.01	.05		29
30	.01	X	—	—	—	—	.01	.05	.11	.05	—	.29		30
31	—	X	—	X	—	X	.45	.03	X	.03	X	.06		31 51
TOTAL	4.02	.28	3.46	3.69	1.75	1.96	.89	4.84	3.76	3.50	1.91	15.45	45.48	
*Days with or in. or more.	19	3	18	15	7	9	7	16	16	23	13	30	146	
*Days with .04 in. or more.	13	2	14	13	6	6	4	11	13	15	8	30	105	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. F. Walker

1 Jan 1935

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1825

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stocklandin the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 3 ft. in.,, Ground ,, Sea Level 3.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.02	.62	—	—	.22	.03	—	.15	.15	.20	.21		1
2	—	.02	.02	—	—	.07	7	—	—	—	—	—		3
3	—	.11	.04	—	.02	.44	—	—	.17	.56	.28	—		4
4	.02	.18	—	.11	.03	.50	—	—	.07	.02	.25	.26		5
5	—	.42	.04	.00	—	.01	—	—	.26	.16	.06	.01		6
6	—	.03	.01	.55	—	1.04	—	—	—	.22	.09	.18		7
7	—	—	—	.41	—	.07	—	—	—	.38	.04	.04		8
8	—	—	—	.45	—	—	—	—	.24	.18	.33	.02		9
9	—	—	—	.66	—	.19	—	—	.02	.80	.65	—		10
10	.02	—	^{Snow} .48	.26	—	.08	—	—	—	—	7	.03		11
11	.23	—	—	—	—	.49	—	—	.07	.01	.70	.01		12
12	.01	.16	—	—	—	.60	—	.02	.03	—	.09	—		13
13	.03	.15	—	.57	7	.07	—	—	—	7	.14	—		14
14	—	.05	—	.67	.04	7	—	—	.06	—	1.20	.41		15
15	—	.15	—	1.28	.08	.19	—	—	.18	—	.33	.24		16
16	—	.09	—	.23	—	.04	—	—	1.83	—	1.49	—		17
17	—	.01	.01	.05	1.15	.26	—	.28	.03	—	.10	—		18
18	—	.04	—	.54	.02	.02	.03	—	.49	.08	—	.03		19
19	—	.07	—	.01	.30	.06	.14	—	.05	.15	.50	—		20
20	—	.42	—	.39	—	.01	.08	—	—	—	.24	—		21
21	—	.87	7	.14	—	—	7	—	.09	.02	7	—		22
22	—	.13	.07	.04	—	—	—	—	.02	.05	—	—		23
23	—	—	.22	.06	.02	—	—	.29	.26	.72	—	.27		24
24	.09	.95	.03	7	.11	—	—	.64	.24	.08	—	.56		25
25	.44	.38	—	.03	.03	7	—	.01	—	—	—	.52		26
26	—	.89	—	—	7	.09	—	.46	.09	—	.04	1.19		27
27	—	.32	—	—	—	—	—	.01	.10	.07	.08	.51		28
28	—	.13	—	—	—	—	—	.04	.13	.03	.06	.04		29
29	—	X	—	—	—	—	—	—	.12	.02	.16	.93		30
30	.02	X	—	—	—	.01	—	.84	.09	.03	.80	.83		31
31	—	X	—	X	.10	X	—	.01	X	.91	X	.41		Year's Total
TOTAL	.87	5.59	1.54	6.50	1.90	4.46	.28	2.60	4.88	4.92	8.00	7.26	48.80	
* Days with .01 in. or more.	9	22	10	19	11	20	4	10	24	21	23	21	194	✓
* Days with .04 in. or more.	3	18	6	17	6	16	2	7	20	15	23	16	149	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

R.T. WATKIN WILLIAMS.

P.T.O.

James Clarke Esq.

Section **A** for the entry of Daily Observations.Station No. **1825**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **STOCKLAND**in the County of **DEVON**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1** ft.....in.,, Ground ,, Sea Level **3.50** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.26	.08	.38	—	.39	.39	—	—	—	.03	.06		1
2	—	—	—	.05	—	.06	.28	.04	.03	—	.06	.02		2
3	—	—	—	1.06	—	.7	.09	.04	1.51	—	.32	.7		3
4	.7	—	.20	—	—	.11	.01	.03	.22	—	.03	.11		4
5	.65	.7	.03	—	—	—	.07	.03	.22	—	.03	.20		5
6	.24	—	.10	—	—	.07	.26	.01	.56	—	.64	.01		6
7	.08	—	.49	—	—	—	.12	—	.01	—	.59	.03		7
8	.65	—	.54	—	—	—	1.17	—	—	—	.65	.02		8
9	.74	.7	.07	—	—	—	.25	—	.08	—	.03	—		9
10	.07	.05	—	—	—	—	.04	—	—	—	.31	—		10
11	.27	.04	—	—	—	.05	.7	.02	.02	—	1.36	.01		11
12	—	—	—	—	—	.13	.44	.7	.35	—	.07	—		12
13	.03	—	~~.09~~	.09	—	—	.15	.01	—	.07	.11	1.31		13
14	—	.02	—	—	—	.02	.68	—	.11	.03	.04	.89		14
15	.02	.03	—	—	.10	—	.03	—	.05	—	.15	.35		15
16	.02	.24	~~.02~~	.02	.25	—	.20	—	.09	—	.07	.14		16
17	.17	1.61	—	—	.22	—	.87	—	—	.06	.01	.50		17
18	.05	.31	.02	—	—	.36	1.08	—	—	.03	—	.24		18
19	.84	.03	.11	.18	—	.25	.07	.04	—	.01	—	—		19
20	.10	.41	.10	.09	—	.02	.62	—	.26	.7	—	.04		20
21	.02	.07	.10	.63	—	.02	.01	—	.08	—	—	.7		21
22	.21	.56	.56	.7	—	—	.45	—	—	—	—	—		22
23	.03	.04	.14	.27	.03	—	.16	—	.7	.04	—	—		23
24	.37	.03	.02	—	—	—	.26	—	.09	.32	—	—		24
25	.33	—	.42	.02	—	.03	.29	—	.20	.37	—	—		25
26	.38	.13	.23	.05	—	.16	.09	—	.7	.13	—	—		26
27	.31	.14	.08	—	—	—	.22	—	~~.78~~	.43	—	—		27
28	1.15	.01	1.11	—	—	—	~~.77~~	—	—	—	—	.55		28
29	.11	.11	.06	—	—	.01	—	—	~~.18~~	.12	.12	.18		29
30	.19	~~.18~~	.01	—	—	.02	.7	—	~~.21~~	.21	—	.02		30
31	.18	~~.18~~	.60	~~.18~~	.02	~~.18~~	.06	—	~~.18~~	.31	~~.18~~	.55	46.78	31
TOTAL	7.21	4.09	5.07	2.84	0.62	1.60	9.25	.19	3.95	2.13	4.62	5.21	46.80	✓
* Days with .01 in. or more.	26	18	21	11	5	15	28	7	16	13	18	19	197	✓
* Days with .04 in. or more.	20	13	18	9	3	9	24	3	13	10	13	13	148	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) **C. James Clarke** [P.T.O.]

Stockland Post Office

Section

A

for the entry of Daily Observations.

Station No. 1825

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at STOCKLAND

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	—	—	.38	—	—	—	—	.01	.01	.06	.90		1
2	.08	.71	T	.25	—	—	—	—	.12	—	—	.20		2
3	—	.73	.05	.06	.01	—	.05	—	—	—	—	T		3
4	.09	1.11	—	—	.05	—	—	—	—	—	T	.35		4
5	.40	—	.05	—	—	—	.55	—	—	—	—	.02		5
6	.16	.41	.33	.25	T	.24	.31	.43	—	.01	—	—		6
7	—	1.07	.03	.30	.01	.07	—	—	—	.02	T	1.10		7
8	—	.02	T	.01	.44	—	.06	—	—	—	.22	.02		8
9	T	T	.06	.24	.18	—	.08	—	.81	—	—	.02		9
10	.41	—	.82	.18	—	.24	.01	.13	—	—	—	.26		10
												snow		
11	—	—	.34	.15	.45	T	.45	—	—	—	—	—		11
12	.89	.22	.11	.05	—	.57	.05	.18	.08	—	—	.74		12
13	—	.07	1.29	.36	T	.22	—	.29	.04	—	—	T		13
14	—	.01	.33	.01	—	—	.41	—	.02	—	—	.09		14
15	.57	.14	.07	.59	—	T	1.34	—	.10	—	—	.29		15
16	.12	.10	.77	.03	—	—	.01	.23	.92	—	T	—		16
17	1.15	.10	1.01	—	—	—	.06	—	.03	—	.14	—		17
18	.16	.13	.38	—	—	.03	—	.02	.52	—	.30	.25		18
19	.08	.09	.03	.17	.04	—	—	—	.02	—	.08	—		19
20	.75	.11	.17	.24	.01	—	—	—	.03	—	—	1.05		20
21	.80	.61	.11	.10	.62	—	.05	—	.10	T	.12	.04		21
22	.33	T	.21	—	.36	.27	.16	—	—	1.11	1.32	.27		22
23	.43	.35	.06	—	.54	—	—	—	.03	.42	.38	—		23
			snow											
24	.53	.96	.02	—	T	—	T	—	T	1.01	—	—		24
25	.03	1.11	.26	—	.05	—	—	—	—	.69	—	T		25
26	—	.48	.02	T	.28	—	—	—	—	.02	—	—		26
27	.02	.51	—	—	—	—	—	—	—	.41	—	—		27
28	.60	.01	—	—	—	—	—	—	—	.15	—	—		28
	snow													
29	.01	X	—	—	—	—	—	—	—	.42	.17	—		29
30	.73	X	—	—	—	.03	—	—	.01	.01	.26	—		30
31	.23	X	—	X	—	X	—	—	X	.76	X	—		31
TOTAL	8.69	9.05	6.52	3.37	3.03	1.43	3.58	.85	2.84	5.04	3.05	5.40	Year's Total	
*Days with .01 in. or more.	23	22	22	17	13	7	14	5	15	13	10	15	52.85	✓
*Days with .04 in. or more.	20	19	18	15	10	5	12	4	8	8	10	12	176	✓
													141	✓

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. T. Walker

X G. James Clarke Esq. X

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION 1825

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at STOCKLAND

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.08	—	—	T	.54	.28	.01	—	.57	.07	.13		1
2	T	.01	—	T	—	—	.10	—	—	.41	.15	.29		2
3	—	T	—	—	.25	T	.04	—	—	.81	.07	—		3
4	T	—	—	—	T	.02	.15	1.08	—	.12	.01	.21		4
5	—	—	—	—	—	.01	.10	—	T	.34	—	.04		5
6	.06	—	—	—	—	.14	1.12	—	.16	.01	.04	.12		6
7	.22	—	—	—	—	.04	.74	—	.04	.10	—	.07		7
8	.55	—	—	—	—	.04	.12	.02	T	.37	—	.03		8
9	.38	.03	—	—	—	.09	T	.33	—	—	—	.72		9
10	.22	T	—	—	—	.02	.05	.03	—	—	—	.41		10
11	.17	—	—	—	—	—	T	.04	—	—	.39	.70		11
12	.30	—	—	—	.22	—	.01	—	—	.32	.68	.98		12
13	.14	—	—	—	.19	—	—	T	—	.02	.36	—		13
14	1.05	—	—	—	.10	—	.85	—	.03	—	—	—		14
15	.31	—	—	—	.28	—	.12	T	—	.31	.08	.50		15
16	.11	.01	—	—	.04	—	—	.01	—	.01	.34	—		16
17	—	.15	—	—	T	—	—	—	.03	.18	.03	—		17
18	.36	—	—	—	.06	.08	—	—	.97	.09	.37	—		18
19	.01	—	—	—	—	—	—	.02	.20	—	.82	—		19
20	—	—	—	—	—	—	—	.01	—	.02	.23	—		20
21	.02	—	—	—	—	T	—	—	.04	—	.26	.12		21
22	T	—	—	T	—	.05	—	.43	.10	.02	.40	—		22
23	—	—	—	.02	—	—	—	.02	.02	—	.05	—		23
24	.01	—	.16	—	—	—	—	.02	.07	—	.32	—		24
25	.16	.48	.01	—	.27	.21	.45	T	—	.07	1.13	—		25
26	.39	.71	—	—	.61	—	.01	—	—	.14	—	.39		26
27	.09	.01	—	~~.07~~	.07	—	.92	.22	—	.19	.37	—		27
28	.19	.05	—	—	.05	.10	—	.35	.04	—	—	.03		28
29	.20	—	—	—	.45	—	—	—	.41	.23	.37	.02		29
30	.12	X	.02	—	.05	.90	—	—	.25	—	.15	.06		30
31	.29	X	—	X	.21	X	—	—	X	.28	X	.28		31
TOTAL	5.35	1.52	0.19	.02	2.85	2.24	5.06	2.59	2.36	4.61	6.69	5.09	Year's Total	38.57 ✓
* Days with .01 in. or more.	22	9	3	1	14	13	15	14	13	13	21	18	166 ✓	156
* Days with .04 in. or more.	19	5	1	—	14	10	13	7	11	8	20	18	124 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. T. WATKIN WILLIAMS

[P.T.O.]

X G. James Clarke Esq. X

Section

A

for the entry of Daily Observations

Station No.

1825

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at STOCKLANDin the County of DEVONDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground...1 ft.....in.,, Ground ,, Sea Level...3.50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	.20	.03	.03	—	—	.30	.24	—	.06	T		1
2	—	—	T	.57	.02	—	—	.38	.57	—	.15	.16		2
3	.41	—	.04	.78	—	—	—	.18	.01	—	.45	.57		3
4	—	—	.52	.37	.42	—	.34	.07	—	.47	.22	.30		4
5	—	—	.03	.15	—	—	.14	T	—	.26	1.30	.02		5
6	.61	—	.02	.03	—	—	.77	.10	—	.02	.25	—		6
7	.04	.42	—	—	—	.08	.01	T	—	—	.81	.63		7
8	.03	.52	.02	—	T	—	.08	.04	—	1.03	.43	.18		8
9	—	.02	T	—	—	—	—	.03	—	.18	.03	.17		9
10	.35	—	—	—	—	.03	—	.25	.02	.09	.12	.30		10
11	—	T	.13	—	—	—	—	—	—	.18	T	.03		11
12	—	—	—	.02	—	T	—	—	T	T	.03	—		12
13	.03	—	—	.17	—	.03	.62	—	.16	.93	.12	—		13
14	.97	T	—	.01	.01	.06	.30	—	—	.05	.42	—		14
15	.40	—	.01	.04	.38	.98	.20	—	—	.02	.40	—		15
16	.18	—	T	.06	.08	—	.56	—	—	.01	.25	—		16
17	.90	.02	—	—	.03	.10	.40	—	—	—	.06	—		17
18	—	.02	.02	—	—	.20	.49	—	.02	—	.67	.09		18
19	.50	—	—	—	—	—	.03	—	—	—	.01	.04		19
20	.40	—	T	—	—	.22	.05	.53	—	—	—	.01		20
21	.17	.39	.08	—	—	.03	.08	.02	.01	—	—	—		21
22	.98	.62	.18	.01	—	.33	.21	—	.02	—	.46	—		22
23	—	—	—	.28	—	.01	.09	—	—	—	1.05	—		23
24	1.00	—	.02	.02	—	.45	.12	—	—	.04	—	—		24
25	1.05	.15	.01	T	—	—	.08	.09	—	.18	.66	—		25
26	—	.20	—	—	—	—	—	.27	—	.30	.48	—		26
27	—	.45	.03	T	—	.04	.01	.03	—	.01	.13	—		27
28	—	.04	.02	.14	—	.05	—	—	—	.35	.42	.13		28
29	.12	X	T	.11	—	.03	.19	—	—	.35	.15	—		29
30	—	X	.01	.36	—	.36	.18	.05	—	.13	.03	—		30
31	—	X	—	X	—	X	.04	.14	X	.55	X	—		31
TOTAL	8.23	2.85	1.34	3.15	.97	3.00	5.00	2.48	1.05	5.15	2.06	2.63	Year's Total	44.80
* Days with .01 in. or more.	18	11	15	17	7	16	22	15	8	19	27	13		188
* Days with .04 in. or more.	16	8	5	12	3	12	19	12	3	15	23	11		139

NOTE: My actual Observer is Mr. C. J.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. T. WATKIN WILLIAMS

P.T.O.

of The Post Office:

not precise and regular.

James Clarke

A.T. Watkins

Section

A

for the entry of Daily Observations

Station No. 1825

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at STOCKLAND

in the County of DEVON

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	7	—	.02	.01	—	—	—	—	—	.22	—		1
2	—	.07*	—	.22	7	—	—	—	—	—	1.10	.08		2
3	.10	.72	—	.01	—	—	—	—	—	.14	1.05	.20		3
4	—	.15	—	.02	—	—	.06	—	—	.26	.10	.07		4
5	.02	—	—	—	—	—	—	—	—	.05	.75	.18		5
6	.41	.83	—	—	—	—	—	—	—	.29	.11	.17		6
7	.04	.01	—	—	—	—	—	—	—	.60	—	.21		7
8	7	—	—	—	—	—	—	—	—	.05	.26	.37		8
9	—	—	—	—	—	—	.36	.04	—	.08	.85	.25		9
10	—	—	—	—	—	—	.44	—	—	—	.19	.26		10
11	—	.02	.01	.01	—	—	.45	—	—	—	1.20	.14		11
12	—	—	.19	7	—	.06	.35	—	.55	—	.11	—		12
13	—	.01	.43	—	—	—	.05	—	.08	.21	1.50	.60		13
14	—	.02	.18	.03	1.32	—	—	—	.09	.72	—	.78		14
15	—	.08*	.01	.06	.40	—	.10	—	.23	1.09	.45	.02		15
16	.02*	1.47*	.58	.20	—	—	.09	—	.07	—	.30	—		16
17	—	.06	.59	7	—	—	—	—	.61	—	.10	—		17
18	.20*	.50*	.34	.69	—	—	.10	.01	.03	.08	.03	.08		18
19	—	.03	.15	.15	—	—	.08	—	.45	—	.25	—		19
20	—	—	.10	7	—	—	—	—	.05	.07	.05	—		20
21	—	—	7	.15	.39	—	.15	—	—	—	.85	—		21
22	—	—	.05	.09	—	.61	—	—	.13	—	—	—		22
23	—	.01	.13	—	.01	—	—	—	—	.10	.06	—		23
24	.03	—	7	7	—	.02	.31	—	—	—	—	—		24
25	.11	—	.08	—	—	—	—	—	—	—	—	—		25
26	.94	.87	—	.03	.29	—	.04	—	—	—	.03	—		26
27	.36	.21	—	.03	.18	—	—	—	—	—	—	—		27
28	.31	.12	—	.01	—	.01	—	—	—	—	—	—		28
29	.25*	.11	.29	.65	—	.04	—	—	—	.10	—	.26		29
30	.01*	×	.03	.06	—	—	—	—	—	.70	—	.12		30
31	.05*	×	.02	×	—	×	—	—	×	.92	×	.30		31
TOTAL	2.85	5.29	3.18	2.44	2.60	0.74	2.58	.05	1.69	5.46	9.56	3.97	Year's Total	
* Days with .01 in. or more.	14	18	16	17	7	5	13	2	10	16	20	17	40.41	
* Days with .04 in. or more.	10	12	12	9	5	3	13	1	8	16	18	16	155	
													123	

X = SNOW MELTED.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

R. T. WATKIN WILLIAMS.

[P.T.O.]

REGIST

Kept at *Baggy Point*
in the County of *DEV*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground.
,, Ground ,, Sea Lev

1826
CROYDE, BAGGY POINT
1931 — 40

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	<i>.06</i>	—	—	<i>T</i>	—	<i>.58</i>	<i>T</i>	—	—	1
2	<i>.08</i>	<i>.01</i>	—	<i>.33</i>	<i>.09</i>	<i>T</i>	—	—	<i>.22</i>	<i>T</i>	<i>.22</i>	<i>.20</i>	2
3	—	—	<i>.98</i>	<i>.02</i>	<i>.13</i>	—	<i>.06</i>	<i>.15</i>	<i>.10</i>	<i>T</i>	<i>1.39</i>	<i>.08</i>	3
4	—	<i>T</i>	<i>.16</i>	<i>T</i>	<i>.04</i>	<i>.47</i>	<i>.29</i>	<i>.50</i>	<i>.09</i>	<i>.04</i>	<i>.03</i>	<i>T</i>	4
5	—	<i>.19</i>	<i>.07</i>	<i>.23</i>	<i>.04</i>	<i>.63</i>	<i>.15</i>	—	<i>T</i>	—	—	<i>.28</i>	5
6	—	<i>.06</i>	—	<i>.16</i>	<i>.03</i>	<i>.16</i>	—	<i>T</i>	<i>.03</i>	<i>.45</i>	<i>.18</i>	<i>.25</i>	6
7	—	<i>.03</i>	—	<i>.17</i>	<i>.17</i>	—	<i>.03</i>	<i>.54</i>	—	—	<i>.07</i>	<i>.12</i>	7
8	—	<i>.17</i>	—	<i>T</i>	—	<i>.24</i>	<i>.01</i>	<i>.17</i>	—	—	<i>.23</i>	<i>.06</i>	8
9	<i>.02</i>	<i>.33</i>	—	—	—	<i>T</i>	<i>.09</i>	<i>.09</i>	—	—	<i>.39</i>	<i>.04</i>	9
10	—	<i>.03</i>	—	—	<i>.19</i>	<i>.14</i>	<i>T</i>	<i>T</i>	<i>T</i>	—	<i>.26</i>	—	10
11	—	<i>.32</i>	—	—	<i>T</i>	<i>T</i>	<i>.14</i>	<i>T</i>	<i>.15</i>	—	<i>.20</i>	—	11
12	<i>.27</i>	<i>.06</i>	—	<i>T</i>	—	—	<i>.46</i>	<i>T</i>	<i>.08</i>	<i>.20</i>	—	—	12
13	<i>.05</i>	<i>.06</i>	<i>.01</i>	—	—	<i>.01</i>	<i>.03</i>	<i>.06</i>	<i>T</i>	<i>.05</i>	<i>.02</i>	—	13
14	<i>.03</i>	<i>.10</i>	—	<i>T</i>	<i>.13</i>	<i>.16</i>	—	<i>.07</i>	<i>.01</i>	—	<i>.44</i>	—	14
15	<i>.04</i>	<i>.10</i>	—	<i>T</i>	<i>.07</i>	<i>.07</i>	—	<i>.12</i>	—	—	—	<i>T</i>	15
16	<i>T</i>	<i>.09</i>	—	<i>.03</i>	<i>.09</i>	<i>.86</i>	<i>.03</i>	<i>.05</i>	<i>.03</i>	—	—	—	16
17	—	—	—	—	—	<i>.03</i>	<i>.12</i>	—	<i>.05</i>	—	—	—	17
18	<i>.08</i>	<i>.23</i>	—	—	—	<i>.72</i>	<i>.07</i>	<i>1.16</i>	—	—	<i>.31</i>	—	18
19	<i>.20</i>	<i>.02</i>	<i>T</i>	—	—	<i>.03</i>	<i>.01</i>	<i>.75</i>	—	—	<i>.33</i>	<i>.05</i>	19
20	—	<i>.02</i>	<i>.46</i>	<i>.05</i>	—	<i>.01</i>	—	<i>.34</i>	—	—	<i>.07</i>	—	20
21	<i>.32</i>	<i>.11</i>	<i>.07</i>	<i>.06</i>	<i>.12</i>	<i>T</i>	—	<i>.04</i>	—	—	<i>.09</i>	—	21
22	<i>.44</i>	—	—	<i>T</i>	<i>.09</i>	—	<i>.02</i>	<i>T</i>	—	—	<i>.06</i>	—	22
23	<i>.09</i>	—	—	<i>.32</i>	<i>.25</i>	<i>.02</i>	<i>.21</i>	<i>T</i>	—	—	<i>.30</i>	—	23
24	<i>.01</i>	<i>.04</i>	—	<i>.28</i>	<i>.12</i>	—	<i>1.06</i>	<i>.07</i>	—	—	<i>.01</i>	<i>T</i>	24
25	<i>.02</i>	<i>.14</i>	—	<i>T</i>	—	—	<i>T</i>	—	—	—	<i>T</i>	<i>.07</i>	25
26	<i>.02</i>	<i>.07</i>	—	<i>.23</i>	—	—	<i>.20</i>	—	—	—	<i>.71</i>	<i>.04</i>	26
27	<i>.28</i>	<i>.24</i>	—	—	<i>1.29</i>	<i>T</i>	<i>.05</i>	—	—	<i>.06</i>	<i>.13</i>	—	27
28	<i>.08</i>	—	<i>.20</i>	<i>T</i>	<i>.02</i>	—	<i>.02</i>	<i>.07</i>	—	<i>.02</i>	<i>T</i>	<i>.07</i>	28
29	<i>.07</i>	<i>.07</i>	<i>.06</i>	—	<i>.04</i>	—	<i>.05</i>	<i>.06</i>	<i>T</i>	<i>.02</i>	<i>.04</i>	<i>.11</i>	29
30	<i>.01</i>	<i>X</i>	—	—	<i>.01</i>	—	<i>T</i>	<i>.02</i>	<i>.10</i>	—	—	—	30
31	<i>.73</i>	<i>X</i>	—	<i>X</i>	<i>.05</i>	<i>X</i>	<i>.02</i>	—	<i>X</i>	—	<i>X</i>	<i>.25</i>	31
TOTAL	<i>2.84</i>	<i>2.44</i>	<i>2.01</i>	<i>1.94</i>	<i>2.92</i>	<i>3.55</i>	<i>3.12</i>	<i>4.26</i>	<i>1.44</i>	<i>.84</i>	<i>5.48</i>	<i>1.62</i>	<i>32.46</i>
*Days with or in. or more.	<i>19</i>	<i>22</i>	<i>8</i>	<i>12</i>	<i>19</i>	<i>14</i>	<i>21</i>	<i>17</i>	<i>11</i>	<i>7</i>	<i>21</i>	<i>13</i>	<i>184</i>
*Days with .04 in. or more.	<i>13</i>	<i>16</i>	<i>7</i>	<i>10</i>	<i>15</i>	<i>9</i>	<i>13</i>	<i>16</i>	<i>8</i>	<i>5</i>	<i>18</i>	<i>13</i>	<i>143</i>

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *Baggy Point CROUDE*
in the County of *DEVON*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
,, Ground ,, Sea Level *3.5* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	—	—	.06	—	—	T	—	.58	T	—	—	I
2	.08	.01	—	.33	.09	T	—	—	.22	T	.22	.20	2
3	—	—	.98	.02	.13	—	.06	.15	.10	T	<u>1.39</u>	.08	3
4	—	T	.16	T	.04	.47	.29	.50	.09	.04	.03	T	4
5	—	.19	.07	.23	.04	.63	.15	—	T	—	—	.28	5
6	—	.06	—	.16	.03	.16	—	T	.03	<u>.45</u>	.18	.25	6
7	—	.03	—	.17	.17	—	.03	.54	—	—	.07	.12	7
8	—	.17	—	T	—	.24	.01	.17	—	—	.23	.06	8
9	.02	<u>.33</u>	—	—	—	T	.09	.09	—	—	.39	.04	9
10	—	.03	—	—	.19	.14	T	T	T	—	.26	—	10
11	—	.32	—	—	T	T	.14	T	.15	—	.20	—	11
12	.27	.06	—	T	—	—	.46	T	.08	.20	—	—	12
13	.05	.06	.01	—	—	.01	.03	.06	T	.05	.02	—	13
14	.03	.10	—	T	.13	.16	—	.07	.01	—	.44	—	14
15	.04	.10	—	T	.07	.07	—	.12	—	—	—	T	15
16	T	.09	—	.03	.09	<u>.86</u>	.03	.05	.03	—	—	—	16
17	—	—	—	—	—	.03	.12	—	.05	—	—	—	17
18	.08	.23	—	—	—	.72	.07	<u>1.16</u>	—	—	.31	—	18
19	.20	.02	T	—	—	.03	.01	.75	—	—	.33	.05	19
20	—	.02	.46	.05	—	.01	—	.34	—	—	.07	—	20
21	.32	.11	.07	.06	.12	T	—	.04	—	—	.09	—	21
22	.44	—	—	T	.09	—	.02	T	—	—	.06	—	22
23	.09	—	—	.32	.25	.02	.21	T	—	—	.30	—	23
24	.01	.04	—	.28	.12	—	<u>1.06</u>	.07	—	—	.01	T	24
25	.02	.14	—	T	—	—	T	—	—	—	T	.07	25
26	.02	.07	—	.23	—	—	.20	—	—	—	.71	.04	26
27	.28	.24	—	—	<u>1.29</u>	T	.05	—	—	.06	.13	—	27
28	.08	—	.20	T	.02	—	.02	.07	—	.02	T	.07	28
29	.07	.92	.06	—	.04	—	.05	.06	T	.02	.04	.11	29
30	.01	X	—	—	.01	—	T	.02	.10	—	—	—	30
31	<u>.73</u>	X	—	X	.05	X	.02	—	X	—	X	.25	31
TOTAL	2.84	2.44	2.01	1.94	2.92	3.55	3.12	4.26	1.44	.84	5.48	1.62	32.46
*Days with or in. or more.	19	22	8	12	19	14	21	17	11	7	21	13	184
*Days with or in. or more.	13	16	7	10	15	9	13	16	8	5	18	13	143

Section

A

for the entry of Daily Observations.

Station No. 1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937. File Number

Kept at Baggy Point Croyde
in the County of Devon (North)

930447/29

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level about 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.11	.03	—	.01	T	—	.01	.03	.08	1
2	.04	—	—	.02	.18	—	.02	.04	<u>.71</u>	.01	.04	.23	2
3	.03	—	—	.08	—	—	.07	T	.03	.13	.03	.05	3
4	T	—	—	—	—	—	.07	.02	T	.06	.03	—	4
5	.43	—	.04	T	—	—	—	T	.43	T	<u>.50</u>	—	5
6	.35	—	.05	.07	T	—	—	.02	.05	<u>1.1</u>	—	—	6
7	.20	—	—	—	.02	—	T	—	.45	<u>1.19</u>	—	—	7
8	.03	—	<u>.64</u>	.02	.16	—	T	.01	.04	<u>.47</u>	—	—	8
9	.25	<u>.02</u>	—	.13	.01	—	T	—	.02	T	—	—	9
10	.45	—	—	.12	.01	.25	T	—	.04	.18	—	—	10
11	.06	—	—	.01	.04	—	.15	—	—	.05	—	.09	11
12	.34	—	—	T	<u>.71</u>	—	—	T	.05	.34	—	.02	12
13	.19	—	—	.13	T	—	.35	.17	T	.63	—	<u>.51</u>	13
14	.18	—	—	.02	.33	—	—	.02	—	.04	.03	.02	14
15	—	—	—	.04	.02	—	.01	—	—	.02	.02	T	15
16	.21	—	—	<u>.29</u>	—	—	.58	—	—	—	.02	—	16
17	—	—	—	T	.03	—	—	—	T	.02	—	—	17
18	—	—	T	—	.06	—	—	—	.05	—	—	—	18
19	—	—	—	.09	.62	—	—	—	.14	—	.29	T	19
20	—	—	—	.21	.70	—	T	.02	—	.41	T	.13	20
21	.03	—	.13	.06	—	—	.01	<u>.55</u>	—	.44	.39	.31	21
22	.02	—	.02	—	.08	—	.02	—	.34	.88	.13	.05	22
23	—	—	—	.02	—	—	.61	—	—	.15	.32	.14	23
24	—	T	—	T	—	—	.19	—	.14	.51	.24	—	24
25	.01	—	.03	—	—	—	.18	—	.02	T	.01	—	25
26	—	—	.01	.03	—	—	.01	—	.11	.46	.06	—	26
27	—	—	<u>.64</u>	.08	.31	T	.12	—	—	.28	.05	<u>.84</u>	27
28	—	—	.05	.12	.12	—	.18	.02	—	.80	.04	T	28
29	—	—	.37	.22	.10	.32	.03	.29	.31	.02	.08	.49	29
30	.02	X	—	.09	.03	<u>.37</u>	<u>1.58</u>	.08	.26	.53	.20	.09	30
31	—	X	—	X	.07	X	.10	—	X	.15	X	.31	31
TOTAL	2.88	.02	1.98	1.96	3.63	.84	4.29	1.24	3.14	7.83	2.51	2.56	32.93
*Days with .01 in. or more.	18	1	10	21	20	3	19	11	17	24	19	15	178
*Days with .04 in. or more.	12	—	7	15	14	3	12	5	14	18	12	13	125

Section

A

for the entry of Daily Observations.

Station No. 1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

Kept at Baggy Point Croade
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
Ground Sea Level 40-50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.33	.06	—	.34	.92	—	—	T	—	.01	<u>1.16</u>	1
2	<u>.29</u>	—	.33	—	.11	<u>.35</u>	—	—	—	—	.01	.25	2
3	.03	.25	.13	—	.04	—	—	—	—	—	—	—	3
4	.10	.01	.01	—	.04	—	—	—	—	—	—	—	4
5	.08	.01	.13	—	.13	—	—	—	—	.14	.02	—	5
6	—	.07	.01	—	.03	—	.32	—	—	.05	—	—	6
7	T	.27	—	—	.04	—	.04	.01	—	.16	—	—	7
8	.19	.02	—	—	.07	—	<u>.63</u>	—	—	T	—	—	8
9	.03	—	—	T	<u>.37</u>	—	.30	—	—	.44	.06	—	9
10	—	.07	—	T	—	—	.07	T	—	<u>1.71</u>	.01	—	10
11	.07	—	—	—	—	—	—	.16	.01	.13	—	.02	11 snow
12	.06	—	—	—	.05	.22	.34	—	.11	.23	—	—	12
13	T	—	T	—	.16	.06	.35	T	—	.29	.12	—	13
14	.04	—	—	—	—	T	.33	.11	—	T	.06	—	14
15	.21	—	.11	—	—	—	.38	.01	—	.12	—	—	15
16	.01	—	<u>.58</u>	—	—	.03	.01	.03	T	.09	—	—	16
17	—	.10	.16	—	—	—	—	T	.01	—	—	—	17
18	.05	—	.17	—	—	.05	T	T	—	—	.04	—	18
19	.12	—	.08	—	—	T	—	.04	.18	.01	<u>.45</u>	—	19
20	—	—	—	—	.10	.01	—	.25	.19	.12	.11	—	20
21	—	.08	—	—	—	—	—	.02	—	—	—	—	21
22	—	—	—	.09	.03	—	—	<u>.33</u>	.14	—	—	—	22
23	—	<u>.60</u>	—	.27	—	.30	—	—	<u>.45</u>	.49	—	—	23
24	—	.15	—	.13	T	T	.04	—	.14	.26	—	—	24
25	—	.11	—	.30	—	.04	—	—	.22	.01	—	.11	25
26	—	.23	—	.18	.33	—	—	—	T	.15	—	T	26
27	—	.08	—	—	—	—	—	—	—	.30	—	.17	27
28	—	.04	—	.20	—	—	—	.28	—	.29	—	.50	28
29	<u>.15</u>	×	T	—	—	—	.05	—	—	—	—	.06	29
30	—	×	.05	<u>.32</u>	—	—	.05	—	.05	.10	—	.01	30
31	.16	×	.06	×	—	×	—	—	×	.02	×	—	31
TOTAL	1.78	2.47	1.88	1.49	1.89	1.08	2.91	1.24	1.50	5.11	.89	1.78	YEAR'S TOTAL 24.02
*Days with or in. or more.	17	16	13	7	14	9	13	10	10	20	10	7	146
*Days with .04 in. or more.	14	13	11	7	12	6	12	6	8	17	6	5	117

40-9999

*See Instruction 2 (f) on other side.

(Signed) Constantine M. Hyde P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Baggy Point, CROYDE
in the County of DEVON (North)Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft in.,, Ground ,, Sea Level about 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.15	—	—	—	.02	—	—	.36	.04	T ²	.26	.50		1
2	.03	—	.05	—	—	—	—	—	.36	—	.31	.19		2
3	.02	—	T ²	—	—	—	—	.02	.13	.28	—	.26		3
4	—	—	.08	.05	.24	—	—	—	.04	.58	T ²	.30		4
5	—	—	.09	—	.03	.07	—	.47	—	.06	.65	.67		5
6	T ²	T ²	.23	—	.33	—	—	.34	—	.64	.02	.22		6
7	.22	—	—	—	—	—	—	.10	.01	.43	.18	.30		7
8	—	—	—	—	.23	—	—	—	.04	.01	.58	.29		8
9	—	—	.09	—	.01	—	—	.06	—	—	.35	.09		9
10	.06	.05	.22	.31	—	—	—	.11	—	—	.01	.06		10
11	<u>1.02</u>	—	—	<u>.63</u>	—	—	T ²	.20	—	T ²	—	.15		11
12	.08	—	—	—	—	T ²	—	.21	—	—	.05	.01		12
13	.14	—	—	.02	—	.01	—	—	—	—	—	.03		13
14	.31	—	.17	T ²	—	—	—	.01	—	.07	—	.06		14
15	.02	—	.02	T ²	.18	—	—	—	T ²	.08	—	.47		15
16	.06	—	.24	—	—	—	—	—	.26	—	—	.13		16
17	.13	—	.02	.07	T ²	—	—	—	—	.07	—	.14		17
18	.02	—	.06	.20	T ²	.03	T ²	.01	.13	.02	—	.17		18
19	—	—	.16	T ²	.01	.01	.03	.02	.11	.01	—	.08		19
20	—	—	.01	.12	T ²	—	.04	—	.02	T ²	.09	T ²		20
21	—	—	<u>.25</u>	—	.01	.09	—	.27	.02	.13	.10	.09		21
22	.08	—	.02	—	—	—	—	.28	.35	.08	—	.36		22
23	.05	—	.01	.12	—	.51	<u>.10</u>	.03	.09	.03	—	.03		23
24	—	<u>.35</u>	.01	T ²	—	.71	.05	—	.08	.02	—	T ²		24
25	.23	T ²	.07	.08	T ²	T ²	—	—	—	.09	—	.48		25
26	.04	—	—	.04	—	.31	—	—	.12	.09	.05	.06		26
27	—	—	—	.01	—	.01	—	.03	.04	.08	.13	.13		27
28	—	—	—	—	—	—	.08	.18	.19	.04	—	.26		28
29	—	—	—	T ²	—	—	.01	.12	.06	.04	—	.04		29
30	.11	X	—	—	—	—	.01	.12	.07	.08	—	.22		30
31	—	X	—	X	.02	X	.08	T ²	X	.10	X	.04		31
TOTAL	2.77	.40	1.80	1.65	1.08	1.75	.40	2.94	2.16	3.03	2.78	5.83	26.59	
* Days with .01 in. or more.	18	2	18	11	10	9	8	19	19	22	13	29	170	
* Days with .04 in. or more.	14	2	12	9	4	5	5	13	16	17	11	26	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Constant M. Hay Jr.

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **1826**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

File No.

Kept at **Baggy Point** **CRUYDE**
in the County of **DEVON**

930447/29.

Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**1**.....ft.....in.,, Ground ,, Sea Level **about 50** ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	-	.44	-	-	.02	-	-	.14	.10	T	.09		1
2	T	.02	.04	T	-	-	-	-	.03	.33	.07	.03		2
3	-	.01	.06	.01	.02	.04	.01	-	.12	.09	.13	.01		3
4	-	.16	-	.04	.03	.02	T	-	.12	.17	.11	.83		4
5	-	.24	T	.40	-	.18	-	-	.26	.16	.17	.10		5
6	-	-	-	-	-	.20	-	-	-	.09	.19	.25		6
7	-	-	-	.41	-	-	-	-	-	.58	.06	.17		7
8	-	-	-	.28	-	-	-	-	-	.11	.09	.01		8
9	.01	-	-	.66	-	.09	-	-	-	.78	.10	-		9
10	.04	-	.01	.09	-	-	T	-	-	.10	.48	-		10
11	.31	.02	-	T	-	.03	-	T	.12	.08	.36	-		11
12	.13	.30	-	.13	-	.29	-	T	T	-	-	-		12
13	.05	.03	-	.21	-	T	-	-	.04	.06	.35	.24		13
14	-	.11	-	.45	-	1.06	-	-	.54	.04	.80	.15		14
15	-	.07	-	.11	.08	.02	-	-	-	T	.05	-		15
16	-	.04	-	.04	.01	.23	.02	-	.10	.04	.38	-		16
17	-	-	-	.02	.82	-	-	.03	-	.09	-	-		17
18	-	-	-	.40	.15	-	.02	.03	.18	.04	-	.12		18
19	-	.03	-	.16	.31	.09	.09	-	.30	.23	.07	-		19
20	-	.41	.01	.16	.63	.10	-	-	.01	.02	.30	-		20
21	-	.25	.02	.18	-	-	.09	-	.09	.13	T	.12		21
22	-	.04	.09	T	-	-	T	-	.19	.10	-	-		22
23	-	T	.05	-	.18	-	-	.66	.36	.44	-	.13		23
24	.06	.18	.10	.06	.03	-	-	.02	.01	.11	-	.15		24
25	.27	.57	-	.03	-	.06	-	-	-	T	-	.02		25
26	T	.21	-	-	-	-	-	.31	.30	T	.09	.23		26
27	-	.04	-	-	.07	-	.01	.50	.19	T	.15	.02		27
28	.09	.05	-	-	.06	-	.03	.44	.28	-	.05	.04		28
29	-	-	-	-	-	-	-	.32	.20	.04	.15	.27		29
30	.08	X	-	T	-	.03	-	.57	.39	.35	.56	.44		30
31	-	X	-	X	T	X	-	.07	X	.58	X	.11		31
TOTAL	1.09	2.78	.82	3.87	2.39	2.46	.27	2.95	3.97	4.86	4.71	3.53	33.70	Year's Total
* Days with .01 in. or more.	10	19	9	20	12	15	7	10	22	25	21	21	191	
* Days with .04 in. or more.	9	14	6	17	8	11	2	7	19	24	21	16	154	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) *Constance M. Hyde* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Baggy Point-CROYDE
in the County of DEVONDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft.....in.„ Ground „ Sea Level 3.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.13	.05	—	.32	—	.28	<u>1.74</u>	—	—	—	.15	—		1
2	—	.01	—	—	—	.04	.12	—	.05	—	<u>.24</u>	—		2
3	—	—	.08	<u>.92</u>	—	.02	.02	T	.34	—	.02	—		3
4	.07	.02	.10	—	—	—	—	—	.15	—	<u>.66</u>	.32		4
5	.12	.06	.04	—	.06	—	.55	<u>.20</u>	.11	—	<u>.76</u>	.13		5
6	<u>.30</u>	—	.01	—	T	.01	.46	.01	.01	—	<u>.50</u>	—		6
7	—	—	.02	—	—	—	.16	—	—	—	<u>.33</u>	.05		7
8	.15	—	.25	—	—	—	.49	—	—	—	<u>.20</u>	.07		8
9	.12	.01	.01	—	—	.02	<u>.03</u>	.03	—	—	.08	—		9
10	.01	.16	T	—	—	—	—	—	T	—	.14	—		10
11	.20	—	—	T	—	.23	.03	.01	.48	—	<u>.55</u>	.13		11
12	.01	T	—	.15	.04	<u>.48</u>	.20	T	.13	—	—	—		12
13	.05	.04	—	T	—	—	—	—	.03	.10	.02	.50		13
14	—	—	—	—	—	.05	.61	.07	.14	<u>.03</u>	.01	<u>.70</u>		14
15	—	.02	—	—	.22	—	T	T	—	—	.16	.02		15
16	.06	.01	—	—	<u>.28</u>	—	.02	—	.01	—	.34	.12		16
17	.09	.23	—	—	.03	T	.30	.03	—	.10	.06	.19		17
18	.01	.14	—	—	—	T	.40	—	T	.11	—	.08		18
19	<u>.47</u>	T	T	.28	—	.15	.06	.03	.02	—	—	—		19
20	.05	.16	T	T	—	T	.05	—	.38	—	—	—		20
21	.07	.01	.09	.47	—	.03	T	—	—	.21	—	—		21
22	.14	<u>.50</u>	.01	—	—	—	.27	—	—	—	—	.61		22
23	.02	.03	—	.17	.04	—	.04	—	—	.06	—	—		23
24	.08	—	—	.41	.03	—	<u>.39</u>	—	<u>.57</u>	.14	—	—		24
25	.21	—	.18	.50	—	—	—	—	—	.20	—	—		25
26	.35	.10	.13	—	—	—	.05	—	—	.10	—	—		26
27	.06	.31	.09	<u>.04</u>	—	—	.10	—	—	.05	.02	—		27
28	.35	.01	.25	—	—	—	—	—	—	—	—	.07		28
29	—	.06	T	—	—	T	—	—	—	.15	.09	—		29
30	.20	~~X~~	T	—	—	.25	.09	—	—	.52	—	.09		30
31	.21	~~X~~	<u>.39</u>	~~X~~	T	~~X~~	.21	—	~~X~~	—	~~X~~	.42		31
TOTAL	3.53	1.93	1.65	2.86	.67	1.56	6.39	.38	2.42	1.77	3.04	2.90	29.10	✓
* Days with .01 in. or more.	26	19	14	10	7	11	25	7	13	12	17	15	176	✓
* Days with .04 in. or more.	22	11	10	7	5	7	20	2	10	11	13	13	131	✓

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Constantin M. Hay Jr. [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No.

1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Baggy Point CROYDE
in the County of N. DEVON

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.01	.06	.01	-	-	T	-	.10	.04	-	.16		1
2	.02	.47	-	.06	-	-	-	-	.02	T	-	.15		2
3	T	.08	-	.18	-	-	.17	-	.01	-	-	T		3
4	.21	.11	-	.01	.05	-	.15	.06	-	-	-	.52		4
5	.32	-	-	T	.02	-	.07	-	-	-	-	.15		5
6	.25	.30	.53	.42	.20	.03	.03	T	-	-	-	-		6
7	-	.62	.12	.01	-	.07	.06	-	.03	T	.02	-		7
8	T	T	-	-	.20	.24	-	-	T	-	-	-		8
9	-	-	-	.03	.04	.02	.02	.15	.59	-	-	-		9
10	.04	.02	.52	.49	-	.10	.06	T	-	-	-	.32		10
11	.02	-	.09	.18	.26	.05	1.09	-	-	-	-	.02		11
12	.13	.43	.09	.01	-	.18	-	.08	.31	-	-	.15		12
13	-	.09	.39	.06	-	.03	-	.46	.09	-	-	.15		13
14	-	.04	T	.34	-	-	-	.01	.12	-	-	.17		14
15	.10	.16	.03	.05	-	-	.05	-	.20	-	-	.21		15
16	.08	.02	.16	-	-	-	.06	.31	.02	-	-	-		16
17	.57	.10	.18	-	-	-	-	T	.31	-	-	-		17
18	.07	.17	.27	-	-	.13	.08	-	.27	-	.18	.39		18
19	.16	T	.07	.29	.08	-	-	-	.16	-	.23	.02		19
20	.30	.09	.02	.39	.28	-	-	-	-	-	-	.31		20
21	.10	.72	.03	-	.04	-	.13	-	.14	.13	-	.03		21
22	.05	-	-	-	.08	.01	.22	-	-	.20	.34	-		22
23	.08	.27	T	-	.11	-	-	-	-	.15	.07	-		23
24	.12	.45	.01	T	-	-	-	-	.08	.24	-	.01		24
25	T	.35	.29	-	.03	-	-	-	.01	.01	-	.04		25
26	-	.35	.03	-	-	T	-	-	-	-	-	-		26
27	-	.14	-	-	-	-	-	-	-	.78	-	-		27
28	T	.10	-	-	-	T	-	-	-	.05	-	-		28
29	.03	-	-	-	-	-	-	-	-	.45	.28	-		29
30	.26	X	-	-	-	.14	-	-	.04	.05	.26	-		30
31	.41	X	-	X	-	X	-	-	X	-	X	-		31
TOTAL	3.50	5.09	2.89	2.55	1.39	1.00	2.16	1.07	2.50	2.10	1.38	2.80	2843	✓
* Days with .01 in. or more.	21	22	17	15	12	11	13	6	17	10	7	16	167	✓
* Days with .04 in. or more.	18	19	12	10	10	7	11	5	12	9	6	12	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Constance M. Hyde [P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. **1826**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at **Baggy Point CROVE**
in the County of **N. Devon**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**29.5**.....ft.Ground **307.50** Sea Level.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	T	.01	—	—	T	.68	—	.65	—	.36	.03	.22		1
2	—	—	—	.07	—	—	—	—	—	.30	.04	.35		2
3	—	—	T	—	.04	.09	T	.89	—	.27	T	—		3
4	—	—	—	—	—	T	.12	.88	—	.22	—	.16		4
5	T	—	—	T	—	—	—	—	.06	.22	—	.04		5
6	.28	—	—	—	—	.16	.72	.18	.04	.11	—	.03		6
7	.05	—	—	—	—	—	.18	—	.01	.13	—	.09		7
8	.12	.14	—	—	—	—	.21	.36	—	.09	—	.13		8
9	.80	—	—	—	—	.01	.06	.18	—	.01	.02	.68		9
10	.08	—	—	—	—	—	.03	T	—	.02	—	.22		10
11	.17	.01	—	—	—	.07	—	.16	—	.09	.17	.27		11
12	.27	—	—	—	.16	T	—	—	—	.67	.46	.07		12
13	.03	—	—	—	.03	—	—	—	—	.01	.08	.27		13
14	.27	—	—	—	.02	—	.18	.01	T	—	—	—		14
15	.26	—	—	—	.42	—	—	—	—	—	.06	.20		15
16	—	—	—	—	.07	—	T	—	—	.22	.04	—		16
17	.10	.14	—	—	.06	—	.06	—	.24	.01	.01	—		17
18	.15	—	—	—	.18	.05	.03	.19	.06	—	.18	—		18
19	.05	—	—	—	—	—	.01	.11	.11	—	.56	—		19
20	.04	—	T	—	—	—	—	.07	—	—	.28	—		20
21	—	—	—	—	—	.06	—	—	.03	.03	.30	—		21
22	.02	—	—	—	—	.08	—	.64	.04	—	.34	—		22
23	—	—	—	.03	—	—	—	T	—	—	.38	—		23
24	.07	.14	.13	—	.14	—	.16	.04	.07	.10	.17	—		24
25	.04	.14	.01	—	.15	—	.25	—	—	.26	.47	.07		25
26	.28	.13	.01	—	.18	.09	.01	—	—	.15	.18	.17		26
27	.27	.07	—	—	.17	.02	.10	.80	T	.03	.48	—		27
28	.05	.16	.01	—	.03	.09	.01	.24	.09	—	.10	T		28
29	—	—	.03	T	.44	.16	—	—	.07	.56	.08	.04		29
30	.01	—	T	—	.02	.08	.04	—	.06	—	.38	.03		30
31	.25	—	.04	—	.27	—	.01	—	—	.24	—	.16		31
TOTAL	3.58	1.02	.23	.10	2.38	1.64	2.18	5.40	.88	4.10	4.81	3.20	29.52	
* Days with .01 in. or more.	22	10	6	2	16	13	18	15	12	22	22	19	17	
* Days with .04 in. or more.	12	8	2	1	12	11	12	14	10	16	19	1	14	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) *Constance M. Hay* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at BAGGY POINT CROUDE
in the County of DEVONDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.,, Ground ,, Sea Level 60.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.16	-	.02	.07	.23	-	-	-	-	-	.10	.02		1
2	-	-	-	.05	-	-	.03	.67	.24	-	.02	.20		2
3	.17	-	.04	.40	.23	-	-	-	-	-	.04	.35		3
4	-	-	.16	.04	.07	-	.11	-	-	.23	.30	-		4
5	-	-	.01	.62	-	-	.41	-	-	.12	.40	-		5
6	.60	T	-	.05	-	-	.74	.05	-	-	.02	-		6
7	.01	.10	-	-	-	-	.15	.02	-	T	.20	.88		7 about equal amount each day 9 think
8	-	.05	.03	-	.04	-	-	.07	-	.69	.17	.88		8
9	.02	.03	-	-	-	-	-	.37	-	.28	.02	.24		9
10	.12	-	.01	-	-	.04	-	.09	.14	.88	-	.19		10
11	.14	.02	.12	-	.03	-	-	-	-	.60	-	-		11
12	.13	.03	-	.05	-	-	-	-	.14	.09	.08	-		12
13	-	-	-	.25	-	.07	.29	-	-	.05	-	-		13
14	.38	.02	-	-	-	.16	.10	-	-	-	.19	-		14
15	.42	.03	-	T	.07	.66	.01	-	-	.36	.38	-		15
16	.08	T	-	.07	.12	-	.02	-	-	-	.28	-		16
17	.41	.02	-	-	-	.12	.25	-	-	-	.03	-		17
18	.06	.14	.11	-	-	-	.17	-	-	-	.70	-		18
19	.35	-	-	-	-	-	.07	1.09	-	-	-	-		19
20	.45	-	-	-	-	-	T	.14	-	-	-	-		20
21	.04	.18	.08	-	-	.16	.15	-	-	-	-	-		21
22	.35	.43	.10	.01	-	.10	.08	.29	-	-	.40	.02		22
23	-	-	.19	.03	-	-	.07	-	-	.01	.58	-		23
24	.85	.03	.10	.22	-	.12	.16	T	-	.01	-	-		24
25	.07	.12	-	.02	-	-	.23	.19	-	.11	.38	-		25
26	-	.01	-	-	-	-	-	-	-	.09	.62	-		26
27	-	.24	.02	-	-	-	.23	-	-	-	.05	-		27
28	T	.01	-	-	-	.02	.39	-	-	-	.55	.01		28
29	-	-	-	.08	-	-	.13	-	-	.29	.37	-		29
30	-	X	-	.27	-	-	.14	-	-	.01	.04	-		30
31	-	X	-	X	-	X	.05	-	X	-	X	-		31
TOTAL	4.81	1.56	1.04	2.23	.79	1.45	3.98	2.98	.52	2.94	5.92	1.81	30.13	Year's Total
* Days with .01 in. or more.	19	16	13	15	7	9	22	10	3	15	24	9	162	
* Days with .04 in. or more.	17	6	8	12	6	8	19	9	3	12	20	6	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Constance M. Hay [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Baggy Point Croyde
in the County of N DevonDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1.....ft.....in.,, Ground ,, Sea Level about 60 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.08	-	-	-	-	-	-	.06	-		1
2	-	.33	-	.08	-	-	.05	-	-	-	<u>1.10</u>	.07		2
3	-	.50	-	.05	-	-	-	-	-	.12	1.08	.27		3
4	-	.03	-	T	-	-	.18	-	-	.29	.01	.07		4
5	-	T	-	-	-	-	.20	-	-	<u>.35</u>	.49	.06		5
6	.28	.42	-	-	-	-	.13	-	-	.06	-	.17		6
7	.08	-	-	.01	-	-	.10	-	.02	.04	.20	.01		7
8	-	-	-	-	-	-	T	-	-	.14	.62	.33		8
9	-	-	-	-	-	-	.40	<u>.04</u>	.10	.24	.07	~~.53~~		9
10	-	-	.04	-	-	-	<u>.22</u>	-	.02	.12	.10	x		10
11		.13	-	.10	-	-	.23	-	-	.03	.44	T		11
12		-	.12	-	-	T	<u>.70</u>	-	.41	-	.08	-		12
13		-	.36	-	-	-	.03	-	.02	.03	.14	.07		13
14		.01	-	.06	-	-	.04	-	.14	.03	~~.36~~	<u>.49</u>		14
15	.04	-	-	.08	.01	-	-	-	.20	.32	x	-		15
16		.34	<u>.44</u>	.08	-	-	.06	-	.03	-	.16	~~.29~~		16
17		.06	.11	.07	-	-	.07	-	.01	-	.01	x		17
18	<u>.64</u>	<u>.81</u>	.19	.08	-	-	.07	-	.36	-	-	-		18
19		.14	.04	.28	-	-	~~.30~~	-	<u>.67</u>	T	.12	-		19
20		-	-	T	-	-	x	-	.14	.15	.03	-		20
21		-	-	-	.05	<u>.51</u>	-	-	.03	-	<u>1.04</u>	-		21
22		.02	.22	.05	.13	.02	-	-	-	-	-	-		22
23		.05	.06	.08	.01	-	.01	-	.12	.06	.03	-		23
24		-	.01	.09	-	-	.58	-	-	-	T	-		24
25	.22	-	.12	-	<u>.35</u>	-	-	-	.02	-	-	-		25
26	<u>.87</u>	.17	-	.05	<u>.35</u>	-	.29	.02	-	-	.02	-		26
27	.60	.05	-	.03	.02	-	-	-	-	-	-	-		27
28	.37	T	.05	.09	.11	.08	-	.01	-	-	.01	.04		28
29	<u>.22</u>	-	.10	<u>1.11</u>	-	-	-	-	-	-	-	-		29
30	-	~~x~~	T	.10	.01	-	-	-	-	.31	.02	.30		30
31	.33	~~x~~	.12	~~x~~	-	~~x~~	-	-	~~x~~	.35	~~x~~	.19		31
TOTAL	3.65	3.06	1.98	3.47	1.04	.61	3.44	.07	2.29	2.64	6.19	2.89	31.32	3
* Days with .01 in. or more.	10	14	14	19	9	3	18	3	15	16	23	16	160	^
* Days with .04 in. or more.	10	11	13	17	5	2	16	1	9	13	16	15	128	^

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Constantine M. Hyde

[P.T.O.]

Section **A** for the entry of Dai
AIR MINISTRY.—

FORM 1

REGISTE

Kept at *Woolacombe*
in the County of *Devon*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea Level

1827
WOOLACOMBE
1931—35

780309

1827
FOR OFFICIAL USE.
ORGANIZATION.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.36				1
2													2
3			.72								.99		3
4						2.72							4
5													5
6										.39		.28	6
7													7
8													8
9		.35											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18								.91					18
19													19
20													20
21													21
22													22
23													23
24				.41			.83						24
25													25
26													26
27					1.38								27
28													28
29													29
30		X											30
31	.70	X		X		X			X		X		31
TOTAL	2.47	2.62	1.55	2.12	3.26	5.99	3.60	4.17	1.38	0.94	4.35	1.48	33.93
*Days with "or in. or more.	18	21	9	14	16	12	22	15	9	12	18	14	180
*Days with ".04 in. or more.	12	15	5	10	14	12	17	14	9	5	15	10	138

40-9999 62.7 66.6 39.4 53.9 82.8 152.1 91.4 105.9 35.0 23.8 110.5 37.5 861.6
(Signed) [R.T.O.]

*See Instruction 2 (f) on other side.

FORM 1

REGISTER OF RAINFALL IN 1937.

Kept at Woolacombe
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.36				1
2													2
3			.72								.99		3
4						2.72							4
5													5
6										.39		.28	6
7													7
8													8
9		.35											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18								.91					18
19													19
20													20
21													21
22													22
23													23
24				.41			.83						24
25													25
26													26
27					1.38								27
28													28
29													29
30		X											30
31	.70	X		X		X			X		X		31
TOTAL	2.47	2.62	1.55	2.12	3.26	5.99	3.60	4.17	1.38	0.94	4.35	1.48	33.93
* Days with or in. or more.	18	21	9	14	16	12	22	15	9	12	18	14	180
* Days with or in. or more.	12	15	5	10	14	12	17	14	9	5	15	10	188

40-999962.766.639.453.982.8152.191.4105.935.023.8110.537.5861.6

(Signed)

[R.T.O.]

*See Instruction 2 (f) on other side.

REGISTER OF RAINFALL IN 1932.

Kept at Woolacombe
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3													3
4											.58		4
5	.41												5
6													6
7									.66	.96			7
8			.87										8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20					.65								20
21				.27				.96					21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29												.48	29
30		X				.26	1.68						30
31		X		X		X			X		X		31
TOTAL	2.20	0.00	1.93	2.17	3.04	0.77	4.24	1.51	3.20	7.53	2.24	2.20	31.03
* Days with or in. or more.	12	0	8	18	18	4	14	7	15	22	14	12	144
* Days with or more.	12	0	5	16	14	4	14	5	13	20	10	11	124

40-9999 55.8 (Total) 48.9 55.1 77.2 19.6 107.7 38.4 81.4 191.1 56.8 55.9

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM 100

REGISTER OF RAINFALL IN 1933 .

Kept at Woolacombe
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												.98	1
2	0.35					.54							2
3													3
4													4
5													5
6													6
7													7
8							.64						8
9													9
10										1.49			10
11													11
12													12
13													13
14													14
15													15
16			.66										16
17													17
18													18
19											.39		19
20													20
21													21
22		.64						.50					22
23									.27				23
24													24
25													25
26					.39								26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	1.82	2.76	2.09	1.51	1.69	1.05	2.53	1.10	0.98	4.67	0.76	1.58	YEAR'S TOTAL 22.54
*Days with "or in. or more.	17	14	11	8	13	8	12	6	7	18	5	6	125
*Days with "or in. or more.	15	14	11	7	9	4	11	6	7	17	4	5	118

40-9999 46.2

25.0

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A**

for the entry of Daily Observations.

Station No. **1827**
2974

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at **Woolacombe**
in the County of **Devon**

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level **60** ft.

? low up 15 mts low..
Probably 3 or 4 mts low.
point has been raised with in Newbury

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4										.73			4
5											.55	.58	5
6					.30								6
7													7
8											.55		8
9													9
10			.24					.58					10
11	.79			.59									11
12													12
13													13
14													14
15													15
16								.26					16
17													17
18													18
19													19
20													20
21													21
22													22
23						.53	.19						23
24		.30											24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X		X		X		X	31
TOTAL	2.24	0.33	1.70	1.76	1.07	1.29	0.31	2.84	1.82	2.93	2.58	4.84	23.74
*Days with or in. or more.	17	2	17	11	7	6	4	17	14	20	13	26	154
*Days with .04 in. or more.	14	1	14	9	5	5	2	17	13	16	10	24	127

Sec

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

1827
294

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woolacombe

in the County of _____

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft _____ in.

„ Ground „ Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.48											1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9				.70										9
10														10
11	.035													11
12														12
13														13
14						1.02								14
15														15
16														16
17														17
18														18
19							.21							19
20					.95									20
21														21
22														22
23									.44					23
24														24
25		.47												25
26														26
27														27
28														28
29														29
30		X						.61						30
31		X		X		X			X		X			31
TOTAL	1.13	2.98	0.98	4.60	2.52	2.59	0.44	2.40	4.12				Year's Total	
*Days with .01 in. or more.	11	17	10	20	12	14	5	10	20					
*Days with .04 in. or more.	8	15	6	17	7	13	3	7	17					

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Kept at *Ilfracombe Slade*
in the County of *Devon*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to this rule should insert the following in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.09	-	-	-	-	.19	.06	-	-	1
2	.08	.05	.02	.58	.09	.03	-	-	.28	.06	.42	.34	2
3	.04	-	.74	-	-	-	-	.10	.25	.05	2.16	.43	3
4	-	.04	.16	.07	.12	1.78	.40	.19	.16	.18	.03	.05	4
5	-	.45	.06	.38	.05	1.90	.11	.05	-	-	-	.49	5
6	-	.09	-	.26	.04	.40	-	.03	-	.47	.20	.33	6
7	-	.08	-	-	.20	.02	.22	.69	-	.12	.14	.33	7
8	.02	.56	-	.25	.01	.40	.04	.22	-	.02	.29	.23	8
9	-	.74	.01	.01	-	.06	.12	.01	-	.06	.57	.09	9
10	-	.15	-	-	.31	.05	.15	.11	-	.01	.73	.02	10
11	.43	.50	-	.01	.04	.18	.22	.05	.19	-	.42	-	11
12	.06	.08	-	.01	.02	.02	.38	.03	.41	.22	.01	-	12
13	.01	.01	.10	-	.19	-	.25	.08	.02	.19	.03	-	13
14	.05	.11	-	-	.12	.18	.92	.06	.05	-	.53	-	14
15	.01	.20	-	.02	.15	.12	-	.30	-	-	.01	-	15
16	.11	.12	-	.07	.18	1.47	.07	.16	.19	-	-	-	16
17	.01	-	-	.02	.01	.01	.45	-	.22	-	-	-	17
18	.10	-	-	-	.01	.47	.16	1.70	-	-	.38	-	18
19	.25	.24	.05	-	-	.13	.02	.68	-	-	.31	.01	19
20	.01	.13	.40	-	-	.02	-	.93	-	-	.11	.02	20
21	.59	.10	.03	.02	.17	.02	.03	-	-	-	.20	-	21
22	.81	.03	-	.01	.09	-	.03	-	-	-	.10	-	22
23	.13	.01	-	.47	.40	.04	.32	.06	-	-	.53	-	23
24	.01	.20	-	.69	.02	-	1.18	.02	-	-	.11	.06	24
25	.05	.21	-	.04	-	-	.03	-	-	-	.02	.09	25
26	.01	.17	-	.22	-	-	.18	-	-	-	1.18	.08	26
27	.35	.34	-	-	1.35	.02	.17	-	-	.08	.08	.01	27
28	.25	.04	.16	.03	.05	.01	.01	.02	-	.08	.01	.11	28
29	.05	X	.11	-	.10	-	.46	.08	-	.03	.05	.09	29
30	.07	X	-	-	.05	-	.06	-	.16	.01	.01	.02	30
31	.93	X	-	X	.48	X	.05	-	X	-	X	.33	31
TOTAL	4.48	7.65	1.84	3.25	4.25	7.33	6.03	5.57	2.12	1.64	8.63	3.13	52.92
*Days with or in. or more.	25	24	11	19	24	21	25	21	11	15	26	19	241
*Days with or in. or more.	18	21	8	11	19	13	20	16	10	11	19	14	180

REGISTER OF RAINFALL IN 1931.

Kept at Ilfracombe Slade Waterworks
in the County of Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 395 A.D. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.09	-	-	-	-	.19	.06	-	-	1
2	.08	.05	.02	.58	.09	.03	-	-	.28	.06	.42	.34	2
3	.04	-	.74	-	-	-	-	.10	.25	.05	2.16	.43	3
4	-	.04	.16	.07	.12	1.78	.40	.19	.16	.18	.03	.05	4
5	-	.45	.06	.38	.05	1.90	.11	.05	-	-	-	.49	5
6	-	.09	-	.26	.04	.40	-	.03	-	.47	.20	.33	6
7	-	.08	-	-	.20	.02	.22	.69	-	.12	.14	.33	7
8	.02	.56	-	.25	.01	.40	.04	.22	-	.02	.29	.23	8
9	-	.74	.01	.01	-	.06	.12	.01	-	.06	.57	.09	9
10	-	.15	-	-	.31	.05	.15	.11	-	.01	.73	.02	10
11	.43	.50	-	.01	.04	.18	.22	.05	.19	-	.42	-	11
12	.06	.08	-	.01	.02	.02	.38	.03	.41	.22	.01	-	12
13	.01	.01	.10	-	.19	-	.25	.08	.02	.19	.03	-	13
14	.05	.11	-	-	.12	.18	.92	.06	.05	-	.53	-	14
15	.01	.20	-	.02	.15	.12	-	.30	-	-	.01	-	15
16	.11	.12	-	.07	.18	1.47	.07	.16	.19	-	-	-	16
17	.01	-	-	.02	.01	.01	.45	-	.22	-	-	-	17
18	.10	-	-	-	.01	.47	.16	1.70	-	-	.38	-	18
19	.25	.24	.05	-	-	.13	.02	.68	-	-	.31	.01	19
20	.01	.13	.40	-	-	.02	-	.93	-	-	.11	.02	20
21	.59	.10	.03	.02	.17	.02	.03	-	-	-	.20	-	21
22	.81	.03	-	.01	.09	-	.03	-	-	-	.10	-	22
23	.13	.01	-	.47	.40	.04	.32	.06	-	-	.53	-	23
24	.01	.20	-	.69	.02	-	1.18	.02	-	-	.11	.06	24
25	.05	.21	-	.04	-	-	.03	-	-	-	.02	.09	25
26	.01	.17	-	.22	-	-	.18	-	-	-	1.18	.08	26
27	.35	.34	-	-	1.35	.02	.17	-	-	.08	.08	.01	27
28	.25	.04	.16	.03	.05	.01	.01	.02	-	.08	.01	.11	28
29	.05	X	.11	-	.10	-	.46	.08	-	.03	.05	.09	29
30	.07	X	-	-	.05	-	.06	-	.16	.01	.01	.02	30
31	.93	X	-	X	.48	X	.05	-	X	-	X	.33	31
TOTAL	4.48	7.65	1.84	3.25	4.25	7.33	6.03	5.57	2.12	1.64	8.63	3.13	52.92
*Days with "01 in. or more.	25	24	11	19	24	21	25	21	11	15	26	19	241
*Days with "04 in. or more.	18	21	8	11	19	13	20	16	10	11	19	14	180

Section

A

for the entry of Daily Observations.

Station No.

18228

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Ilfracombe Seaside Works*in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft in.,, Ground ,, Sea Level *395 O.D.* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.01	/	.21	.09	-	.16	.01	.16	.21	.03	.06	1
2	.31	/	/	/	.39	-	.03	.11	1.30	/	.14	.63	2
3	.05	/	/	.22	.01	/	.12	/	.15	.12	.05	.02	3
4	.03	/	/	.02	/	/	.09	.10	/	.02	.68	/	4
5	1.80	/	.13	/	/	/	.04	/	.54	/	/	/	5
6	.56	/	.04	.19	.03	/	/	.08	.13	.09	/	/	6
7	.27	/	.01	/	.09	/	/	/	.80	1.35	/	/	7
8	.01	/	1.25	.06	.13	/	.02	.04	.05	.47	/	/	8
9	.41	/	/	.21	.07	/	.03	/	.07	.04	/	/	9
10	.65	/	/	.16	.05	.03	/	/	.17	.36	/	/	10
11	.12	/	/	.02	.06	/	.19	/	.03	.18	/	.12	11
12	.77	/	/	.02	1.10	.02	/	.02	.14	.59	/	/	12
13	.14	/	/	.19	.05	/	.42	.26	.07	.92	.03	1.44	13
14	.26	/	/	.08	.36	/	/	.02	/	.08	/	.05	14
15	.03	/	/	.09	.04	/	/	/	/	.17	.14	.04	15
16	.30	/	/	.25	/	/	.64	/	/	/	/	.07	16
17	/	/	/	/	.06	/	/	/	/	.07	/	/	17
18	/	/	/	/	.14	/	/	/	.13	/	.29	/	18
19	/	/	/	.04	.68	/	/	/	.15	.95	.02	.01	19
20	/	/	/	.28	.75	/	.09	.03	.05	.73	.31	.11	20
21	.05	/	.14	.18	.07	/	/	.84	/	1.26	.32	.60	21
22	.05	/	.09	.15	.04	/	.07	/	.46	.38	.56	.07	22
23	/	/	/	/	.03	/	.70	/	/	.74	.28	.23	23
24	/	/	/	/	/	/	.44	/	.33	.19	.03	.02	24
25	/	/	.07	/	/	/	.32	/	.10	.82	.20	/	25
26	/	/	.07	.03	/	/	.03	/	.07	.20	.06	/	26
27	/	/	1.30	.20	.24	/	.17	/	/	.70	/	.08	27
28	/	/	.04	.18	.15	.01	.55	.03	/	.04	.04	/	28
29	/	/	.64	.11	.14	.51	.20	.29	.25	.92	.18	.65	29
30	/	X	.02	.06	.02	.75	1.25	.18	.32	.16	.51	.02	30
31	/	X	/	X	.02	X	.11	/	X	.04	X	.70	31
TOTAL	5.96	.01	3.80	2.95	4.69	1.32	5.61	2.01	5.41	11.77	3.87	3.86	YEAR'S TOTAL 51.76
*Days with ".01 in. or more.	18	1	12	22	25	5	21	13	27	27	18	18	20.1
*Days with ".04 in. or more.	15	/	10	18	18	2	16	8	19	26	14	13	15.9

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. J. Westaway

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Spacombs Slide Waterworks*in the County of *Devon*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *in.*,, Ground ,, Sea Level *395 0.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.54	.08	—	.24	.03	—	—	.01	—	.05	<u>1.12</u>		1
2	<u>.75</u>	—	.44	—	.18	<u>.98</u>	—	.01	—	—	.04	.16		2
3	.05	.37	.36	—	.06	—	—	—	—	—	—	—		3
4	.16	.13	.01	—	.08	—	—	—	—	—	—	—		4
5	.09	.04	.36	—	.13	—	—	—	—	.05	—	—		5
6	.01	.42	.04	—	.25	—	.16	—	—	.09	—	—		6
7	.58	.20	—	—	.56	—	.24	.03	—	.30	—	.03		7
8	.15	.08	.03	.03	.11	—	<u>1.10</u>	.03	—	.01	—	—		8
9	—	.09	—	.02	<u>.65</u>	.01	.70	.03	—	1.30	.16	—		9
10	.30	.36	—	—	—	—	.12	.03	—	<u>2.51</u>	.03	—		10
11	.08	—	—	—	—	—	.29	.19	—	.14	—	—		11
12	.07	—	—	—	.05	.21	.31	—	.10	.20	—	.02		12
13	.02	—	—	—	.23	.01	.72	—	—	.49	.23	—		13
14	.22	—	—	—	—	—	.36	.19	—	—	.24	—		14
15	.05	—	.25	—	—	.04	.54	.18	—	.11	.05	—		15
16	—	—	<u>.90</u>	—	—	.17	—	.04	—	.08	—	—		16
17	.03	—	.40	—	—	.05	.02	.04	.12	—	—	—		17
18	.09	—	—	—	—	.07	—	—	—	—	.05	—		18
19	.10	—	.15	—	—	—	—	.04	<u>.35</u>	.06	<u>.48</u>	—		19
20	—	.03	—	—	.12	.01	—	.13	.19	—	.05	—		20
21	—	.07	—	—	—	.01	—	.03	—	.10	—	—		21
22	—	—	—	.25	.03	—	—	<u>.73</u>	.06	—	—	—		22
23	—	.36	—	.36	—	.42	—	—	.25	.47	—	—		23
24	—	<u>.67</u>	—	.29	.02	.02	.05	—	.15	.26	—	—		24
25	—	.25	—	<u>.57</u>	—	.56	—	—	.20	.01	—	.20		25
26	—	.47	—	.40	.51	—	—	—	—	.26	—	—		26
27	—	.09	—	—	—	—	—	—	.02	.29	—	.49		27
28	—	.18	—	.31	—	—	.16	.13	—	.16	—	.01		28
29	.14	X	—	.02	—	—	.05	.03	—	—	—	.04		29
30	.12	X	.13	.23	—	—	.25	—	.01	.24	—	.05		30
31	.34	X	.12	X	.01	X	—	—	X	.04	X	—		31
TOTAL	3.48	4.35	3.60	2.48	2.73	2.09	5.07	1.86	1.46	7.17	1.38	2.12	Year's total	37.79
*Days with .01 in. or more.	20	17	13	10	16	14	15	16	11	21	10	9		172
*Days with .04 in. or more.	17	16	11	7	13	8	14	9	8	19	9	6		137

† Spare column, no entries required.

(Signed)

A. Westaway

P.T.O.

40-9999

*See Instruction 2 (f) on other side.

Section



for the entry of Daily Observations.

Station No.

1828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Ilfracombe Slade Water Works*in the County of *Devon*Diameter of Funnel of Gauge *Five* in.Height of top of Gauge above Ground *One* ft. in.,, Ground ,, Sea Level *395.00* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25		.06					.58	.11	.18	.16	1.40		1
2	.07		.09						.56		.20	.34		2
3	.12	.01			.02			.01	.09	.53		.54		3
4	.25		.09	.11	.29				.27	.74	.01	.65		4
5			.10	.08	.10	.10		.50		.03	.75	1.05		5
6	.10		.21	.07	.44			.17	.01	1.21	.06	.40		6
7	.44							.10	.01	.90	.24	.45		7
8					.36			.11	.05	.01	.98	.50		8
9	.03		.24					.02			.29	.12		9
10	.15	.04	.25	.27				.54		.01	.02	.05		10
11	1.62		.04	.82				.30				.38		11
12	.11	.01						.15				.03		12
13	.36		.08	.65		.01				.05	.08	.02		13
14	.45		.32	.03						.15	.01	.15		14
15	.01		.05		.29		.05	.15		.04	.03	.52		15
16	.20	.01	.45	.01	.03				.45	.02		.12		16
17	.30		.03		.02				.01	.12		.26		17
18	.08		.12	.49	.03	.11		.03	.25	.03		.46		18
19			.21		.04	.07	.05	.09	.21	.08		.27		19
20			.07	.42	.09		.01		.06	.04	.06	.01		20
21			.30		.09	.30	.42	.38	.02	.34	.19	.10		21
22	.11		.04	.05				.49	.60	.23		.25		22
23	.05		.01	.09		.37	.23	.01	.12	.05		.01		23
24		.53	.04	.04		.47	.13		.09	.04		.03		24
25	.36	.04		.16					.03	.23		.04		25
26	.05		.17	.01		.60			.47	.17	.08	.10		26
27								.05	.07	.20	.15	.10		27
28				.01		.01	.21	.30	.27	.18		.42		28
29							.02	.37	.13	.10		.07		29
30	.17	×					.02	.14	.17	.17		.48		30
31		×		×		×		.01	×	.15	×	.06		31
TOTAL	5.28	.64	2.97	3.02	1.80	2.04	.84	4.50	4.05	5.97	3.31	9.38	43.80	
* Days with .01 in. or more.	21	6	21	16	12	9	9	21	22	27	16	31	211	
* Days with .04 in. or more.	19	3	19	12	8	7	6	16	17	22	12	26	167	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

A. P. Stewart

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 1828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ...Glade Water Works...Tlfracombe...

in the County of ...Devon...

Diameter of Funnel of Gauge...Two...in.

Height of top of Gauge above Ground...One ft...in.

,, Ground ,, Sea Level...395.00...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.9	nil	60	nil	nil	14	06	nil	16	06	04	11		1
2	nil	01	08	nil	nil	nil	04	nil	03	69	07	06		2
3	03	02	03	01	02	11	03	nil	27	15	06	nil		3
4	nil	23	nil	07	nil	12	03	nil	18	16	13	91		4
5	nil	28	22	09	nil	nil	04	nil	31	04	24	13		5
6	nil	nil	nil	47	nil	nil	nil	nil	nil	nil	08	29		6
7	nil	nil	nil	69	nil	49	nil	nil	nil	60	05	29		7
8	nil	nil	nil	47	nil	01	nil	nil	nil	22	14	19		8
9	03	nil	nil	1.05	nil	08	nil	nil	nil	1.10	27	nil		9
10	09	nil	08	05	nil	02	nil	nil	nil	28	nil	nil		10
11	38	09	nil	nil	nil	13	nil	nil	10	34	74	nil		11
12	09	32	nil	nil	nil	35	nil	02	08	04	64	nil		12
13	13	19	nil	27	nil	10	nil	nil	06	21	42	nil		13
14	nil	15	nil	21	nil	1.28	nil	nil	41	10	1.09	37		14
15	nil	29	nil	59	22	02	nil	nil	32	06	06	16		15
16	nil	17	nil	36	nil	nil	04	nil	55	12	31	03		16
17	nil	nil	nil	09	81	29	01	05	02	03	nil	nil		17
18	nil	06	nil	67	16	02	01	03	59	20	nil	07		18
19	nil	03	nil	30	36	20	41	nil	51	28	22	01		19
20	nil	62	nil	20	44	37	11	nil	nil	11	39	nil		20
21	nil	42	05	12	nil	nil	34	nil	24	04	nil	06		21
22	nil	01	10	11	nil	nil	nil	nil	17	10	nil	nil		22
23	nil	nil	15	nil	10	nil	nil	41	66	44	nil	21		23
24	15	26	20	09	01	04	nil	03	19	15	nil	16		24
25	20	56	nil	02	nil	07	nil	nil	nil	nil	nil	05		25
26	nil	49	nil	nil	nil	nil	nil	67	56	nil	16	30		26
27	nil	13	nil	nil	03	nil	07	28	24	02	28	05		27
28	05	08	nil	nil	nil	nil	08	20	40	01	22	08		28
29	nil	2	nil	nil	03	nil	nil	30	29	20	28	36		29
30	08	~~X~~	nil	01	nil	04	nil	88	13	75	72	66		30
31	nil	~~X~~	nil	~~X~~	nil	~~X~~	nil	04	~~X~~	95	~~X~~	18		31
TOTAL	1.32	4.41	1.51	5.94	2.18	3.88	1.27	2.91	6.47	7.45	6.61	4.73	Year's Total	48.68
* Days with .01 in. or more.	11	20	9	21	10	19	13	11	23	28	22	22		209
* Days with .04 in. or more.	9	16	8	18	6	15	9	8	21	25	22	20		177

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

A. J. Westaway

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

18286

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Ilfracombe Waterworks (Slade)*in the County of *Devon*Diameter of Funnel of Gauge *1.5 in.*Height of top of Gauge above Ground *One* ft.Ground Sea Level *395* ft.*Ann total cons for entire*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.14	0.08	-	0.43	-	0.56	1.68	0.04	-	-	0.21	0.02		1
2	0.01	-	-	0.01	-	0.30	0.05	0.01	0.08	-	0.14	0.01		2
3	-	-	0.11	1.00	-	-	0.13	0.06	0.41	-	-	0.42		3
4	-	0.03	0.25	-	-	0.05	0.03	-	0.45	-	0.21	0.42		4
5	0.21	0.10	-	-	0.09	-	0.32	0.25	0.02	-	0.05	0.04		5
6	0.33	-	0.04	-	-	0.05	0.43	0.14	0.10	-	0.92	-		6
7	0.20	-	0.12	-	-	-	0.22	-	0.02	-	0.44	0.03		7
8	0.31	-	0.24	-	-	-	0.49	-	-	-	0.35	0.11		8
9	0.24	-	-	-	-	0.06	0.06	-	0.31	-	0.16	-		9
10	0.03	0.06	-	-	-	-	0.05	-	-	-	0.15	-		10
11	0.06	-	-	-	-	0.24	0.05	0.03	0.39	-	1.35	0.16		11
12	-	-	-	0.11	0.03	0.34	0.64	-	0.29	0.01	0.01	0.11		12
13	0.09	0.05	0.01	-	0.03	-	0.18	0.01	0.09	0.18	0.03	0.91		13
14	-	-	-	-	-	0.19	0.48	0.12	0.10	0.12	0.06	0.99		14
15	-	-	-	0.01	0.16	0.02	0.08	0.01	0.06	0.00	0.26	0.09		15
16	0.04	0.01	-	-	0.45	-	0.03	-	-	-	0.83	0.16		16
17	0.25	0.49	-	-	0.03	-	0.23	0.10	-	0.22	0.15	0.62		17
18	0.01	0.43	0.01	-	-	-	0.92	0.01	-	0.04	-	0.08		18
19	0.54	0.01	-	0.50	-	0.30	0.01	0.28	-	-	-	-		19
20	0.23	0.25	-	0.09	-	-	0.04	0.04	0.35	0.01	-	-		20
21	0.02	0.02	0.18	0.55	-	0.39	-	-	-	0.10	-	-		21
22	0.24	0.52	0.02	-	-	0.01	0.25	-	-	0.04	-	0.02		22
23	0.03	0.08	-	0.22	0.03	-	0.21	-	-	0.14	-	-		23
24	0.13	-	0.01	0.05	0.02	-	0.41	-	0.20	0.35	-	-		24
25	0.14	-	0.10	0.49	-	-	0.28	-	0.19	0.21	-	-		25
26	0.40	0.13	0.14	-	-	-	0.01	-	0.02	0.19	-	-		26
27	0.06	0.30	0.19	-	-	-	0.11	-	0.01	0.15	0.01	-		27
28	0.50	0.04	0.51	0.04	-	-	-	-	-	-	-	0.20		28
29	-	0.03	0.06	-	-	0.04	0.14	-	-	-	0.14	0.09		29
30	0.24	~~X~~	0.06	-	-	0.28	0.13	-	-	0.45	-	-		30
31	0.34	~~X~~	0.38	~~X~~	-	~~X~~	0.49	-	~~X~~	-	~~X~~	0.42		31
TOTAL	5.01	2.66	2.45	3.83	0.84	2.86	9.08	1.16	3.09	2.54	5.83	5.20	Year's Total	44.58
* Days with .01 in. or more.	25	17	14	12	8	14	29	13	14	14	18	20	204	✓
* Days with .04 in. or more.	20	12	13	10	3	12	25	8	13	12	15	15	158	✓

† Spare column, no entries required.

(Signed)

R. J. Westaway

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

1828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Slade Waterworks* *Slhacombe*in the County of *Devon*Diameter of Funnel of Gauge *7 in.*Height of top of Gauge above Ground *722* ft. in.,, Ground ,, Sea Level *395 ft. 22 in.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.26	0.06	0.07	0.02	-	-	0.10	-	0.27	0.14	0.04	0.19		1
2	0.13	0.98	-	0.02	-	-	-	-	0.04	-	-	0.16		2
3	0.14	0.28	-	0.14	-	-	0.49	-	-	-	-	0.01		3
4	0.21	0.32	-	0.03	0.04	-	0.11	0.06	-	-	-	0.59		4
5	0.65	-	-	0.01	0.02	-	0.13	0.01	-	-	-	0.14		5
6	0.42	0.34	0.40	0.62	0.53	0.01	0.12	-	0.04	-	-	-		6
7	-	0.42	0.11	0.05	-	0.12	-	-	0.09	0.01	0.05	-		7
8	-	0.01	0.64	-	0.15	0.35	0.13	-	0.02	-	0.01	-		8
9	0.02	0.01	0.05	0.05	0.06	0.01	0.15	0.27	0.72	-	-	-		9
10	0.11	0.04	0.50	0.55	-	0.02	0.07	0.01	-	-	-	0.61		10
11	0.05	-	0.38	0.26	0.53	0.05	1.59	-	-	-	-	0.08		11
12	0.24	0.39	0.18	0.11	-	0.16	0.27	0.07	0.51	-	-	0.31		12
13	-	0.24	0.42	0.10	-	0.04	-	0.36	0.11	-	-	0.21		13
14	-	0.05	0.02	-	-	-	-	-	0.34	-	-	0.12		14
15	0.16	0.32	0.07	0.69	-	-	-	0.03	0.40	-	-	0.29		15
16	0.10	0.05	0.42	0.11	-	-	0.21	0.60	0.09	-	-	-		16
17	0.73	0.09	0.16	-	-	-	0.08	0.01	0.32	-	0.02	-		17
18	0.21	0.31	0.36	-	-	0.12	0.06	0.02	0.27	-	0.30	0.33		18
19	0.41	0.12	0.15	0.63	0.15	-	0.11	-	0.23	-	0.40	-		19
20	0.59	0.07	0.03	0.44	0.18	-	-	-	-	-	-	0.57		20
21	0.21	0.86	-	0.08	0.08	-	0.27	-	0.12	0.18	-	0.03		21
22	0.03	0.02	0.01	-	0.16	-	0.37	-	-	0.32	0.43	0.24		22
23	0.18	0.30	-	-	0.15	-	0.02	-	-	0.26	0.13	-		23
24	0.23	0.68	0.04	-	-	-	0.04	-	0.31	0.32	-	0.09		24
25	-	0.57	0.34	-	0.02	-	-	-	0.03	0.10	-	0.07		25
26	-	0.24	0.05	-	0.03	-	-	-	-	-	-	-		26
27	-	0.46	-	-	-	-	-	-	-	1.05	-	-		27
28	0.02	0.08	-	-	-	-	-	-	-	0.06	-	-		28
29	0.12	X	-	-	-	0.02	-	-	-	0.47	0.55	-		29
30	0.28	X	-	-	-	0.14	-	-	0.08	0.17	0.56	-		30
31	0.42	X	-	X	-	X	-	-	X	0.15	X	-		31
TOTAL	6.22	7.55	3.80	3.91	3.10	1.04	4.32	1.44	3.99	3.53	2.49	4.04	44.43	
* Days with .01 in. or more.	23	26	20	17	14	11	18	11	18	12	10	17	19.4	
* Days with .04 in. or more.	21	23	17	13	11	7	17	6	16	11	8	15	16.5	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

A. J. P. Estaway

[B.T.O.]

Section



for the entry of Daily Observations

Station No. 1828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937⁸Kept at ... *Alfacombe Waterworks, 1. Slade...*in the County of ... *Devon (North)*Diameter of Funnel of Gauge ... *1.5* in.Height of top of Gauge above Ground ... *6.5* ft. in.,, Ground ,, Sea Level ... *295 ft. O.D.* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.08	-	-	-	0.71	-	0.44	-	0.62	0.10	0.20		1
2	-	0.03	-	0.10	-	-	-	-	-	0.24	0.14	0.33		2
3	-	0.01	-	-	0.06	0.10	0.01	1.02	-	0.62	0.09	-		3
4	-	-	-	-	-	0.03	0.07	1.21	-	0.51	0.08	0.58		4
5	0.04	-	-	0.01	-	-	0.03	-	0.20	0.26	0.04	0.08		5
6	0.29	-	-	-	-	0.40	0.70	0.05	0.09	0.38	0.01	0.14		6
7	0.14	-	-	-	-	-	0.25	0.03	-	0.13	-	0.18		7
8	0.62	0.13	-	-	-	-	0.12	0.74	-	0.33	-	0.09		8
9	0.31	0.16	0.05	-	-	-	0.01	0.18	-	0.11	0.02	0.49		9
10	0.12	-	-	-	-	-	0.27	0.01	-	0.12	-	0.29		10
11	0.28	-	-	-	-	0.03	0.09	0.01	-	0.15	0.32	0.30		11
12	0.48	-	-	-	0.29	-	-	-	-	1.09	0.76	0.08		12
13	0.07	-	-	-	0.14	-	-	-	-	0.09	0.19	0.39		13
14	0.54	-	-	-	0.10	-	0.22	-	0.03	-	-	-		14
15	0.49	-	-	-	0.33	-	-	0.14	-	0.02	0.14	0.50		15
16	0.18	-	0.14	-	0.04	-	-	0.01	-	0.02	0.02	0.01		16
17	-	0.22	0.01	-	0.06	-	0.15	-	0.65	0.37	0.03	-		17
18	0.21	-	-	-	-	0.09	0.05	0.58	0.27	0.04	0.65	-		18
19	0.03	-	-	-	-	-	0.04	0.19	0.15	-	0.59	-		19
20	0.10	-	-	-	-	-	-	0.14	-	-	0.30	-		20
21	0.12	-	-	-	-	0.03	-	0.33	0.18	0.01	0.22	-		21
22	0.09	-	-	-	0.01	0.18	-	0.95	-	0.11	0.47	-		22
23	-	-	-	0.10	-	0.01	-	0.02	0.06	-	0.27	-		23
24	0.08	0.23	0.39	-	0.08	0.01	0.11	0.11	0.04	-	0.28	-		24
25	0.08	0.41	0.02	-	0.25	-	0.29	-	-	0.24	0.66	0.01		25
26	0.41	0.24	0.03	-	0.28	0.21	0.04	-	-	0.25	0.27	0.21		26
27	0.35	0.21	-	-	0.28	0.17	0.31	0.78	0.02	0.08	0.61	-		27
28	0.07	0.31	-	-	0.06	0.32	0.06	0.53	0.18	0.11	0.32	0.03		28
29	0.20	X	0.02	-	0.42	0.06	0.14	-	0.22	0.60	0.19	0.07		29
30	0.06	X	0.08	-	0.28	0.17	0.12	-	0.26	-	0.61	0.14		30
31	0.36	X	0.05	X	0.64	X	0.04	-	X	0.60	X	0.33		31
TOTAL	5.72	2.03	0.49	0.21	3.32	2.52	3.22	7.47	2.35	7.00	7.38	4.75	46.76	
* Days with .01 in. or more.	25	11	9	3	16	15	21	20	13	25	26	20	204	
* Days with .04 in. or more.	24	9	5	2	15	10	18	15	11	22	22	17	170	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. J. D. Estaway

P.T.O.

Section



for the entry of Daily Observations

Station No. 1828

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sepcombe Reservoir

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 395 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.12	-	.08	.08	.23	-	-	-	-	-	.12	.15		1
2	0.11	-	-	.12	-	-	.04	.45	.19	-	.06	.32		2
3	0.29	-	.12	.55	-	-	-	-	.02	-	.16	.35		3
4	-	-	.29	.10	.48	-	.18	-	-	.12	.45	.24		4
5	-	-	.05	.56	.05	-	.16	-	-	.16	.93	-		5
6	0.55	-	-	.03	-	-	1.25	.05	-	.01	.04	-		6
7	0.06	.26	-	-	-	-	0.29	.11	-	-	.28	1.18		7
8	0.04	.29	.02	-	.02	-	0.59	.02	-	.25	.53	.45		8
9	0.05	.12	.01	-	.04	-	-	.59	-	.15	.03	.48		9
10	0.19	.06	-	-	-	-	-	.14	.39	.41	-	.30		10
11	.21	.10	.19	-	-	.04	-	-	-	.65	-	-		11
12	.23	.01	-	.10	-	-	-	-	.10	.23	.03	-		12
13	.13	-	-	.86	.04	.08	.23	-	.06	.03	.08	-		13
14	.58	.03	-	-	.03	.26	.18	-	-	.05	.43	-		14
15	.21	.16	-	.06	.12	1.58	.11	-	-	.11	.48	-		15
16	.09	-	-	.05	.11	-	.05	-	-	-	.61	-		16
17	.41	.09	-	-	-	.22	.09	-	-	-	.08	-		17
18	.15	.15	.11	-	-	.01	.42	-	-	-	1.06	.01		18
19	.53	-	-	-	-	-	.06	.24	-	-	-	.06		19
20	.69	-	-	-	-	-	.13	.22	-	-	-	-		20
21	.14	.30	.16	.01	.21	.20	.02	-	.13	-	-	-		21
22	.21	.68	.09	.08	-	.17	.29	-	-	.01	.92	-		22
23	-	.03	.15	.10	-	.06	.06	-	-	-	.93	-		23
24	.85	.11	.22	.08	-	.04	.19	.02	-	-	-	-		24
25	.15	.12	-	.02	-	-	.26	.08	-	.12	1.08	-		25
26	-	.02	-	-	-	-	.06	.83	-	.04	1.32	-		26
27	-	.43	.02	-	-	.10	.56	.02	-	-	.10	-		27
28	0.40	.05	.03	-	-	.09	.85	-	-	-	1.02	-		28
29	-	~~X~~	-	.06	-	-	.31	-	-	.23	.81	-		29
30	-	~~X~~	-	.63	-	-	-	-	-	-	.23	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.06	.16	~~X~~	.02	~~X~~	-		31
TOTAL	49 2.52	3.11	1.59	3.44	1.38	2.90	2.29	3.53	0.94	3.14	11.84	3.59	56.74	✓
* Days with .01 in. or more.	23	18	14	17	10	12	24	13	6	16	24	10	182	✓
* Days with .04 in. or more.	23	15	10	13	9	11	23	12	6	12	22	9	165	✓

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

A. J. T. O.



* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Slade, Ilfracombe Res.In the County of N. Devon

Rain Gauge { Diameter of Funnel..... 5 in.
Height of Top above Ground..... 1 ft. in.
Height of Ground above Sea Level..... 39.5 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with 0.1 in. or more
	Inches	Inches	Date
JAN.	<u>4.13</u>	<u>1.48</u>	<u>26th</u> <u>13</u>
FEB.	<u>4.02</u>	<u>0.87</u>	<u>18th</u> <u>18</u>
MAR.	<u>3.42</u>	<u>0.63</u>	<u>16th</u> <u>17</u>
APRIL	<u>4.11</u>	<u>1.05</u>	<u>29th</u> <u>20</u>
MAY	<u>1.54</u>	<u>0.52</u>	<u>26th</u> <u>11</u>
JUNE	<u>0.91</u>	<u>0.53</u>	<u>21st</u> <u>4</u>
JULY	<u>6.43</u>	<u>1.69</u>	<u>12th</u> <u>19</u>
AUG.	<u>0.21</u>	<u>0.11</u>	<u>9th</u> <u>6</u>
SEPT.	<u>2.91</u>	<u>0.68</u>	<u>12th</u> <u>11</u>
OCT.	<u>4.30</u>	<u>0.79</u>	<u>5th</u> <u>17</u>
NOV.	<u>11.24</u>	<u>2.39</u>	<u>2nd</u> <u>22</u>
DEC.	<u>4.24</u>	<u>0.83</u>	<u>14th</u> <u>16</u>
TOTAL	<u>47.46</u>		<u>174</u>

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

A. J. Westaway
Council Office Ilfracombe

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge

Height of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A



B



C



D



E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature Ilfracombe O.D.C.
A. J. Westaway

COPY BY B.R.O.

* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H. & S. 668/91

S.O. Code No. 40-9999

Section **A** for the entry of
AIR MINISTR

FORM 1090.

Kept at *Combe Martin*
in the County of *Devon*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level.....

Station No. *1828/5*
FALL ORGANIZATION.

132.

N. Dewey

1828/5
COOMBE MARTIN RECTORY
1932, 1934-36

740309

133 value as kept for 25/4/33.
134 value as kept for 25/4/33.
25/4/33.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.68

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.37</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.04</i>	<i>-</i>	<i>1.12</i>	<i>.82</i>	<i>-</i>	<i>.37</i>	<i>.04</i>	<i>.08</i>	1
2	<i>.24</i>	<i>-</i>	<i>-</i>	<i>.29</i>	<i>.14</i>	<i>-</i>	<i>.20</i>	<i>-</i>	<i>.25</i>	<i>.14</i>	<i>.08</i>	<i>.17</i>	2
3	<i>.50</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.48</i>	<i>-</i>	<i>.02</i>	<i>.01</i>	<i>1.50</i>	<i>.01</i>	<i>.24</i>	<i>.58</i>	3
4	<i>.07</i>	<i>-</i>	<i>-</i>	<i>.16</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>.07</i>	<i>.01</i>	4
5	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.14</i>	<i>.07</i>	<i>-</i>	<i>.08</i>	<i>.64</i>	<i>.01</i>	5
6	<i>1.40</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.48</i>	<i>-</i>	<i>-</i>	<i>-</i>	6
7	<i>.77</i>	<i>-</i>	<i>.06</i>	<i>.24</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>.09</i>	<i>-</i>	<i>-</i>	7
8	<i>.30</i>	<i>-</i>	<i>.01</i>	<i>.01</i>	<i>.02</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.84</i>	<i>1.53</i>	<i>-</i>	<i>-</i>	8
9	<i>.01</i>	<i>-</i>	<i>1.11</i>	<i>.15</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.03</i>	<i>.34</i>	<i>-</i>	<i>-</i>	9
10	<i>.49</i>	<i>-</i>	<i>-</i>	<i>.37</i>	<i>.02</i>	<i>-</i>	<i>1.02</i>	<i>-</i>	<i>.02</i>	<i>.03</i>	<i>-</i>	<i>-</i>	10
11	<i>.74</i>	<i>-</i>	<i>-</i>	<i>.29</i>	<i>.04</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.30</i>	<i>.55</i>	<i>-</i>	<i>-</i>	11
12	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.08</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.82</i>	<i>.03</i>	<i>-</i>	<i>.04</i>	12
13	<i>.88</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.84</i>	<i>.04</i>	<i>-</i>	<i>.02</i>	<i>.09</i>	<i>.72</i>	<i>-</i>	<i>-</i>	13
14	<i>.15</i>	<i>.02</i>	<i>-</i>	<i>.39</i>	<i>.02</i>	<i>-</i>	<i>.20</i>	<i>.08</i>	<i>.01</i>	<i>1.05</i>	<i>.04</i>	<i>.24</i>	14
15	<i>.27</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.28</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.01</i>	<i>.03</i>	<i>.10</i>	15
16	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.16</i>	<i>.14</i>	<i>.03</i>	16
17	<i>.35</i>	<i>-</i>	<i>-</i>	<i>.33</i>	<i>-</i>	<i>-</i>	<i>.87</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	17
18	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.01</i>	18
19	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>.22</i>	<i>-</i>	19
20	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>.26</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.25</i>	<i>1.00</i>	<i>.02</i>	<i>.02</i>	20
21	<i>-</i>	<i>-</i>	<i>-</i>	<i>.27</i>	<i>.77</i>	<i>-</i>	<i>.04</i>	<i>.03</i>	<i>.02</i>	<i>1.03</i>	<i>.34</i>	<i>.05</i>	21
22	<i>.02</i>	<i>-</i>	<i>.13</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.43</i>	<i>-</i>	<i>1.08</i>	<i>.24</i>	<i>.20</i>	22
23	<i>.02</i>	<i>-</i>	<i>.08</i>	<i>.22</i>	<i>.03</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.50</i>	<i>.35</i>	<i>.70</i>	<i>.08</i>	23
24	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.31</i>	<i>-</i>	<i>.19</i>	<i>.80</i>	<i>.40</i>	<i>.37</i>	24
25	<i>-</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.33</i>	<i>-</i>	<i>.41</i>	<i>.20</i>	<i>.02</i>	<i>.02</i>	25
26	<i>-</i>	<i>-</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.40</i>	<i>-</i>	<i>.18</i>	<i>.83</i>	<i>.32</i>	<i>-</i>	26
27	<i>-</i>	<i>-</i>	<i>.08</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>.02</i>	<i>.26</i>	<i>.06</i>	<i>-</i>	27
28	<i>-</i>	<i>-</i>	<i>.64</i>	<i>.19</i>	<i>.21</i>	<i>-</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>.59</i>	<i>.01</i>	<i>.05</i>	28
29	<i>-</i>	<i>-</i>	<i>.07</i>	<i>.16</i>	<i>.10</i>	<i>.22</i>	<i>.48</i>	<i>.02</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>-</i>	29
30	<i>-</i>	<i>X</i>	<i>.91</i>	<i>.08</i>	<i>.13</i>	<i>.32</i>	<i>.28</i>	<i>.23</i>	<i>.26</i>	<i>1.10</i>	<i>.68</i>	<i>.69</i>	30
31	<i>-</i>	<i>X</i>	<i>.11</i>	<i>X</i>	<i>.01</i>	<i>X</i>	<i>1.03</i>	<i>.18</i>	<i>X</i>	<i>.10</i>	<i>X</i>	<i>.02</i>	31
TOTAL	<i>6.53</i>	<i>.04</i>	<i>3.41</i>	<i>3.72</i>	<i>3.91</i>	<i>1.71</i>	<i>5.93</i>	<i>1.27</i>	<i>6.11</i>	<i>12.51</i>	<i>4.36</i>	<i>53.19</i>	YEAR'S TOTAL
*Days with or more.	<i>21</i>	<i>2</i>	<i>12</i>	<i>22</i>	<i>23</i>	<i>4</i>	<i>22</i>	<i>12</i>	<i>21</i>	<i>27</i>	<i>19</i>	<i>19</i>	<i>204</i>
*Days with or more.	<i>15</i>	<i>-</i>	<i>11</i>	<i>17</i>	<i>16</i>	<i>3</i>	<i>15</i>	<i>7</i>	<i>15</i>	<i>23</i>	<i>15</i>	<i>12</i>	<i>140</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Richard Seymour

X REV. R. SEYMOUR X

P.F.O.

Section

A

for the entry of Daily Observations.

Station No.

1828/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

N. Dewon

Kept at *Combe Martin Rectory*

in the County of *Devon*

Diameter of Funnel of Gauge *4.5* in.

Height of top of Gauge above Ground *1* ft. — in.

Ground Sea Level *30* ft.

W.D.

*Jan 1st 1933 value asked for } 25/4/33.
also diameter of gauge*

"5" 20/4/33.

Jan. 1, following

.68

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	-	-	.02	.04	-	1.12	.82	-	.37	.04	.08	1
2	.27	-	-	.29	.14	-	.20	-	.25	.14	.08	.17	2
3	.50	-	-	-	.48	-	.02	.07	1.50	.01	.24	.58	3
4	.07	-	-	.16	-	-	.10	-	.10	-	.07	.01	4
5	.04	-	-	-	-	-	.14	.07	-	.08	.64	.01	5
6	1.40	-	.07	-	.01	-	.02	-	.48	-	-	-	6
7	.77	-	.06	.24	-	-	-	-	.15	.09	-	-	7
8	.30	-	.01	.01	.02	-	.01	-	.84	1.53	-	-	8
9	.01	-	1.11	.15	.14	-	-	.03	.03	.34	-	-	9
10	.49	-	-	.37	.02	-	1.02	-	.02	.03	-	-	10
11	.77	-	-	.29	.04	.01	-	-	.20	.55	-	-	11
12	.14	-	-	.02	.08	-	.01	-	.52	.03	-	.04	12
13	.88	-	-	.01	.84	.04	-	.02	.09	.72	-	-	13
14	.15	.02	-	.39	.02	-	.20	.08	.01	1.05	.04	.24	14
15	.27	-	-	.04	.28	-	-	.01	-	.01	.03	.10	15
16	.03	-	-	.08	.04	-	-	-	-	.16	.14	.03	16
17	.35	-	-	.33	-	-	.87	-	-	-	-	-	17
18	-	-	-	-	.08	-	-	-	-	.09	-	.01	18
19	.01	-	-	-	.15	-	-	-	.12	-	.22	-	19
20	.01	-	-	.05	.26	-	.01	-	.25	1.00	.02	.02	20
21	-	-	-	.27	.77	-	.04	.03	.02	1.03	.37	.05	21
22	.02	-	.13	.32	-	-	-	.43	-	1.08	.24	.20	22
23	.02	-	.08	.22	.03	-	.02	-	.50	.35	.70	.08	23
24	-	-	-	-	.03	-	.31	-	.19	.80	.40	.27	24
25	-	.02	-	-	-	-	.32	-	.41	.20	.02	.02	25
26	-	-	.11	-	-	-	.40	-	.18	.83	.32	-	26
27	-	-	.08	.01	-	-	.07	-	.02	.26	.06	-	27
28	-	-	.64	.19	.21	-	.15	-	-	.59	.01	.05	28
29	-	-	.07	.16	.10	.22	.48	.02	-	.07	-	-	29
30	-	X	.91	.08	.13	.32	.28	.23	.26	1.10	.68	.69	30
31	-	X	.11	X	.01	X	1.03	.18	X	.10	X	.02	31
TOTAL	6.53	.04	3.41	3.72	3.91	1.71	5.93	1.27	6.11	12.51	4.36	23.51	YEAR'S TOTAL
*Days with .01 in. or more.	21	2	12	22	23	4	22	12	21	27	19	19	204
*Days with .04 in. or more.	15	-	11	17	16	3	15	7	15	23	15	12	140

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Richard Seymour

REV. R. SEYMOUR

P.F.O.

Section

A

for the entry of Daily Observations.

Station No.

1828/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

C 1932
MR 1923Kept at Combe Martin Rectory
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
Ground Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

13

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.19	—	.04	—	—	—	—	.94	.43	.14	.15	1.66		1
2	.09	—	.09	—	—	—	—	.01	.61	—	.35	.49		2
3	.27	.02	—	—	.02	—	—	—	.12	.45	—	.70		3
4	.36	—	.09	.22	.26	—	—	—	.26	.68	.02	.75		4
5	—	—	.12	.05	.15	.17	—	.36	—	.10	1.41	1.50		5
6	.16	—	.20	.05	.59	—	—	.25	.01	1.41	.04	.49		6
7	.32	—	—	—	—	—	—	.09	—	.68	.20	.69		7
8	.01	—	—	—	.20	—	—	—	.12	.04	1.18	.86		8
9	.01	—	.21	—	—	—	—	.14	.01	.03	.45	.08		9
10	.33	.01	.25	.16	—	—	—	.79	—	.04	.02	.10		10
11	1.44	—	.02	.76	—	—	—	.09	—	—	—	.40		11
12	.15	.01	—	—	—	—	—	.11	—	—	—	.02		12
13	.54	—	.23	.26	—	—	—	—	—	.06	.07	.02		13
14	.45	—	.57	.02	—	—	—	—	—	.03	.03	.30		14
15	.05	—	.09	.01	.36	—	.04	.08	—	.10	.13	.53		15
16	.41	—	.67	.01	.02	—	—	—	.33	.12	—	.15		16
17	.41	—	.01	.03	.05	—	—	—	.02	.03	—	.36		17
18	.11	—	.14	.54	.02	.12	—	.07	.25	.04	—	.68		18
19	—	—	.24	—	.06	.09	.02	.12	.46	.06	—	.34		19
20	.02	—	.05	.43	.19	—	.02	—	.05	.06	.02	.01		20
21	—	—	.25	—	.06	.40	.27	.34	.09	.32	.17	.06		21
22	.09	—	.07	—	—	—	—	.79	.58	.31	.01	.27		22
23	.03	—	.02	.43	—	.38	.10	—	.11	.03	—	.01		23
24	—	.53	.02	—	—	.60	.05	—	.13	.07	—	.06		24
25	.34	.02	—	.37	—	—	—	—	.03	.18	—	.88		25
26	.04	—	.10	.02	—	.68	—	—	.49	.17	.08	.31		26
27	—	—	—	.01	—	.03	—	.03	.08	.25	.11	.07		27
28	—	—	—	.02	—	—	.24	.54	.23	.12	—	.41		28
29	.02	—	—	—	—	—	.03	.55	.10	.10	—	.07		29
30	.12	X	—	—	—	—	—	.49	.32	.23	—	.66		30
31	—	X	—	X	—	X	—	—	X	.07	X	.07		31
TOTAL	5.96	5.9	3.48	3.39	1.98	2.47	.77	5.79	4.83	5.92	4.44	13.00	52.67	Year's Total
*Days with or in. or more.	24	5	21	17	12	8	8	18	22	28	17	31	211	
*Days with .04 in. or more.	19	1	17	10	9	7	4	16	18	24	12	27	164	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P. T. O.]

Section



for the entry of Daily Observations.

Station No. 1828/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Combe Martin Rectory

in the County of Devon

Diameter of Funnel of Gauge NO in.

Height of top of Gauge above Ground Change in.

,, Ground ,, Sea Level Change ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.02	.46	—	—	.04	.05	—	.63	.16	.04	.26		1
2	—	.03	.06	—	—	—	.02	—	.06	.68	.29	.09		2
3	.04	.01	.07	.04	.02	.03	.03	—	.41	.23	.21	—		3
4	.01	.23	—	.14	.02	.16	.02	—	.23	.13	.18	.75		4
5	.01	.36	.11	.15	—	.12	—	—	.30	.13	.30	.25		5
6	—	—	—	.58	—	.76	—	—	—	—	.11	.27		6
7	—	—	—	.70	—	.09	—	—	—	.61	.01	.20		7
8	—	—	—	.51	—	—	—	—	.01	.28	.19	.13		8
9	.02	—	—	.97	—	—	—	—	—	1.45	.44	—		9
10	.04	—	.13	.13	—	.08	.04	—	—	.35	.01	.01		10
11	.48	.15	.01	—	—	.31	—	—	.13	.19	.68	—		11
12	.05	.67	—	—	—	.24	—	.02	.08	.01	.34	—		12
13	.12	—	—	.30	—	.13	—	—	.05	.23	.48	—		13
14	—	.33	—	.35	—	1.12	—	—	.50	.08	1.13	.44		14
15	—	.32	—	.65	.17	.10	—	—	.38	.11	.07	.29		15
16	—	.22	—	.43	—	—	.03	—	.70	.17	.45	.06		16
17	—	.01	—	.13	.98	.38	.03	.04	.02	.07	.02	—		17
18	—	.09	—	.89	.07	.02	.02	—	.87	.30	—	.04		18
19	—	.07	—	.46	.72	.19	.66	—	.50	.40	.15	—		19
20	—	.73	—	.29	.33	.27	.05	—	.03	.01	.38	—		20
21	—	.57	.04	.18	—	—	.16	—	.26	.09	.01	—		21
22	—	.01	.16	.19	—	—	—	—	.29	.10	—	—		22
23	—	—	.18	—	.05	—	—	.27	.69	.47	—	.25		23
24	.49	.42	.09	.17	—	—	—	.04	.13	.07	—	.10		24
25	.19	.99	—	—	—	.29	—	—	—	.01	—	.05		25
26	—	.48	.01	—	—	.02	—	.78	.49	—	.19	.30		26
27	—	.26	—	—	.01	—	.06	.94	.32	.06	.39	.04		27
28	.04	.08	—	—	—	—	.06	.37	.21	.03	.09	.06		28
29	—	—	—	—	.05	—	—	.61	.36	.26	.50	.54		29
30	.07	×	—	.04	—	.01	—	1.14	.34	.60	.90	.97		30
31	—	×	—	×	.02	×	—	.02	×	.63	×	.38		31
TOTAL	1.69	6.05	1.32	7.30	2.44	4.36	1.23	4.23	7.99	7.91	7.56	5.48	Year's Total	57.56
* Days with .01 in. or more.	138	215	112	20	114	194	138	10	252	294	254	214		218
* Days with .04 in. or more.	10	16	9	20	7	15	7	8	23	25	21	20		180

40-999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Richard Seymour

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

1828/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937

Kept at Cornhill Martin Rectory
in the County of Devon

Diameter of Funnel of Gauge.....in. No

Height of top of Gauge above Ground.....in. Change

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

34

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.05	.01	.37	—	.35	1.19	.17	—	—	.16	.08		1
2	.01	—	.01	.04	—	.14	.10	.04	.26	—	.05	.01		2
3	—	—	.12	.37	—	—	.10	.03	.63	—	.03	.20		3
4	—	.03	.29	—	—	.10	.02	—	.45	—	.22	.58		4
5	.24	—	.02	—	.03	—	.34	.47	.07	—	.02	.07		5
6	.41	—	.04	—	—	.05	.76	.09	.15	—	.86	.02		6
7	.48	—	.16	—	—	—	.37	—	.06	—	.86	.01		7
8	.25	—	.34	—	—	—	.72	—	—	—	.54	.13		8
9	.30	.09	.02	—	—	.02	.07	—	.14	—	.26	—		9
10	.04	.02	—	—	—	—	.05	—	—	—	.34	—		10
11	—	.14	—	—	—	.19	.04	.03	.40	—	1.16	.19		11
12	.16	—	—	.16	.05	.78	.80	—	.34	.02	.04	.10		12
13	.07	.04	—	—	.04	—	.10	—	.10	.23	.04	1.34		13
14	—	.02	—	—	—	.41	.53	.01	.12	.08	.05	.84		14
15	—	—	—	.02	.05	.02	.01	—	.03	—	.36	.20		15
16	.05	—	—	—	.42	—	.03	.02	.02	—	1.15	.20		16
17	.31	.50	—	—	.08	.02	.31	.09	—	.32	.14	1.02		17
18	.02	.30	.03	—	—	.04	.79	.04	—	.07	—	.13		18
19	.52	.01	.01	.64	—	.18	.12	.37	—	.02	—	—		19
20	.18	.18	.02	.05	—	—	.11	.04	.25	.02	—	.03		20
21	.03	—	.13	.58	—	.05	—	—	.02	.04	—	—		21
22	.25	.66	.13	—	—	—	.29	—	—	.02	—	—		22
23	.05	.07	.01	.29	.08	—	.32	—	—	.17	—	.06		23
24	.11	—	.02	.09	.07	—	.37	—	.14	.58	—	—		24
25	.22	—	.12	.61	.01	—	.26	—	.24	.33	.02	—		25
26	.50	.18	.16	—	—	—	.07	—	—	.26	—	—		26
27	.09	.23	.21	—	—	—	.18	—	.03	.14	—	—		27
28	.42	.05	.63	.04	—	—	.02	—	—	.02	—	.26		28
29	.01	.07	.06	—	—	.24	.03	—	—	.16	.16	.27		29
30	.37	X	.09	—	.02	.49	.17	—	—	.74	—	—		30
31	.26	X	.28	X	.01	X	.73	—	X	—	X	1.04		31
TOTAL	5.46	2.64	2.91	3.26	.86	3.08	9.00	1.40	3.45	3.22	6.46	6.78	48.52	Year's Total
* Days with .01 in. or more.	26	17	23	12	11	15	30	12	18	17	19	21	221	
* Days with .04 in. or more.	22	13	14	11	7	12	25	8	14	12	16	17	171	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Richard Seymour [P.T.O.]

Kept at Langheigh
in the County of St.

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground
,, Ground ,, Sea I

1829
INFRACOMBE, LANGHEIGH
1931—38

1829
FOR OFFICIAL USE.
FALL ORGANIZATION.
31.

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.02			.09			.08		.88	.05			I
2	.05			.51	.05	.01	.02		.31		.40	.39	2
3	.03	.03	.67				.16	.05	.26	.05	1.96	.14	3
4		.03	.13	.04	.06	1.37	.33	.95	.15	.16	.03	.02	4
5		.43	.08	.25	.03	.75	.08	.07				.41	5
6		.08		.19	.03	.35		.03		.47	.22	.28	6
7		.07			.20	.04	.25	.57		.07	.13	.30	7
8		.34		.18		.32		.18			.30	.10	8
9		.54			.03	.04	.15	.02		.05	.38	.05	9
10		.13			.27		.09	.08			.80	.01	10
11	.28	.31			.04	.20	.20	.03	.22		.23		11
12	.06	.12	.10				.37		.25	.20			12
13		.02			.18		.28	.08		.08	.23		13
14	.02	.09			.15	.13	.90	.07			.42		14
15		.23			.07	.15		.33					15
16	.07	.14		.08	.13	1.41	.02	.16	.11				16
17							.45	.08	.12				17
18	.07					.75	.08	.91			.35		18
19	.18	.20	.03			.09		.72			.35		19
20		.13	.28			.01		.73			.10	.04	20
21	.57	.08		.02	.13			.01			.24		21
22	.82	.02			.10		.04				.09		22
23	.11			.52	.36	.04	.20	.12		.01	.52		23
24		.10		.66	.01		.93	.01			.08	.02	24
25	.08	.21		.04			.01				.03	.07	25
26	.02	.03		.18			.16				1.28	.04	26
27	.19	.24			1.40	.01	.30			.07	.07	.24	27
28	.17	.01	.12	.03	.10			.01		.06		.10	28
29	.07				.08		.38	.06		.02	.02	.10	29
30	.09	X			.06		.04		.14				30
31	.87	X		X	.44	X	.04		X		X	.31	31
TOTAL	3.77	3.58	1.41	2.79	3.92	5.67	5.56	5.27	2.44	1.29	8.23	2.42	16.35
*Days with or in. or more.	19	23	7	13	21	16	24	32	9	12	22	17	205
*Days with .04 in. or more.	15	17	6	11	17	13	21	16	9	10	19	14	168

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Loughlough, Tharcombe
in the County of Dorset

Station No. 1829

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 127 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.02			.09			.08		.88	.05			I
2	.05			.51	.05	.01	.02		.31		.40	.39	2
3	.03	.03	.67				.16	.05	.26	.05	1.96	.14	3
4		.03	.13	.04	.06	1.37	.33	.95	.15	.16	.03	.02	4
5		.43	.08	.25	.03	.75	.08	.07				.41	5
6		.08		.19	.03	.35		.03		.47	.22	.28	6
7		.07			.20	.04	.25	.57		.07	.13	.30	7
8		.34		.18		.32		.18			.30	.10	8
9		.54			.03	.04	.15	.02		.05	.38	.05	9
10		.13			.27		.09	.08			.80	.01	10
II	.28	.31			.04	.20	.20	.03	.22		.23		II
12	.06	.12	.10				.37		.25	.20			12
13		.02			.18		.28	.08		.08	.23		13
14	.02	.09			.15	.13	.90	.07			.42		14
15		.23			.07	.15		.33					15
16	.07	.14		.08	.13	1.41	.02	.16	.11				16
17							.45	.08	.12				17
18	.07					.75	.08	.91			.35		18
19	.18	.20	.03			.09		.72			.35		19
20		.13	.28			.01		.73			.10	.04	20
21	.57	.08		.02	.13			.01			.24		21
22	.82	.02			.10		.04				.09		22
23	.11			.52	.36	.04	.20	.12		.01	.52		23
24		.10		.66	.01		.93	.01			.08	.02	24
25	.08	.21		.04			.01				.03	.07	25
26	.02	.03		.18			.16				1.28	.04	26
27	.19	.24			1.40	.01	.30			.07	.07	.14	27
28	.17	.01	.12	.03	.10			.01		.06		.10	28
29	.07				.08		.38	.06		.02	.02	.10	29
30	.09	X			.06		.04		.14				30
31	.87	X		X	.44	X	.04		X		X	.31	31
TOTAL	3.77	3.58	1.41	2.79	3.92	5.67	5.56	5.27	2.44	1.29	8.23	2.42	46.357
*Days with or in. or more.	19	23	7	13	21	16	24	22	9	12	22	17	205
*Days with .04 in. or more.	15	17	6	11	17	13	21	16	9	10	19	14	168

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Langley, Wiltshire*
in the County of *Wiltshire*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *127* ft.

File Ref. 59/950/29
Station No. 1829-
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.29</i>			<i>.17</i>	<i>.11</i>		<i>.04</i>		<i>.11</i>	<i>.10</i>	<i>.03</i>	<i>.12</i>	1
2	<i>.15</i>				<i>.28</i>		<i>.02</i>	<i>.06</i>	<i>1.06</i>		<i>.04</i>	<i>.39</i>	2
3	<i>.03</i>			<i>.21</i>	<i>.03</i>		<i>.11</i>		<i>.07</i>		<i>.10</i>		3
4	<i>.02</i>						<i>.05</i>	<i>.08</i>		<i>.12</i>	<i>.65</i>		4
5	<i>1.10</i>		<i>.08</i>				<i>.06</i>		<i>.44</i>				5
6	<i>.83</i>		<i>.03</i>	<i>.13</i>	<i>.02</i>			<i>.03</i>	<i>.11</i>	<i>.07</i>			6
7	<i>.18</i>		<i>.01</i>		<i>.06</i>				<i>.84</i>	<i>1.30</i>			7
8			<i>1.16</i>	<i>.04</i>	<i>.12</i>			<i>.02</i>	<i>.06</i>	<i>.52</i>			8
9	<i>.35</i>	<i>.03</i>		<i>.17</i>	<i>.01</i>		<i>.02</i>		<i>.02</i>	<i>.05</i>			9
10	<i>.65</i>	<i>1.10</i>		<i>.17</i>	<i>.02</i>				<i>.15</i>	<i>.28</i>			10
11	<i>.11</i>			<i>.02</i>	<i>.04</i>		<i>.04</i>		<i>.01</i>	<i>.05</i>		<i>.10</i>	11
12	<i>.79</i>				<i>.86</i>	<i>.05</i>			<i>.11</i>	<i>.72</i>		<i>.01</i>	12
13	<i>.09</i>			<i>.31</i>	<i>.04</i>		<i>.38</i>	<i>.23</i>	<i>.01</i>	<i>.74</i>	<i>.01</i>	<i>.36</i>	13
14	<i>.27</i>			<i>.02</i>	<i>.33</i>					<i>.09</i>		<i>.06</i>	14
15	<i>.02</i>			<i>.09</i>	<i>.02</i>					<i>.10</i>	<i>.12</i>	<i>.01</i>	15
16	<i>.23</i>			<i>.17</i>	<i>.04</i>		<i>.62</i>						16
17	<i>.01</i>				<i>.06</i>					<i>.03</i>			17
18					<i>.12</i>				<i>.11</i>		<i>.29</i>		18
19				<i>.02</i>	<i>.67</i>				<i>.16</i>	<i>.70</i>	<i>.03</i>		19
20				<i>.15</i>	<i>.66</i>		<i>.01</i>	<i>.02</i>		<i>.61</i>	<i>.26</i>	<i>.12</i>	20
21	<i>.02</i>		<i>.14</i>	<i>.30</i>				<i>.57</i>		<i>1.16</i>	<i>.29</i>	<i>.53</i>	21
22	<i>.02</i>		<i>.04</i>	<i>.09</i>	<i>.02</i>				<i>.37</i>	<i>.35</i>	<i>.38</i>	<i>.07</i>	22
23					<i>.02</i>		<i>.50</i>			<i>.75</i>	<i>.38</i>	<i>.20</i>	23
24							<i>.42</i>		<i>.29</i>	<i>.18</i>	<i>.01</i>	<i>.01</i>	24
25			<i>.05</i>	<i>.11</i>			<i>.32</i>		<i>.13</i>	<i>.68</i>	<i>.13</i>		25
26			<i>.04</i>	<i>.02</i>	<i>.02</i>		<i>.03</i>		<i>.09</i>	<i>.27</i>	<i>.01</i>	<i>.04</i>	26
27			<i>.96</i>	<i>.18</i>	<i>.21</i>		<i>.16</i>			<i>.74</i>	<i>.02</i>	<i>.01</i>	27
28			<i>.06</i>	<i>.16</i>	<i>.12</i>		<i>.35</i>	<i>.02</i>		<i>.03</i>	<i>.07</i>		28
29			<i>.82</i>	<i>.14</i>	<i>.02</i>	<i>.46</i>	<i>.24</i>	<i>.25</i>	<i>.23</i>	<i>.80</i>	<i>.23</i>	<i>.64</i>	29
30		<i>X</i>	<i>.02</i>	<i>.05</i>		<i>.76</i>	<i>1.22</i>	<i>.11</i>	<i>.40</i>	<i>.16</i>	<i>.40</i>		30
31		<i>X</i>		<i>X</i>	<i>.02</i>	<i>X</i>	<i>.35</i>		<i>X</i>	<i>.02</i>	<i>X</i>	<i>.56</i>	31
TOTAL	<i>4.66</i>	<i>.03</i>	<i>3.11</i>	<i>2.62</i>	<i>3.92</i>	<i>1.27</i>	<i>4.94</i>	<i>1.38</i>	<i>4.76</i>	<i>10.62</i>	<i>3.46</i>	<i>3.22</i>	<i>4398</i>
*Days with ".01 in. or more.	<i>18</i>	<i>1</i>	<i>12</i>	<i>21</i>	<i>25</i>	<i>3</i>	<i>19</i>	<i>10</i>	<i>20</i>	<i>26</i>	<i>19</i>	<i>16</i>	<i>190</i>
*Days with ".04 in. or more.	<i>12</i>	<i>-</i>	<i>9</i>	<i>17</i>	<i>15</i>	<i>3</i>	<i>15</i>	<i>6</i>	<i>17</i>	<i>23</i>	<i>13</i>	<i>12</i>	<i>142</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Robert Holland

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 1829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Langley, Walscombe
in the County of DevonDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 127 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.43	.07		.21	.01						1.15	1
2	.58		.65		.16	.82					.01	.12	2
3	.03	.26	.33		.04								3
4	.15	.07	.02		.07								4
5	.07	.02	.29		.20					.04			5
6	.01	.40	.02		.18		.17			.11			6
7	.45	.13			.04		.19	.02		.17			7
8	.07	.03		.01	.10		.95			.01			8
9		.17			.61		.59			1.08	.09		9
10	.31	.17					.23			2.25	.01		10
11							.19	.21		.22		.04	11
12	.06				.04	.23	.27		.08	.20			12
13	.01				.16	.01	.49	.01		.51			13
14	.21						.58	.16		.01	.23		14
15	.24		.23			.04	.30	.15		.17	.05		15
16			.88			.13		.03		.05			16
17	.01		.24			.05	.01	.01	.10				17
18	.11		.36			.06	~~.25~~	~~.25~~			.05		18
19	.08		.08				.03	.08	.25	.05	.43		19
20		.02			.11			.14	.19				20
21								.01		.13			21
22				.29	.03			.50	.06				22
23		.78		.25		.27			.18	.61			23
24		.29		.25		.02			.18	.23			24
25		.38		.46		.08			.20	.02			25
26		.26		.31	.41					.36			26
27		.17							.02	.23		.48	27
28		.15		.26			.12	.08		.14			28
29	.15	X	.13	.03				.02				.03	29
30	.07	X	.08	.30					.03	.28		.05	30
31	.32	X	.11	X		X			X	.01	X		31
TOTAL	3.10	3.72	3.49	2.16	2.36	1.72	4.15	1.42	1.29	6.88	.87	1.87	33.03
*Days with or more.	19	16	14	9	14	11	13	13	10	22	7	6	154
*Days with or more.	15	13	12	7	13	8	11	7	8	18	5	5	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Herbert Holland

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

1829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Longleigh, Wiltshire
in the County of Wilt

400

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 127 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22		.03					.58	.13	.08	.17	1.31		1
2	.05		.06						.47		.18	.23		2
3	.09				.01			.01	.42	.12		.50		3
4	.17		.07	.10	.29					.57		.80		4
5			.13	.07	.07	.06		.45		.14	.66	.84		5
6	.06		.19	.06	.38			.18	.01	.98		.42		6
7	.30							.12		.76	.23	.48		7
8					.24			.07	.07	.01	.95	.52		8
9	.02		.26					.02			.33	.10		9
10	.28		.28	.23				.43			.01	.13		10
11	1.57		.03	.75				.22				.24		11
12	.06											.03		12
13	.35		.12	.15			.03			.02	.06	.14		13
14	.35		.35	.01				.09			.02	.13		14
15	.01		.03		.22					.12	.03	.48		15
16	.13		.50						.47	.01		.13		16
17	.22		.01		.10			.01	.01	.06		.28		17
18	.08		.15	.55		.11		.04	.30	.04		.41		18
19			.03			.03		.11	.22	.02		.19		19
20			.19	.35	.08				.06			.02		20
21	.02		.25		.04	.25		.31	.06	.32	.19	.03		21
22	.06		.04	.07				.41	.40	.23		.24		22
23				.27		.38	.16	.01	.09	.02		.05		23
24		.53	.03			.65	.03		.05	.05		.01		24
25	.33			.20					.03	.16		.55		25
26	.04	.04	.12	.01		.40			.38	.08	.04	.18		26
27								.04	.05	.08	.09	.07		27
28				.02			.13	.40	.28	.11		.35		28
29								.34	.07	.05		.05		29
30	.12	X					.03	.17	.16	.18		.35		30
31		X		X		X			X	.12	X	.04		31
TOTAL	4.50	.57	.28	.28	1.43	1.85	.38	4.01	3.73	4.63	2.96	9.27	3908	
*Days with .01 in. or more.	21	2	20	14	9	7	5	20	20	24	14	31	18X	
*Days with .04 in. or more.	18	2	14	11	8	6	2	16	18	19	10	27	150	

† Spare column, no entries required (Signed)

Section

A

for the entry of Daily Observations.

Station No.

1829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Langley, Wiltshirein the County of WiltDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. in.Ground Sea Level 127 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08		.69		.01	.10	.04		.08	.03		.12		1
2		.02	.10				.02		.16	.54	.10	.08		2
3		.04	.02		.04	.08	.01		.18	.13	.11	.67		3
4		.21		.03	.01	.12	.01		.15	.04	.16			4
5		.24	.10	.08					.30	.24	.17	.10		5
6				.44		.52			.01		.13	.20		6
7				.58		.01				.64	.08	.18		7
8				.43						.14	.14	.07		8
9	.02			.93		.13				1.05	.25			9
10	.05		.03	.02		.02				.17	.01			10
11	.45	.06				.09			.09	.09	.87			11
12	.07	.41				.42			.07		.50			12
13	.06	.06		.41		.06		.03	.06	.13	.52			13
14		.27		.25		1.07			.37	.05	1.07	.35		14
15		.07		.57	.15				.10	.02	.06	.10		15
16		.12		.30			.02		.39	.08	.29	.02		16
17				.42	.74	.22		.02	.03	.05				17
18		.03		.62	.15		.06		.54	.10		.06		18
19		.11		.24	.30	.14	.38		.40	.25	.15			19
20		.50		.10	.35	.30			.01	.06	.14			20
21		.45	.03	.07			.29		.18	.03		.05		21
22		.01	.12	.12					.23	.11	.25			22
23		.01	.05		.06			.31	.68	.32		.32		23
24	.21	.24	.11	.12				.03	.08	.13		.13		24
25	.19	.50	.01	.02		.05				.02		.02		25
26		.55						.65	.41		.07	.25		26
27		.08					.02	.45	.21		.19	.03		27
28	.02	.07						.24	.32	.02	.25	.07		28
29		X			.03	.04		.24	.33	.12	.05	.37		29
30	.04	X		.01		.04		.75	.14	.67	.45	.56		30
31		X		X		X		.04	X	.80	X	.16		31
TOTAL	1.19	4.05	1.26	5.46	1.84	3.38	.84	2.76	5.49	6.03	5.98	3.78	42.06	
*Days with ".01 in. or more.	10	21	10	20	10	17	9	10	25	27	23	21	203	
*Days with ".04 in. or more.	8	17	6	16	7	15	3	7	22	22	22	18	164	

† Spare column, no entries required.

(Signed)

Robert Holland

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Loughmoe, Monaghan
in the County of DownDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 12 in.
,, Ground ,, Sea Level 127 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.05		.34		.63	1.87	.01			.10			1
2				.02		.22	.12	.14	.08		.08	.02		2
3		.02	.13	.80			.07		.37		.01	.05		3
4			.24	.01		.03	.03		.37		.20	.27		4
5	.25	.05	.02		.07		.41	.38	.01		.04	.02		5
6	.17		.03			.03	.61	.01	.08		.83	.07		6
7	.34		.07				.17		.03		.62			7
8	.32		.25				.75				.26	.07		8
9	.21	.01	.01			.03	.02		.24		.04	.02		9
10	.02	.09					.04				.04			10
11	.16					.16	.06		.36		1.46	.12		11
12				.07	.03	.35	.53		.25		.02	.15		12
13	.07						.09		.19	.14	.02	.27		13
14						.20	.41	.14	.02	.05	.83	.96		14
15		.01			.15	.02	.01	.01	.03		.23	.06		15
16	.04				.48		.05		.02		.63	.10		16
17	.20	.50			.04	.05	.18	.06		.11	.07	.53		17
18		.42	.01				.93	.02	.02	.03		.02		18
19	.63	.01		.50		.22		.25						19
20	.17	.22	.01			.01	.04	.03	.27					20
21	.10	.02	.17	.45		.15				.07				21
22	.13	.41	.03			.02	.22			.02		.02		22
23	.03	.04		.23			.22			.17				23
24	.12			.04	.07		.34		.15	.37				24
25	.14		.12	.70			.23		.13	.24				25
26	.40	.02	.14				.02		.01	.07				26
27	.06	.15	.32				.11			.08		.01		27
28	.44	.20	.56	.03			.01			.03		.16		28
29		.02	.06				.14			.17	.07	.08		29
30	.26	X	.04			.25	.10			.66		.01		30
31	.47	X	.27	X		X	.47		X		X	.76		31
TOTAL	4.84	2.24	2.38	3.19	.84	2.37	7.75	1.05	2.63	2.21	5.55	4.47	39.52 inches	
* Days with .01 in. or more.	23	17	18	11	6	15	29	10	18	14	18	21	200	✓
* Days with .04 in. or more.	21	10	12	8	5	9	24	5	11	11	15	14	125	✓

Section

A

for the entry of Daily Observations

Station No.

1829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937Kept at *Longfing, Walscombe*in the County of *Dorset*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground...*1*.....ft.....in.,, Ground *Wave* Sea Level ...*127*.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.01	.04	.02			.08		.11	.15	.02	.21		1
2	.04	.97		.04					.05					2
3	.06	.27		.18			.36				.02	.02		3
4	.17	.30		.02	.01		.10					.46		4
5	.43	.01		.01	.02		.11	.05				.06		5
6	.27	.28	.36	.56	.40	.05	.07							6
7		.70	.12	.02		.09			.04					7
8		.02	.10		.12	.39	.10		.06					8
9	.01	.02	.42	.05	.05	.01	.06	.21	.58					9
10	.10		.42	.60		.02	.04					.65		10
11	.04		.10	.22	.53	.03	1.35					.03		11
12	.26	.30		.07		.16	.14	.09	.34			.36		12
13		.16	.52	.10	.02			.35	.16			.28		13
14		.04							.20			.13		14
15	.16	.27	.08	.63				.01	.32			.25		15
16	.11	.04	.42	.08			.12	.42	.10		.01			16
17	.72	.08	.17				.02	.06	.54					17
18	.20	.19	.36			.09	.12	.01	.50		.26	.24		18
19	.35	.04	.15	.53	.11		.07		.22		.49	.02		19
20	.60	.06	.03	.33	.21							.02		20
21	.18	.72		.05	.09		.25		.08	.17		.04		21
22	.06	.02			.13		.35			.27	.47	.15		22
23	.14	.26			.14		.01			.26	.12	.02		23
24	.27	.50	.02		.04		.06		.26	.35		.06		24
25		.22	.29							.06		.64		25
26		.25	.04							.01				26
27		.34								.96				27
28	.14	.08								.12				28
29	.03	~~2~~				.04				.66	.45			29
30	.37	~~X~~				.04			.06	.07	.42			30
31	.68	~~X~~		~~X~~		~~X~~		.12	~~X~~	.13	~~X~~			31
TOTAL	5.58	6.55	3.64	3.51	1.87	.92	3.40	1.32	3.81	3.21	2.26	8.27	39.34	Year's Total
* Days with .01 in. or more.	24	26	17	17	13	10	18	9	16	12	9	18	189	
* Days with .04 in. or more.	22	22	15	13	10	7	16	4	16	11	6	13	158	

† Spare column, no entries required.

(Signed)

Herbert Holland.

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of Daily ObservationsStation No. 1829

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Langley, Wiltshirein the County of WiltshireDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 121.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.10		.06		.63				.80	.14	.18		1
2		.02					.01	.45		.14	.07	.24		2
3					.07	.09	.02	.98		.40	.06			3
4						.02	.19	<u>1.02</u>		.56		.45		4
5	.04						.03		.14	.20		.08		5
6	.42					.38	.70	.07		.35		.06		6
7	.11						.29			.09		.18		7
8	.48	.17					.70	.86		.27		.14		8
9	.28	.09	.02				.02	.22		.14	.02	.80		9
10	.08						.19	.02		.05		.27		10
11	.18					.02	.04	.01			.33	.27		11
12	.42				.28					<u>1.02</u>	.79	.42		12
13	.06				.14					.04	.12			13
14	.49				.10		.17		.01	.01		.53		14
15	.43				.33			.08		.01	.12	.01		15
16	.19		.09		.07			.01			.02			16
17		.13			.04		.08		.50	.38				17
18	.18				.04	.07	.03	.58	.16	.03	.60			18
19								.15	.05		.61			19
20	.11							.07			.26			20
21	.02					.03		.48	.15	.02	.17			21
22	.06					.12		.71		.11	.30			22
23	.01		.31						.06		.29			23
24	.10	.19	.02	.11	.05		.14	.12	.04		.26			24
25	.05	.46			.27		.30			.21	.69	.07		25
26	.35	.20			.26	.27				.25	.12	.06		26
27	.27	.09			.29	.26	.24	.84	.02	.06	.48			27
28	.09	.25			.02	.08	.12	.33	.14	.08	.14			28
29	.12	X			.11	.01	.08		.21	.47	.26	.13		29
30	.52	X	.02		.05	.06	.10		.23	.02	.30	.04		30
31	.20	X	.02	X	.61	X	.02		X	.55	X	.28		31
TOTAL	5.28	1.70	.48	.17	3.39	2.04	2.68	7.02	1.71	6.26	6.15	4.23	41.11	✓
* Days with .01 in. or more.	25	8	6	2	16	13	20	18	12	25	22	18	186	✓
* Days with .04 in. or more.	23	8	2	2	15	9	14	15	10	20	21	17	166	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Arthur H. Mander

[P.T.O.]

Section **A** for the entry of
AIR MINIST

FORM 9.

REGIS

Kept at *Ilfracombe*
in the County of *Devon*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to the
year in the space on the right of the

1830
R OFFICIAL USE.
GANIZATION.

282

1830

ILFRACOMBE - BOWLING GREEN

1931 - 1940

Jan. 1, following

Date	Jan.	Feb.	March
	in.	in.	in.
1			
2			
3			.67
4			
5			
6			
7			
8			
9		.58	
10			

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year's Total
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11													11
12													12
13													13
14					.95								14
15													15
16				1.34									16
17													17
18						.92							18
19													19
20													20
21													21
22													22
23													23
24			.67										24
25													25
26													26
27				1.35									27
28													28
29													29
30		X											30
31	.89	X	X	X		X		X		X			31
TOTAL	3.53	3.67	1.37	2.74	3.56	4.60	4.90	4.34	1.91	1.13	7.67	2.30	41.72
*Days with or in. or more.	19	23	8	12	20	15	25	17	10	11	22	16	198
*Days with or in. or more.	14	19	7	11	15	11	20	14	9	7	19	11	157

40-9999 89.6 93.3 34.8 69.7 90.5 116.8 124.5 110.3 48.6 28.6 194.8 58.3 1059.8
(Signed) J.P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry

1830
R OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 9.

REGISTER OF RAINFALL IN 193/ .

282

Kept at *Alfracombe*
in the County of *Devon*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
,, Ground ,, Sea Level *25 7/8* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I									.74				I
2												.37	2
3			.67								1.90		3
4													4
5													5
6										.51			6
7													7
8													8
9		.58											9
10													10
11													11
12													12
13													13
14							.95						14
15													15
16						1.34							16
17													17
18								.92					18
19													19
20													20
21													21
22													22
23													23
24				.67									24
25													25
26													26
27					1.35								27
28													28
29													29
30		X											30
31	.89	X		X		X			X		X		31
TOTAL	3.53	3.67	1.37	2.74	3.56	4.60	4.90	4.34	1.91	1.13	7.67	2.30	41.72
*Days with or in. or more.	19	23	8	12	20	15	25	17	10	11	22	16	198
*Days with .04 in. or more.	14	19	7	11	15	11	20	14	9	7	19	11	154

40-9999 89.6 93.3 34.8 69.7 90.5 116.8 124.5 110.3 48.6 28.6 194.8 58.3 1059.8
(Signed) J.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

1830
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at *Alpacombe*
in the County of *Devon*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level *25 7/8* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									1.02				2
3													3
4											0.63		4
5	1.06												5
6													6
7										1.21			7
8			1.10										8
9													9
10													10
11													11
12					.77								12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20				.26									20
21								.43					21
22													22
23													23
24		0.1											24
25													25
26													26
27													27
28													28
29												.62	29
30		X				.70	1.22						30
31		X		X		X			X		X		31
TOTAL	4.83	0.00	3.15	2.43	3.60	1.12	4.42	0.85	4.51	9.74	3.17	2.89	40.71
*Days with .01 in. or more.	17	0	11	21	21	3	16	7	19	26	16	13	170
*Days with .04 in. or more.	12	0	10	16	13	2	14	4	17	22	11	10	131

40-9999 122.7 0.1 80.1 61.8 91.5 28.5 112.3 21.7 114.5 247.3 80.6 73.5

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at *Ilfracombe*
in the County of *Devon*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *1* in.
,, Ground ,, Sea Level *25* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.6	—	—	3.7	2.8	—	—	0.1	2.2	2.4	0.9	2.1	1
2	6.1	—	—	—	8.0	—	1.0	0.8	25.8	—	2.4	10.8	2
3	0.7	—	—	4.9	—	—	1.6	—	1.8	1.0	0.8	—	3
4	0.4	—	—	0.2	—	—	1.3	1.5	—	—	15.9	—	4
5	26.9	—	2.5	—	—	—	1.0	—	9.1	—	—	—	5
6	14.8	—	1.0	3.5	0.3	—	—	—	5.5	1.1	—	—	6
7	6.4	—	0.1	—	1.8	—	—	—	22.0	30.8	—	—	7
8	—	—	28.0	1.3	2.3	—	—	0.1	1.3	8.6	—	—	8
9	10.3	—	—	4.2	0.7	—	0.1	—	0.2	4.7	—	—	9
10	13.5	—	—	5.8	0.4	—	—	—	3.9	7.3	—	—	10
11	2.7	—	—	0.3	0.8	—	0.4	—	—	1.7	—	—	11
12	19.7	—	—	—	19.5	0.6	—	—	1.7	15.0	—	—	12
13	3.0	—	—	5.5	0.4	—	9.0	0.4	—	17.6	—	7.0	13
14	8.2	—	—	1.8	9.3	—	—	—	—	0.4	—	1.4	14
15	0.2	—	—	1.3	0.9	—	—	—	—	1.9	2.2	0.2	15
16	6.4	—	—	3.0	—	—	14.2	—	—	—	—	—	16
17	—	—	—	—	1.0	—	—	—	—	0.5	—	—	17
18	—	—	—	—	2.6	—	—	—	2.3	—	6.8	—	18
19	—	—	—	0.4	15.3	—	—	—	3.1	16.9	0.3	0.2	19
20	—	—	—	6.6	16.0	—	—	—	0.2	14.9	4.2	2.2	20
21	0.3	—	2.8	6.2	—	—	—	10.9	—	28.0	5.5	12.0	21
22	0.4	—	1.3	2.3	0.4	—	—	—	8.6	9.7	12.4	2.2	22
23	0.1	—	—	—	0.2	—	10.3	—	—	18.5	7.8	5.0	23
24	—	0.1	—	—	—	—	11.0	—	6.3	5.3	0.1	0.1	24
25	—	—	0.9	—	0.1	—	7.8	—	2.9	15.9	4.2	—	25
26	—	—	1.2	0.5	—	—	0.2	—	3.3	6.6	0.4	0.1	26
27	—	—	25.3	4.0	4.1	—	2.8	—	—	17.2	—	0.4	27
28	—	—	1.3	3.7	2.2	—	6.7	0.3	—	0.3	0.6	—	28
29	—	—	13.5	2.1	2.4	10.0	4.9	5.6	5.2	18.1	6.4	15.8	29
30	—	×	2.2	0.5	—	17.9	30.9	2.0	9.1	2.5	9.7	—	30
31	—	×	—	×	—	×	9.1	—	×	0.4	×	14.0	31
TOTAL	122.7	0.1	80.1	61.8	91.5	28.5	112.3	21.7	114.5	247.3	80.6	73.5	YEAR'S TOTAL 1034.6
Days with 0.2 mm. or more.	17	—	11	21	21	3	16	7	19	26	16	13	170
Days with 1.0 mm. or more.	12	—	10	16	13	2	14	4	17	22	11	10	131

(144W)

40-9999

(Signed)

A. J. Westaway

[P.T.O.]

REGISTER OF RAINFALL IN 1933.

Kept at Alfacombe
in the County of Devon
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 25 ft.

282

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1.05	1
2	0.68					.74							2
3													3
4													4
5													5
6													6
7													7
8							.97						8
9					.55								9
10										2.20			10
11													11
12													12
13													13
14													14
15													15
16			.85										16
17													17
18													18
19									.22		.44		19
20													20
21													21
22								.47					22
23		1.02											23
24													24
25				.39									25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	3.01	3.84	3.32	2.13	2.20	1.58	3.59	1.19	1.00	6.87	1.00	1.82	YEAR'S TOTAL 31.55
*Days with .01 in. or more.	18	17	15	8	14	8	13	13	9	19	10	7	151
*Days with .04 in. or more.	16	16	12	8	11	6	12	6	7	16	5	4	119

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Elpharombein the County of DevonDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 25 in.Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.1	11.0	1.4	—	5.2	—	—	—	—	—	0.5	26.6	1
2	14.3	4	14.4	—	4.1	18.9	—	—	—	—	1.1	2.8	2
3	0.6	6.2	8.1	—	0.6	—	—	—	—	—	—	—	3
4	4.3	1.7	0.3	—	1.1	—	—	—	—	—	—	—	4
5	1.9	1.0	6.4	—	4.8	—	—	—	—	0.2	0.2	—	5
6	—	8.4	0.2	—	4.9	—	5.0	—	—	3.8	—	—	6
7	10.0	3.0	—	—	1.1	—	3.9	0.2	—	3.5	—	—	7
8	1.6	1.0	0.4	0.1	2.2	—	24.4	—	—	0.4	—	—	8
9	—	6.3	—	—	13.9	—	13.8	—	—	28.4	1.4	—	9
10	6.4	2.3	—	—	—	—	5.8	0.2	—	55.9	—	—	10
11	0.9	—	—	—	—	—	2.0	4.3	—	10.0	—	—	11
12	1.1	—	—	—	0.8	6.0	4.6	—	1.3	4.1	—	—	12
13	0.1	—	—	—	3.4	—	9.4	0.4	—	12.8	4.0	—	13
14	8.0	—	—	—	—	—	6.3	3.3	—	0.1	5.1	—	14
15	3.3	—	4.9	—	—	0.9	5.0	3.3	—	4.5	0.4	—	15
16	—	—	21.4	—	—	3.2	—	0.4	—	1.2	—	—	16
17	1.0	—	7.0	—	—	3.5	—	—	2.0	—	—	—	17
18	2.1	—	7.8	—	—	0.8	—	—	—	—	0.4	—	18
19	1.6	—	3.0	—	—	—	0.2	0.3	5.6	0.5	11.1	—	19
20	—	0.8	—	—	2.2	—	—	3.8	3.3	—	0.4	—	20
21	—	1.3	—	—	—	—	—	0.3	—	5.0	—	—	21
22	—	—	—	9.4	0.4	—	—	12.0	0.5	—	—	—	22
23	—	25.8	—	5.9	—	4.8	—	—	4.6	15.1	—	—	23
24	—	7.2	—	5.7	—	0.1	0.1	—	3.4	5.0	—	—	24
25	—	7.7	—	10.0	—	1.9	—	—	4.3	—	—	3.4	25
26	—	6.0	—	8.0	10.9	—	—	—	—	7.8	—	—	26
27	—	3.8	—	—	—	—	—	—	0.1	8.3	—	12.3	27
28	—	3.4	—	6.0	—	—	2.4	1.5	—	3.4	—	0.2	28
29	3.4	X	3.2	2.6	—	—	—	0.2	—	—	—	0.4	29
30	2.0	X	2.1	6.3	—	—	4.4	—	0.3	4.0	—	0.2	30
31	7.8	X	2.8	X	—	X	—	—	X	0.1	X	—	31
TOTAL	76.5	97.5	84.3	54.0	55.9	40.1	91.2	30.2	25.4	144.4	25.5	46.2	801.2
*Days with 0.2 mm. or more.	18	14	15	8	14	8	13	13	9	19	10	7	151
*Days with 1.0 mm. or more.	16	16	12	8	11	6	12	6	7	16	5	4	119

(144W)

40-9999

(Signed)

A. Westaway

[P.T.O.]

FORM 1090

REGISTER OF RAINFALL IN 1934.

1830
282

Kept at Ilfracombe
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....1 ft. 0 in.
Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												1.11	1
2													2
3													3
4													4
5													5
6					.45					.96			6
7													7
8											.91		8
9													9
10													10
11	1.66			.77									11
12													12
13													13
14													14
15													15
16			.56						.48				16
17													17
18													18
19													19
20													20
21													21
22								.62					22
23													23
24		.51											24
25													25
26						.52							26
27													27
28							.11						28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	4.58	0.52	2.80	2.74	1.44	1.80	0.22	4.25	3.52	4.63	2.91	9.11	YEAR'S TOTAL 38.52
*Days with "or in. or more.	21	2	21	13	12	7	5	19	19	26	13	31	189
*Days with "04 in. or more.	16	1	15	10	6	6	2	15	16	18	8	24	136

Section **A** for the entry of Daily Observations.

Station No. 1830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934..

Kept at Ilfracombe Meteorological Station

in the County of Devon

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. in.

,, Ground ,, Sea Level Twenty-five ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	5.0	.	1.5	.	.	.	.	13.4	3.0	1.7	2.8	28.3		1
2	1.1	.	1.5	.	.	.	.	.	11.9	.	3.6	8.7		2
3	2.0	.	.	.	.	.	.	2	9.8	9.2	.	12.6		3
4	4.9	.	1.1	2.2	6.3	.	.	6	1	15.2	1	16.4		4
5	—	.	2.7	1.5	1.7	2.7	.	9.4	.	3.3	18.5	25.0		5
6	1.7	.	5.2	1.1	15.5	.	.	8.6	.	24.4	9	9.6		6
7	8.3	.	.	.	.	.	.	.	.	16.1	5.2	12.5		7
8	0.3	.	.	.	6.1	.	.	1.2	1.3	.	23.2	14.1		8
9	0.2	.	5.7	.	.	.	.	2	.	.	8.8	1.9		9
10	5.3	0.3	7.6	4.0	.	.	.	8.3	.	2	1	1.6		10
11	42.1	.	1.1	19.6	.	.	.	5.0	.	.	.	6.6		11
12	2.2	.	.	.	.	.	.	2.0	.	.	.	6		12
13	10.2	.	2.9	3.4	.	.	.	3.1	.	3	.	3		13
14	8.8	.	9.4	0.1	.	.	.	.	.	2.0	.	3.4		14
15	0.8	.	1.4	.	6.1	.	5	1.2	.	1.3	4	11.7		15
16	3.8	.	14.2	.	6	.	.	.	12.3	9	.	2.9		16
17	6.3	.	0.2	2	9	.	.	.	2	1.7	.	7.1		17
18	2.0	.	3.0	14.5	4	2.3	.	.	5.3	2	.	14.9		18
19	—	.	4.5	.	6	8	.	3.5	9.5	8	.	4.8		19
20	—	.	0.9	7.9	1.4	.	.	.	1.0	3	0.5	5		20
21	—	.	5.8	.	8	4.8	5	6.6	2.9	7.2	7.1	9		21
22	0.8	.	0.8	0.3	1	.	0.0	15.8	7.9	7.2	.	5.5		22
23	0.1	.	0.2	7.4	.	9.6	1.2	.	1.9	4	.	0.5		23
24	—	13.0	0.3	.	.	12.3	3	.	7	1.0	.	9		24
25	7.4	.	.	7.2	.	.	.	.	4	4.3	.	13.4		25
26	0.9	.	2.2	2	.	13.2	.	.	9.5	3.5	7	4.5		26
27	—	.	.	.	.	.	.	6	1.1	4.6	1.7	2.1		27
28	—	.	.	.	.	.	2.9	8.7	6.9	2.9	2	8.9		28
29	—	.	.	.	.	.	1	12.2	3	1.7	.	1.3		29
30	2.3	X	.	.	.	.	1	7.3	3.5	6.5	.	8.9		30
31	—	X	.	X	2	X	.	.	X	7	X	8		31
TOTAL	116.4	13.3	71.2	69.6	36.7	45.7	5.6	107.9	89.5	117.6	73.8	231.2	978.5	Year's Total.
* Days with 0.2 mm. or more.	21	2	21	13	12	7	5	19	19	26	13	31	189	
* Days with 1.0 mm. or more.	16	1	15	10	6	6	2	15	15	18	8	24	136	

Sect. **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Alfracombe
in the County of Devon.Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.65											1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9				1.03					1.19					9
10														10
11	0.50													11
12														12
13														13
14						1.10					1.06			14
15														15
16														16
17					.70									17
18														18
19							.41							19
20														20
21														21
22														22
23									.66					23
24														24
25		.61												25
26														26
27														27
28														28
29														29
30		X						0.40						30
31		X		X		X			X		X			31
TOTAL	1.39	4.35	1.19	5.85	1.83	3.11	0.79	2.52	5.79	6.14	5.84	3.66	42.49	Year's Total
*Days with .01 in. or more.	11	19	9	21	9	15	8	10	23	27	22	21	195	
*Days with .04 in. or more.	8	16	8	17	6	13	3	6	22	19	20	17	155	

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ilfracombe
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....1 ft. 0 in.
" " Ground " Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.53	1.00							1
2														2
3									.37					3
4														4
5														5
6								.30						6
7														7
8														8
9														9
10														10
11										1.13				11
12														12
13											1.07			13
14														14
15														15
16					.44									16
17		.48												17
18														18
19	.65													19
20														20
21														21
22														22
23														23
24														24
25				.72										25
26														26
27														27
28			.57											28
29														29
30		x												30
31		x		x		x			x	.67	x			31
TOTAL	4.80	2.13	1.87	3.14	0.74	1.94	6.67	0.80	2.37	2.27	5.01	4.94	36.68	✓
* Days with .01 in. or more.	25	16	15	11	8	16	27	10	16	14	15	18	191	✓
* Days with .04 in. or more.	21	9	12	9	4	10	22	4	13	10	13	14	141	✓

40-9999

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

1830
282

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at ... *H. Graeme (Bowling Green)* ...
in the County of ... *Devon* ...

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

„ Ground „ Sea Level 25.....ft.....

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2		.48												2
3														3
4														4
5														5
6														6
7														7
8						.41								8
9									.71					9
10				.66								.74		10
11					.48		.84							11
12														12
13			.43											13
14														14
15														15
16								.34						16
17	.71													17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27										.93				27
28														28
29											.44			29
30		X												30
31		X		X		X			X		X			31
TOTAL	5.74	6.87	3.46	3.47	1.78	.89	2.38	.98	3.48	3.06	1.56	3.82	37.46	Year's Total
* Days with 0.2 mm. or more.	24	24	21	16	12	8	18	7	16	11	8	16	181	
* Days with 1.0 mm. or more.	22	22	16	11	9	6	13	3	14	11	6	13	146	

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999. 145.8 174.6 87.9 88.1 45.1 22.7 60.4 250.8 87.6 77.6 39.6 97.1 951.5 [P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1.

REGISTER OF RAINFALL IN 1938 .

Kept at Ilfracombe (Bowling Green)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1						.61				.70				1
2				.07										2
3								1.07						3
4														4
5														5
6							.65							6
7														7
8														8
9														9
10														10
11														11
12											.80			12
13														13
14	.52													14
15												.48		15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24			.31											24
25		.47												25
26														26
27														27
28														28
29									.24					29
30		X												30
31		X		X	.67	X			X		X			31
TOTAL	121.2	42.5	12.3	3.4	75.2	47.0	55.6	176.8	30.3	126.0	161.7	105.4	957.4	Year's Total
* Days with 0.2 mm. or more.	22	9	5	2	16	11	18	15	11	19	23	19	170	
* Days with 1.0 mm. or more.	21	8	2	2	12	8	14	15	8	19	21	17	147	

(141w) * See Instruction 2 (f) on other side.

40-9999.

4.77 1.67 4.8 13

2.96 1.85 † Spare column, no entries required, except year's total.

2.19 (Signed)

6.97

1.19

4.96 5.98

4.15 37.69

P.T.O.

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 1930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Ilfracombe (Bowling Green)

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 25 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4			33		37									4
5														5
6							1.58							6
7												1.10		7
8										70				8
9														9
10									24					10
11														11
12														12
13				63										13
14														14
15						119								15
16														16
17														17
18														18
19														19
20								79						20
21														21
22		45												22
23														23
24	70													24
25														25
26											1.03			26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	149.8	79.2	38.6	81.6	20.2	63.0	153.8	77.2	10.2	54.5	251.1	45.2	1054.4	
* Days with 0.2 mm. or more.	23	16	15	17	10	12	23	13	4	13	22	10	178	
* Days with 1.0 mm. or more.	21	14	10	10	4	10	20	8	3	11	20	8	139	

(141w)

* See Instruction 2 (f) on other side.

40-9999. 5.90 3.12 1.52 3.21

180

2.48

† Spare column, no entries required, except year's total.

6.06

(Signed)

4.0

2.15

1.87

2.96

4.51

P.T.O.

COPY FOR OFFICIAL USE

Section **A**

for the entry of Daily Observations

Station No. 1830

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1934

Kept at 98 Fracombe (Bowling Green)

in the County of Wexham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 2 5 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5										79				5
6														6
7														7
8														8
9								09						9
10														10
11														11
12							116							12
13														13
14												73		14
15														15
16														16
17			116											17
18		66												18
19														19
20									130					20
21						49					133			21
22														22
23														23
24														24
25														25
26	123				32									26
27														27
28														28
29				103										29
30		X												30
31		X		X		X			X		X			31
TOTAL	89.6	81.3	67.9	88.9	26.3	16.4	134.4	4.1	70.2	103.9	225.4	98.7	Year's Total	1007.1
* Days with 0.2 mm. or more.	14	16	13	17	9	3	17	3	13	17	23	16		161
* Days with 1.0 mm. or more.	10	11	10	14	5	2	14	2	11	14	20	15		128

(111w)

* See Instruction 3 (f) on other side.

3.53 320 267 3.50 1.04 65

† Spare column, no entries required, except year's total.

529 (Signed)

16 2.76 409 887 3.89 3965 P.D.O.

Kept at *Meadowcroft*
in the County of *bc*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
,, Ground ,, Sea Le

1831
OKEHAMPTON, MEADOWCROFT

1931 — 35

7P0309

D2

1/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

45

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.03		.24		.02			.25	Tz			1
2	.27	.05	Tz	.71			.02		.35	.07	.50	.35	2
3	.25		.90				Tz		.35	Tz	2.30	.40	3
4	.07		.25	.19	.10	.45	.20	.40	.21	.02	Tz	.15	4
5		.15	.20	.30		.47	Tz	.18	.04	Tz	.13	.45	5
6		.09		.02	.05	.25	.38			.70	.40	.50	6
7		.15			.20	.24	.19	.14		.02	.50	.05	7
8	.05	.05		Tz		.27	.05	.16		Tz	.13	.05	8
9	.03	.47				.05	.15	.06		.01	.40	.05	9
10	.02	.19			Tz	.05	.14	.13			.50	.05	10
11	.35	.89			.05	.09	.50	.04	.10		.75	Tz	11
12	.15	.18					.65	Tz	.07	.25		Tz	12
13		.17	.04		.05	Tz	.37	.20		.07	.02		13
14	.18	.15	Tz		.30	.16	.41	.30	.05		.45		14
15	.18	.16		.07	.10	.02		.90				.05	15
16	.08	.22		.07	.18	.50	Tz	.47	.05		.02	.03	16
17	.10	.10		.04		.07	.86		.03				17
18	.08		.04	.08		.11	.04	.68			.25		18
19	.13	.05	.09	.04		.30	.10	.10	Tz		.40		19
20	.02	.18	.02					.85			.17		20
21	.05	.05	.20		.15						.65		21
22	.80		.01	.10	.29						.75		22
23	.38	.08		.50	.40		.15				.20		23
24	.18	.30	.62	.85	.05	.15	.60	.57					24
25	.21	.28		.38			.20				.20	Tz	25
26	.03	.05		.38			.62				.95	.13	26
27	.07	.30		.04	.58		.17				.15	.03	27
28	.13	.03	.17	Tz	.03	.05	.03	.10		.33		.20	28
29	.10	X	.06		.15		.10	.10		.10	.05		29
30	.05	X	.01		.05			Tz	.03		.05		30
31	1.05	X	.14	X	.25	X	.06		X		X	.35	31
TOTAL	4.98	4.38	2.15	4.02	2.98	3.25	5.99	5.90	1.53	1.57	9.32	2.84	48.91
* Days with or in. or more.	27	24	17	17	17	17	22	17	11	9	23	15	211
* Days with or in. or more.	23	22	16	16	16	16	20	17	9	6	21	13	182

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at *Mudborough South Teal. Cheshampton.*
in the County of *Devon*

Diameter of Funnel of Gauge *5 in.*
Height of top of Gauge above Ground *1 ft.*
Ground Sea Level *750 ft.*

Sent Circ. D. 2. 19/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

45

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.05</i>	<i>.03</i>		<i>.24</i>		<i>.02</i>			<i>.25</i>	<i>Tz.</i>			1
2	<i>.27</i>	<i>.05</i>	<i>Tz.</i>	<i>.71</i>			<i>.02</i>		<i>.35</i>	<i>.07</i>	<i>.50</i>	<i>.35</i>	2
3	<i>.25</i>		<i>.90</i>				<i>Tz.</i>		<i>.35</i>	<i>Tz.</i>	<i>2.30</i>	<i>.40</i>	3
4	<i>.07</i>		<i>.25</i>	<i>.19</i>	<i>.10</i>	<i>.45</i>	<i>.20</i>	<i>.40</i>	<i>.21</i>	<i>.02</i>	<i>Tz.</i>	<i>.15</i>	4
5		<i>.15</i>	<i>.20</i>	<i>.30</i>		<i>.47</i>	<i>Tz.</i>	<i>.18</i>	<i>.04</i>	<i>Tz.</i>	<i>.13</i>	<i>.45</i>	5
6		<i>.09</i>		<i>.02</i>	<i>.05</i>	<i>.25</i>	<i>.38</i>			<i>.70</i>	<i>.40</i>	<i>.50</i>	6
7		<i>.15</i>			<i>.20</i>	<i>.24</i>	<i>.19</i>	<i>.14</i>		<i>.02</i>	<i>.50</i>	<i>.05</i>	7
8	<i>.05</i>	<i>.05</i>		<i>Tz.</i>		<i>.27</i>	<i>.05</i>	<i>.16</i>		<i>Tz.</i>	<i>.13</i>	<i>.05</i>	8
9	<i>.03</i>	<i>.47</i>				<i>.05</i>	<i>.15</i>	<i>.06</i>		<i>.01</i>	<i>.40</i>	<i>.05</i>	9
10	<i>.02</i>	<i>.19</i>			<i>Tz.</i>	<i>.05</i>	<i>.14</i>	<i>.13</i>			<i>.50</i>	<i>.05</i>	10
11	<i>.35</i>	<i>.89</i>			<i>.05</i>	<i>.09</i>	<i>.50</i>	<i>.04</i>	<i>.10</i>		<i>.75</i>	<i>Tz.</i>	11
12	<i>.15</i>	<i>.18</i>					<i>.65</i>	<i>Tz.</i>	<i>.07</i>	<i>.25</i>		<i>Tz.</i>	12
13		<i>.17</i>	<i>.04</i>		<i>.05</i>	<i>Tz.</i>	<i>.37</i>	<i>.20</i>		<i>.07</i>	<i>.02</i>		13
14	<i>.18</i>	<i>.15</i>	<i>Tz.</i>		<i>.30</i>	<i>.16</i>	<i>.41</i>	<i>.30</i>	<i>.05</i>		<i>.45</i>		14
15	<i>.18</i>	<i>.16</i>		<i>.07</i>	<i>.10</i>	<i>.02</i>		<i>.90</i>				<i>.05</i>	15
16	<i>.08</i>	<i>.22</i>		<i>.07</i>	<i>.18</i>	<i>.50</i>	<i>Tz.</i>	<i>.47</i>	<i>.05</i>		<i>.02</i>	<i>.03</i>	16
17	<i>.10</i>	<i>.10</i>		<i>.04</i>		<i>.07</i>	<i>.86</i>		<i>.03</i>				17
18	<i>.08</i>		<i>.04</i>	<i>.08</i>		<i>.11</i>	<i>.04</i>	<i>.68</i>			<i>.25</i>		18
19	<i>.13</i>	<i>.05</i>	<i>.09</i>	<i>.04</i>		<i>.30</i>	<i>.10</i>	<i>.10</i>	<i>Tz.</i>		<i>.40</i>		19
20	<i>.02</i>	<i>.10</i>	<i>.02</i>					<i>.85</i>			<i>.17</i>		20
21	<i>.05</i>	<i>.05</i>	<i>.20</i>		<i>.15</i>						<i>.05</i>		21
22	<i>.80</i>		<i>.01</i>	<i>.10</i>	<i>.29</i>						<i>.75</i>		22
23	<i>.38</i>	<i>.08</i>		<i>.50</i>	<i>.40</i>		<i>.15</i>				<i>.20</i>		23
24	<i>.13</i>	<i>.30</i>	<i>.62</i>	<i>.85</i>	<i>.05</i>	<i>.15</i>	<i>.60</i>	<i>.57</i>					24
25	<i>.21</i>	<i>.28</i>		<i>.38</i>			<i>.20</i>				<i>.20</i>	<i>Tz.</i>	25
26	<i>.03</i>	<i>.05</i>		<i>.38</i>			<i>.62</i>				<i>.95</i>	<i>.13</i>	26
27	<i>.07</i>	<i>.30</i>		<i>.04</i>	<i>.58</i>		<i>.17</i>				<i>.15</i>	<i>.13</i>	27
28	<i>.13</i>	<i>.03</i>	<i>.17</i>	<i>Tz.</i>	<i>.03</i>	<i>.05</i>	<i>.03</i>	<i>.10</i>		<i>.33</i>		<i>.20</i>	28
29	<i>.10</i>	<i>.06</i>			<i>.15</i>		<i>.10</i>	<i>.10</i>		<i>.10</i>	<i>.05</i>		29
30	<i>.05</i>	<i>x</i>	<i>.01</i>		<i>.05</i>			<i>Tz.</i>	<i>.03</i>		<i>.05</i>		30
31	<i>1.05</i>	<i>x</i>	<i>.14</i>	<i>x</i>	<i>.25</i>	<i>x</i>	<i>.06</i>		<i>x</i>		<i>x</i>	<i>.35</i>	31
TOTAL	<i>8.94</i>	<i>4.38</i>	<i>2.15</i>	<i>4.02</i>	<i>2.98</i>	<i>3.25</i>	<i>5.99</i>	<i>5.90</i>	<i>1.53</i>	<i>1.57</i>	<i>9.32</i>	<i>2.69</i>	48.91
*Days with or in. or more.	<i>27</i>	<i>24</i>	<i>17</i>	<i>17</i>	<i>17</i>	<i>17</i>	<i>22</i>	<i>17</i>	<i>11</i>	<i>9</i>	<i>23</i>	<i>15</i>	211
*Days with .04 in. or more.	<i>23</i>	<i>22</i>	<i>16</i>	<i>16</i>	<i>16</i>	<i>15</i>	<i>20</i>	<i>17</i>	<i>9</i>	<i>6</i>	<i>21</i>	<i>13</i>	182

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Wm. J. Beaufort* [P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at *Northampton* in the County of *Northampton*

Diameter of Funnel of Gauge *5 in.* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *780* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

50

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.45</i>			<i>.12</i>	<i>.10</i>	<i>Tr.</i>	<i>.07</i>	<i>.10</i>	<i>.10</i>	<i>.03</i>	<i>.01</i>	<i>.17</i>	1
2	<i>.38</i>		<i>.10</i>	<i>.14</i>			<i>.02</i>	<i>.02</i>	<i>.75</i>		<i>.02</i>	<i>.85</i>	2
3	<i>.12</i>				<i>.62</i>	<i>.35</i>			<i>.45</i>	<i>.15</i>	<i>.04</i>	<i>.07</i>	3
4	<i>.05</i>	<i>.02</i>				<i>.03</i>	<i>.03</i>	<i>.02</i>			<i>.33</i>		4
5	<i>1.15</i>		<i>.18</i>						<i>.15</i>				5
6	<i>1.5</i>		<i>.03</i>	<i>.32</i>			<i>.08</i>		<i>.63</i>				6
7	<i>.3</i>			<i>.07</i>					<i>.80</i>	<i>1.43</i>			7
8			<i>.60</i>	<i>.06</i>	<i>.32</i>				<i>.06</i>	<i>.15</i>			8
9	<i>1.95</i>			<i>.70</i>	<i>.05</i>				<i>.80</i>	<i>.05</i>			9
10	<i>.60</i>			<i>.35</i>	<i>.03</i>				<i>.15</i>	<i>.85</i>			10
11	<i>.05</i>			<i>.18</i>	<i>.14</i>					<i>.35</i>		<i>.15</i>	11
12	<i>.90</i>		<i>Tr.</i>	<i>.07</i>	<i>.10</i>		<i>.07</i>		<i>.08</i>	<i>.50</i>		<i>.02</i>	12
13	<i>.25</i>			<i>.25</i>	<i>.02</i>		<i>.17</i>	<i>.20</i>	<i>.02</i>	<i>1.27</i>	<i>.17</i>	<i>.67</i>	13
14	<i>.45</i>			<i>.10</i>				<i>.03</i>		<i>.14</i>	<i>Tr.</i>	<i>.20</i>	14
15	<i>.05</i>			<i>.21</i>	<i>.29</i>					<i>.03</i>			15
16	<i>.75</i>			<i>.84</i>			<i>.08</i>			<i>.04</i>			16
17	<i>.05</i>								<i>.03</i>	<i>.18</i>			17
18				<i>.01</i>	<i>.26</i>				<i>.67</i>		<i>.27</i>		18
19	<i>.05</i>			<i>.12</i>	<i>.32</i>	<i>.07</i>			<i>.17</i>	<i>.30</i>	<i>.03</i>		19
20				<i>.65</i>			<i>.05</i>	<i>.23</i>	<i>.02</i>	<i>.83</i>	<i>.25</i>	<i>.23</i>	20
21	<i>.03</i>		<i>.05</i>	<i>.15</i>	<i>.65</i>		<i>.04</i>	<i>.50</i>	<i>.08</i>	<i>.87</i>	<i>.05</i>	<i>.12</i>	21
22			<i>.03</i>	<i>.05</i>	<i>.16</i>		<i>.05</i>	<i>.14</i>	<i>.40</i>	<i>.35</i>	<i>.50</i>	<i>.32</i>	22
23	<i>Tr.</i>	<i>.01</i>			<i>.15</i>		<i>.16</i>			<i>.77</i>	<i>.25</i>	<i>.22</i>	23
24		<i>Tr.</i>			<i>.05</i>		<i>.45</i>		<i>.14</i>	<i>.25</i>	<i>.10</i>		24
25			<i>.25</i>				<i>.50</i>		<i>.18</i>	<i>.70</i>	<i>.20</i>		25
26			<i>.10</i>				<i>.25</i>			<i>.27</i>	<i>.20</i>		26
27			<i>.40</i>	<i>.23</i>	<i>.16</i>		<i>.41</i>			<i>.50</i>	<i>.05</i>	<i>.05</i>	27
28			<i>.34</i>	<i>.05</i>	<i>.20</i>		<i>.30</i>			<i>.20</i>		<i>.02</i>	28
29			<i>.91</i>	<i>.23</i>	<i>.33</i>	<i>.39</i>	<i>.02</i>	<i>.50</i>	<i>.80</i>	<i>.75</i>	<i>.17</i>	<i>.60</i>	29 <i>8.0</i>
30		<i>x</i>	<i>.16</i>	<i>.05</i>	<i>.07</i>	<i>1.22</i>	<i>.45</i>	<i>.07</i>	<i>.65</i>	<i>.10</i>	<i>.85</i>	<i>.25</i>	30
31		<i>x</i>	<i>.13</i>	<i>x</i>	<i>.05</i>	<i>x</i>	<i>.30</i>		<i>x</i>	<i>.01</i>	<i>x</i>	<i>.75</i>	31 <i>2</i>
TOTAL	<i>9.30</i>	<i>.03</i>	<i>3.43</i>	<i>3.55</i>	<i>3.48</i>	<i>1.96</i>	<i>3.20</i>	<i>1.81</i>	<i>7.11</i>	<i>11.01</i>	<i>3.44</i>	<i>4.09</i>	YEAR'S TOTAL <i>58.54</i>
*Days with or in. or more.	<i>16</i>	<i>2</i>	<i>13</i>	<i>22</i>	<i>20</i>	<i>5</i>	<i>14</i>	<i>10</i>	<i>21</i>	<i>26</i>	<i>14</i>	<i>16</i>	<i>189</i>
*Days with .04 in. or more.	<i>17</i>	<i>nil</i>	<i>11</i>	<i>21</i>	<i>17</i>	<i>4</i>	<i>16</i>	<i>7</i>	<i>18</i>	<i>23</i>	<i>14</i>	<i>14</i>	<i>162</i>

Section

A

for the entry of Daily Observations.

Station No.

1831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Meadowcroft, South Zee, Orkney Islands*
in the County of *Orkney*Diameter of Funnel of Gauge *5 1/2* in.Height of top of Gauge above Ground *1* ft. *0* in.Ground Sea Level *750* ft.Year *10 Low*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

T2-

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.88	.17		.17	.08						1.35	1
2	.50		.66		.95	.48				.11			2
3	1.0	.05	.20		.08						.05		3
4	.56	.10	.03		.18								4
5	.16	.15	.25		.30					.05			5
6	.15	.45	.09		.38		.45			.05			6
7		.13			.10					.01			7
8		.27			.05		.38			.03			8
9	.10				.35		.38			.85			9 85
10		.47					.20			1.94			10
11							.15	.72	.42				11
12				.10	.05	.25	.20	.02	.42				12
13					.20	.03	.40	.15		T2	.46		13
14							.10	.04		.04	.20		14
15	.25		.25				.16			.22	.07		15
16			.85			.10		.02		.23			16
17			.30			.10		.05	.05				17
18	.73		.65			.25		.02			.05		18
19	.27		.86		T2		.14	.02	.15	T2	.75		19
20		.10				.30		.07	.28				20
21								.18					21
22				.08				.30		.02			22
23				.03				.03	.25				23
24		.40		.10		.12		T2	.35	T2			24
25		.59		.08	.05	.12			.05				25
26				.08		.01				.20			26
27		.90		.10	.05	.02				.55		T2	27
28		.30		.02			.25			.30		.80	28
29		X	.05	.13			.05			.20		.18	29
30	.27	X	.20	.27						.05		.10	30 low
31	.57	X	.10	X		X	.15		X	.08	X		31 71
TOTAL	4.16	4.79	4.16	.93	2.91	1.74	3.01	1.62	1.45	4.93	1.59	1.43	YEAR'S TOTAL 32.81
*Days with .01 in. or more.	12	13	14	10	13	11	13	12	7	17	6	4	142
*Days with .04 in. or more.	12	13	13	8	13	8	13	7	7	14	6	4	118

Section



for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Mudlowry South Zee. Orkney*
in the County of *Orkney*.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *750* ft.

Insup 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

21

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>Tr.</i>							<i>.61</i>	<i>.04</i>	<i>Tr.</i>	<i>.35</i>	<i>.45</i>		1
2	<i>.10</i>		<i>Tr.</i>					<i>.41</i>	<i>.77</i>		<i>.13</i>	<i>.32</i>		2
<i>15</i> 3	<i>.01</i>	<i>Tr.</i>	<i>.15</i>	<i>Tr.</i>	<i>.40</i>			<i>.12</i>	<i>Tr.</i>	<i>.25</i>	<i>.10</i>	<i>.48</i>		3
4	<i>.25</i>		<i>Tr.</i>	<i>.13</i>	<i>.33</i>			<i>.08</i>		<i>.64</i>	<i>.04</i>	<i>.75</i>		4
5	<i>Tr.</i>		<i>.15</i>	<i>.01</i>	<i>.45</i>	<i>.08</i>		<i>1.20</i>		<i>.35</i>	<i>.18</i>	<i>.75</i>	<i>95</i>	5
6	<i>.04</i>			<i>.20</i>	<i>.75</i>			<i>.40</i>	<i>.03</i>	<i>.03</i>	<i>.20</i>	<i>.55</i>		6
7			<i>.25</i>					<i>.14</i>	<i>Tr.</i>	<i>.22</i>	<i>.02</i>	<i>.15</i>	<i>.45</i>	7
8	<i>.50</i>	<i>.02</i>			<i>.03</i>			<i>.08</i>	<i>.07</i>	<i>Tr.</i>	<i>.32</i>		<i>1.56</i>	8
9	<i>.20</i>	<i>Tr.</i>	<i>.34</i>	<i>.03</i>				<i>.30</i>			<i>.45</i>		<i>.75</i>	9
10	<i>.30</i>	<i>Tr.</i>	<i>.45</i>	<i>.35</i>				<i>.12</i>		<i>Tr.</i>	<i>.02</i>	<i>.83</i>		10
11	<i>1.11</i>		<i>.10</i>	<i>.53</i>				<i>.17</i>		<i>.03</i>	<i>Tr.</i>	<i>.30</i>		11
12	<i>.25</i>		<i>.20</i>	<i>.03</i>				<i>.45</i>		<i>Tr.</i>	<i>.67</i>	<i>.25</i>		12
13	<i>.66</i>			<i>.57</i>			<i>Tr.</i>			<i>.06</i>	<i>.05</i>	<i>.18</i>		13
14	<i>.93</i>	<i>Tr.</i>	<i>.55</i>	<i>.01</i>			<i>Tr.</i>			<i>.22</i>	<i>.20</i>	<i>.38</i>		14
15	<i>Tr.</i>		<i>.31</i>	<i>Tr.</i>	<i>.30</i>					<i>.25</i>	<i>.25</i>	<i>.48</i>		15
16	<i>.20</i>		<i>.34</i>	<i>.03</i>			<i>Tr.</i>		<i>.17</i>	<i>.02</i>	<i>.20</i>	<i>.43</i>		16
17	<i>.63</i>		<i>.10</i>	<i>.15</i>					<i>.37</i>	<i>.20</i>	<i>.09</i>	<i>.28</i>		17
18	<i>.10</i>		<i>.24</i>	<i>.77</i>		<i>.04</i>	<i>Tr.</i>		<i>.02</i>	<i>.01</i>		<i>.83</i>		18
19	<i>.26</i>		<i>.18</i>		<i>.03</i>	<i>.16</i>			<i>.03</i>	<i>Tr.</i>		<i>.46</i>		19
20	<i>Tr.</i>		<i>.04</i>	<i>.10</i>			<i>.08</i>		<i>.18</i>	<i>.01</i>	<i>.02</i>	<i>.04</i>		20
21			<i>.19</i>		<i>Tr.</i>	<i>.24</i>	<i>Tr.</i>	<i>Tr.</i>		<i>.25</i>		<i>.56</i>		21
22				<i>.10</i>			<i>.06</i>	<i>.10</i>	<i>.57</i>	<i>Tr.</i>		<i>.02</i>		22
23	<i>Tr.</i>	<i>.02</i>	<i>.14</i>	<i>.20</i>		<i>.68</i>			<i>.14</i>	<i>.05</i>		<i>.20</i>		23
24	<i>.08</i>	<i>.08</i>	<i>.01</i>	<i>.05</i>	<i>.1</i>	<i>.47</i>	<i>.06</i>			<i>.16</i>		<i>.16</i>		24
<i>28</i> 25	<i>Tr.</i>		<i>Tr.</i>	<i>.35</i>		<i>Tr.</i>	<i>Tr.</i>		<i>.04</i>	<i>.60</i>		<i>.66</i>		25
26			<i>.02</i>	<i>.17</i>		<i>.28</i>	<i>Tr.</i>		<i>.02</i>	<i>.04</i>	<i>.08</i>	<i>.16</i>		26 <i>116</i>
27	<i>Tr.</i>			<i>Tr.</i>		<i>.28</i>	<i>Tr.</i>	<i>.02</i>	<i>.05</i>	<i>.10</i>	<i>.07</i>	<i>.50</i>		27
28				<i>.20</i>			<i>.11</i>	<i>.37</i>	<i>.20</i>	<i>.06</i>		<i>.66</i>		28
29		<i>X</i>						<i>.17</i>	<i>.31</i>	<i>.14</i>		<i>.76</i>		29
30	<i>Tr.</i>	<i>X</i>					<i>Tr.</i>	<i>.13</i>	<i>.09</i>	<i>.20</i>		<i>.45</i>		30
31		<i>X</i>		<i>X</i>		<i>X</i>	<i>.25</i>	<i>.03</i>	<i>X</i>	<i>.24</i>	<i>X</i>	<i>.05</i>		31
TOTAL	<i>5.84</i>	<i>.12</i>	<i>3.76</i>	<i>3.98</i>	<i>2.29</i>	<i>2.17</i>	<i>.56</i>	<i>4.87</i>	<i>3.10</i>	<i>4.16</i>	<i>2.83</i>	<i>13.42</i>	Year's Total <i>47.10</i>	
*Days with .01 in. or more.	<i>17</i>	<i>3</i>	<i>18</i>	<i>18</i>	<i>7</i>	<i>9</i>	<i>5</i>	<i>18</i>	<i>17</i>	<i>23</i>	<i>19</i>	<i>31</i>	<i>184</i>	
*Days with .04 in. or more.	<i>16</i>	<i>1</i>	<i>16</i>	<i>14</i>	<i>5</i>	<i>8</i>	<i>5</i>	<i>16</i>	<i>13</i>	<i>18</i>	<i>14</i>	<i>30</i>	<i>156</i>	

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1831

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Mendover, South Zee, Hampshire,*
in the County of *Devon.*

Diameter of Funnel of Gauge *5 1/4* in.

Height of top of Gauge above Ground *1* ft *0* in.

Ground Sea Level *750* ft.

*7816742/28 Station terminated
Feb. adj. for original*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>'21</i>	<i>'22</i>	<i>'48</i>										1
2	<i>'03</i>	<i>'05</i>	<i>'06</i>										2
3	<i>'07</i>	<i>'06</i>	<i>'10</i>										3
4	<i>'05</i>	<i>'02</i>											4
5	<i>'03</i>	<i>'36</i>	<i>'32</i>										5
6													6
7			<i>'02</i>										7
8													8
9													9
10	<i>'35</i>		<i>snw</i>										10
11	<i>'13</i>	<i>'03</i>	<i>snw</i>										11
12	<i>'31</i>	<i>'20</i>	<i>snw</i>										12
13	<i>'15</i>	<i>'20</i>											13
14		<i>'10</i>											14
15		<i>'53</i>											15
16		<i>'28</i>											16
17		<i>'03</i>											17
18		<i>'02</i>											18
19		<i>'04</i>											19
20		<i>'90</i>											20
21		<i>'71</i>											21
22		<i>'05</i>											22
23		<i>'07</i>											23
24	<i>'18</i>	<i>'64</i>											24
25	<i>'24</i>	<i>(50)</i>											25
26		<i>'90</i>											26
27		<i>'18</i>											27
28		<i>'18</i>											28
29		<i>X</i>											29
30		<i>X</i>											30
31	<i>'05</i>	<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>		31
TOTAL	<i>1.80</i>	<i>(5.72)</i>											Year's Total.
* Days with .01 in. or more.	<i>12</i>	<i>223</i>											
* Days with .04 in. or more.	<i>10</i>	<i>18</i>											

The following register of monthly total &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931.

At Spreyton, Bow In the County of Devon

Diameter of Funnel 5 in. Height of Top above Ground 1 ft. Height of Ground above Sea Level 660 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY	5.30				
AUG.	4.45				
SEPT.	1.29				
OCT.	1.31				
NOV.	7.81				
DEC.	2.05				
Total	imp				


Signature J. P. ...

1831/5 SPREYTON, LYNDERIES 1931 — 40

1831/5 N. Devon also the space for ... Direction from north South

Nature of objects nearest to gauge	Hedge	Bank
Heights of objects	3 ft. 6 in.	3 ft.
Distances	6 yards	4 1/2 yds.
Directions from gauge	north	East

If gauge has been moved during the year state— No. Date of move ... Distance ... Direction ...



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

- NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR. In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—
- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
 - (b) What note was made of the times of beginning and end of this fall?
 - (c) When was the measurement made?

was unable to measure the rainfall for first half year.

D INSTRUCTIONS.

- Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.
- In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—
 - (a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
 - (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases,
 - (A) and (B).
 - (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
 - (c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in
 - (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
 - (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - (h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931.

At Spreyton, BowIn the County of DevonDiameter of Funnel 5 in.Height of Top above Ground 1 ft. in.Height of Ground above Sea Level 660 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more	Number of Days with .04 in. or more
	Inches.	Inches.	Date.	
JAN.				
FEB.				
MAR.				
APRIL				
MAY				
JUNE				
JULY	<u>5.30</u>			
AUG.	<u>4.45</u>			
SEPT.	<u>1.29</u>			
OCT.	<u>1.31</u>			
NOV.	<u>7.81</u>			
DEC.	<u>2.05</u>			
Total	<u>imp</u>			

Signature J. Simpson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Lt. Col. J. Simpson
Lynderies, Spreyton, Bow, DevonHour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Bow Distance 2 3/4 mi. gauge NorthNearest Parish Church at Spreyton Distance 600 yds gauge South


Nature of objects nearest to gauge	<u>Hedge</u>	<u>Bank</u>		
Heights of objects	<u>3 ft. 6 in.</u>	<u>3 ft.</u>		
Distances	<u>6 yards</u>	<u>4 1/2 yds.</u>		
Directions from gauge	<u>North</u>	<u>East</u>		

If gauge has been moved during the year state— No.

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

Similar to "B."

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Was unable to measure the rainfall for first half year.

*See Instruction 2 (f) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At Spreyton (LYNDERIES)

In the County of Devon

Diameter of Funnel 5 in.

Height of Top above Ground 1 ft. — in.

Height of Ground above Sea Level 660 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches	Inches	01 in. or more
JAN.	5.38		
FEB.	.03		
MAR.	2.51		
APRIL	3.16		
MAY	3.04		
JUNE	1.44		
JULY	2.85		
AUG.	2.09		
SEPT.	4.41		
OCT.	9.23		
NOV.	2.65		
DEC.	2.15		
Total	39.24		

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Lt-Col J. Simpson, Lynderies

Spreyton Devon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Bow Distance 2 1/2 miles Direction from North

Nearest Parish Church at Spreyton Distance 600 yds Direction from South


Nature of objects nearest to gauge	Heights of objects	Distances	Directions from gauge
<u>Lane 4</u>	<u>3 ft. 6 in.</u>	<u>6 yards</u>	<u>North</u>
<u>Bank</u>	<u>3 ft.</u>	<u>6 yards</u>	<u>East</u>

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature J. Simpson Lt. Col.

X LT. COL. J. SIMPSON X

*See Instruction 2 (f) below.

1931 inch. OK previously.

OK print.

Average 36.9

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1831/5

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Spreyton
In the County of Devon
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 660 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Number of Days with or in. or more	or in. or more
JAN.	2.92			
FEB.	3.90			
MAR.	3.33			
APRIL	.41			
MAY	2.96			
JUNE	2.17			
JULY	2.33			
AUG.	1.66			
SEPT.	1.59			
OCT.	4.73			
NOV.	1.56			
DEC.	2.23			
Total	30.09			

Signature

J. Simpson

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. W. J. Simpson, Lynderick,
Spreyton, Bow, Devon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Bow Distance 2 1/2 miles Direction from gauge N

Nearest Parish Church at Spreyton Distance 1/2 mile Direction from gauge S


Nature of objects nearest to gauge	<u>Hedge</u>	<u>Bank</u>		
Heights of objects	<u>4 ft.</u>	<u>3 ft.</u>		
Distances ..	<u>12 ft.</u>	<u>12 ft.</u>		
Directions from gauge ..	<u>N.</u>	<u>E.</u>		

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1831/5

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Spreyton
In the County of Devon
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 660 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches	Inches	'01 in. or more
JAN.	4.36		
FEB.	1.09		
MAR.	2.95		
APRIL	3.18		
MAY	2.05		
JUNE	2.06		
JULY	1.39		
AUG.	3.47		
SEPT.	2.48		
OCT.	2.74		
NOV.	2.25		
DEC.	10.44		
Total	36.46		

Signature J. Simpson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Lt. Colonel J. Simpson
Lynderies, Spreyton, Devon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Bow Distance 2½ miles Direction from N

Nearest Parish Church at Spreyton Distance 600 yds Direction from S

Nature of objects nearest to gauge Laurel hedge
Height of objects 4 ft. 6 in.
Distances 15 ft.
Directions from gauge N


If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

Similar
to B.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

In December 1929 the Dec fall was 10.43 in.

average annual fall for past 12 years = 40.105

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1831/5

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Spreyton
In the County of Devon
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 660 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date	Number of Days with ·01 in. or more	·04 in. or more
JAN.	1.24				
FEB.	4.21				
MAR.	1.68				
APRIL	5.23				
MAY	2.21				
JUNE	2.88				
JULY	.65				
AUG.	1.84				
SEPT.	4.48				
OCT.	5.08				
NOV.	5.54				
DEC.	4.69				
Total	39.49				

Signature J. Simpson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Lt. Colonel J. Simpson
Lynderies, Spreyton, Devon

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Bow Distance 2½ mi. Direction from gauge N

Nearest Parish Church at Spreyton Distance 600 yds. Direction from gauge S.

Nature of objects nearest to gauge
Height of objects
Distances
Directions from gauge


nothing near

If gauge has been moved during the year state—

Date of move. Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.



1831/5

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At SpreytonIn the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. — in.
Height of Ground above Sea Level 660 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with .01 in. or more
	Inches	Inches	Date
JAN.	6.32		
FEB.	4.26		
MAR.	3.34		
APRIL	2.43		
MAY	.90		
JUNE	1.58		
JULY	7.36		
AUG.	.11		
SEPT.	2.55		
OCT.	1.81		
NOV.	4.16		
DEC.	4.55		
TOTAL	39.67		

Signature J. Simpson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

LT. COL. J. Simpson Lyndries
Spreyton, Devon


Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Bow Distance 2 miles Direction from gauge northNearest Parish Church at Spreyton Distance 600 yds. Direction from gauge SouthNature of objects nearest to gauge Land hedgeHeight of objects 5 ft.Distances 15 ft.Directions from gauge north

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999



* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At SpreytonIn the County of DevonRain Gauge { Diameter of Funnel.....5.....in.Height of Top above Ground.....1.....ft.....in.Height of Ground above Sea Level.....660.....ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	<u>7.36</u>				
FEB.	<u>6.94</u>				
MAR.	<u>5.44</u>				
APRIL	<u>3.38</u>				
MAY	<u>2.19</u>				
JUNE	<u>1.31</u>				
JULY	<u>1.40</u>				
AUG.	<u>.46</u>				
SEPT.	<u>2.68</u>				
OCT.	<u>4.02</u>				
NOV.	<u>2.52</u>				
DEC.	<u>3.53</u>				
TOTAL	<u>41.56</u>				

Signature J. Simpson Lt. Col.1.1.38

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—


Lt. Col. J. Simpson, Lynderies, Spreyton, Devon.Hour of observation by the clock—in Winter.....9 a.m......in Summer.....9 a.m.Nearest Railway Station.....Bow..... Distance 2 1/4 miles..... Direction from N.Nearest Parish Church at.....Spreyton..... Distance 600 yds...... Direction from S.Nature of objects nearest to gauge Laurel hedgeHeight of objects 4 ft.Distances 4 yardsDirections from gauge north

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

5-3 JAN. 1938



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At SpreytonIn the County of Devon

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft.
Height of Ground above Sea Level 6.65 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	5.96				
FEB.	1.20				
MAR.	.21				
APRIL	.25				
MAY	2.25				
JUNE	1.38				
JULY	3.04				
AUG.	5.93				
SEPT.	1.34				
OCT.	4.13				
NOV.	6.65				
DEC.	4.84				
TOTAL	34.24				

Signature J. Simpson Lt. Colonel

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Lt. Colonel J. Simpson
Lynderies, Spreyton, Devon.


Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Bow Distance 2 1/2 miles Direction from gauge northNearest Parish Church at Spreyton Distance 800 yds Direction from gauge SouthNature of objects nearest to gauge Laurel hedgeHeight of objects 5 ft.Distances 13 ft.Directions from gauge North

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At SpreytonIn the County of Devon

Rain Gauge { Diameter of Funnel.....5½ in.
Height of Top above Ground.....1 ft..... in.
Height of Ground above Sea Level.....66.0 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	<u>4.52</u>		
FEB.	<u>1.75</u>		
MAR.	<u>1.62</u>		
APRIL	<u>2.91</u>		
MAY	<u>.49</u>		
JUNE	<u>2.69</u>		
JULY	<u>6.25</u>		
AUG.	<u>2.05</u>		
SEPT.	<u>1.19</u>		
OCT.	<u>4.94</u>		
NOV.	<u>8.34</u>		
DEC.	<u>2.09</u>		
TOTAL	<u>41.90</u>		

Signature J. Simpson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

LT. Col. J. Simpson Lynderies
Spreyton, Crediton, Devon


Hour of observation by the clock—in Winter...9 a.m....in Summer...9 a.m.Nearest Railway Station...Bow... Distance 2½ miles. Direction from northNearest Parish Church at Spreyton... Distance 600 yds. Direction from SouthNature of objects nearest to gauge Lamell hedge TreeHeight of objects 5 ft. 17 ft.Distances ... 12 ft. 18 yds.Directions from gauge ... north S.S.W.

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

-2 JAN. 1940

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the 18 | } morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91

S.O. Code No. 49999

BMonthly
Summary.**C**

Particulars of Station.

1831/5

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At SPREYTONIn the County of DevonRain Gauge Diameter of Funnel 5 in.Height of Top above Ground 1 ft.Height of Ground above Sea Level 660 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	0.4 in. or more
JAN.	2.94				
FEB.	3.35				
MAR.	2.30				
APRIL	3.48				
MAY	1.52				
JUNE	.81				
JULY	3.14				
AUG.	.20				
SEPT.	1.64				
OCT.	2.31				
NOV.	4.45				
DEC.	3.54				
TOTAL	33.34				

Signature J. Simpson

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—


Mr. Col. J. Simpson Lynderies Spreyton
Crediton, DevonHour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.Nearest Railway Station Bow Distance 2 miles Direction from gauge northNearest Parish Church at Spreyton Distance 600 yds Direction from gauge SouthNature of objects nearest to gauge TreeHeight of objects 20 ftDistances 15 yardsDirections from gauge South

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
 (b) What note was made of the times of beginning and end of this fall?
 (c) When was the measurement made?



* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91

S.O. Code No. 40-9999

Section



for the entry of Daily
AIR MINISTRY.—

FORM 1090

REGISTER

Kept at *Ashreigney*
in the County of *Devon*
Diameter of Funnel of Gauge.....*5*
Height of top of Gauge above Ground.....
Ground Sea Level.....

1831/9
CHULMLEIGH
ASH REIGNEY RECTORY
1931 — 40

ation No. *1831/9*
L ORGANIZATION

853
Cor for .005 entries.
25288.1/37
sho. est.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.500	.200	.581		.372	.062			1
2		.231		.175	.018					.278	.037	.450		2
3					.075	.062	.109			.587	.006			3
4	<i>290</i>				.025		.375	<i>1.749</i>		.675	.015			4
5				.056			<i>tr</i>		.100	.300	.002	.200		5
6						.243	.862	<i>1.437</i>	.125	.206	<i>tr</i>			6
7							.325		.125	.041	.012	.337		7
8							.575	.175	<i>tr</i>	.600				8
9		.250	.012			.050		.575		.050		.725		9
10							.100	.218				.287		10
11						.025	.012	.137		.050	.200	.537		11
12					.075					.250	.506	.115		12
13					.100			.003		.225	.062	.575		13
14					.075		.262		.037					14
15					.025			.043		.087		.237		15
16		.100	.037		.037			.025			.287	<i>tr</i>		16
17					.175		.025		.112	.125				17
18					.100	.062	.006	.175	.612	.031	.362			18
19	<i>(3.90)</i>						.018	.050	.075		.650			19
20								.012	.006					20
21								.075	.306		.675			21
22				.037		.150		.975		.062	.412	.250		22
23				.150		.002		.012			.375	.012		23
24			.325			.002	.006	.218	.075		.437			24
25		.350	.012		.250		.075				.462	<i>tr</i>		25
26	<i>2.175</i>		.050		.175		.750			.400		.118		26
27		.375			.300	.237	.062	.475			.525			27
28			.012		.050	.175		.675	.050					28
29		<i>X</i>	.012		.362	.071			.025	.262	.112	.162		29
30		<i>X</i>				.006	<i>tr</i>	<i>tr</i>	.100	.062	.350	.050		30
31		<i>X</i>	.018	<i>X</i>	.662	<i>X</i>	.003		<i>X</i>	.237	<i>X</i>	.350	<i>d</i>	31
TOTAL	<i>(6.07)</i>	<i>1.306</i>	.48	.42	<i>2.504</i>	<i>1.585</i>	<i>3.77</i>	<i>7.610</i>	<i>1.75</i>	<i>4.900</i>	<i>5.55</i>	<i>4.41</i>	Year's Total	<i>40.36</i>
* Days with .01 in. or more.	<i>9(?)</i>	<i>7</i>	<i>4</i>	<i>17</i>	<i>12</i>	<i>15</i>	<i>19</i>	<i>12</i>	<i>23(?)</i>	<i>23(?)</i>	<i>22(?)</i>			<i>Pri</i>
* Days with .04 in. or more.	<i>9(?)</i>	<i>2</i>	<i>3</i>	<i>13</i>	<i>11</i>	<i>12</i>	<i>16</i>	<i>10</i>	<i>21(?)</i>	<i>20(?)</i>	<i>21(?)</i>			<i>31/3/39</i>

REV. R. Y. HOLMES

* See Instruction 3 (f) on other side.

Spare column, no entries required.

(Signed)

R. Y. Holmes

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

1831/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Ashreigney
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft. in.
Ground Sea Level 59.0 ft.

previously No. 1853

Est. pt. Jan?

cor for 005 entries.

Part Jan. cold by surrounding snow.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.500	.200	.581		.372	.062			1
2		.231		.175	.018					.278	.037	.450		2
3					.075	.062	.109			.587	.006			3
4	.290				.025		.375	1.749		.675	.015			4
5				.056			tr		.100	.300	.002	.200		5
6						.243	.862	1.437	.125	.206	tr			6
7							.325		.125	.041	.012	.337		7
8							.575	.175	tr	.600				8
9		.250	.012			.050		.575		.050		.725		9
10							.100	.218				.287		10
11						.025	.012	.137		.050	.200	.537		11
12					.075					.250	.506	.115		12
13					.100			.003		.225	.062	.575		13
14					.075		.262		.037					14
15					.025			.043		.087		.237		15
16		.100	.037		.037			.025			.287	tr		16
17					.175		.025		.112	.125				17
18					.100	.062	.006	.175	.612	.031	.362			18
19	(3.90)						.018	.050	.075		.650			19
20								.012	.006					20
21								.075	.306		.675			21
22				.037		.150		.975		.062	.412	.250		22
23				.150		.002		.012			.375	.012		23
24			.325			.002	.006	.218	.075		.437			24
25		.350	.012		.250		.075				.462	tr		25
26	2.175		.050		.175		.750			.400		.118		26
27		.375			.300	.237	.062	.475			.525			27
28			.012		.050	.175		.675	.050					28
29		X	.012		.362	.071			.025	.262	.112	.162		29
30		X				.006	tr	tr	.100	.062	.350	.050		30
31		X	.018	X	.662	X	.003		X	.237	X	.350		31
TOTAL	(6.07)	1.306	.478	.418	2.504	1.585	3.765	7.610	1.748	4.900	5.549	4.405	Year's Total	40.36
* Days with .01 in. or more.	9(3)	7	4	17	12	15	19	12	23(?)	23(?)	22(?)			Pin
* Days with .04 in. or more.	9(?)	2	3	13	11	12	16	20	21(?)	20(?)	21(?)			38 31/3/39

REV. R. Y. HOLMES

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

R. Y. Holmes

[P.T.O.]

Section



for the entry of Daily Observations

21

Station No. 1831/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ashzeigney
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
Ground Sea Level 590 ft.

Every year in July & Sept
Days 14/4/40 etc.
original form adopted
Feb 15/6/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.300	-	.100	.062	.018	-	-	.012	-	-	-	.087		1
2		-	-		-	-	.012	.625	.168	-	.562	.137		2
3	.400	-	-	.575	-	-	-	.025	.208	-	-	.687		3
4		-	.225	.475	.325	-	.200	.100	-	.206	.387	.325		4
5	-	-			.137	-	.550	-	-	.175	.462	.087		5
6		-	.068	.268	-	-	.400	.018	-	-	.150	-		6
7	.550			-	-	-	.112	.050	-	-				7
8	.041	.265	.112	-	.002	-	.143	.062	-	.537	.450	.800		8
9	-			-	-	-	-	.153	-	.037	.287	.125		9
10	.337	.050	-	-	-	.024	-	.037	.231	.406				10
11	-	.037	.112	-	-	-	-	.003	(-)	.125	.025	.525		11
12		.050	-		-	-	-		.125	.212	.018	-		12
13	.662	-	-	.050	tr	.062	.125	-	.056	.212		-		13
14		.012	-	.025	.050	.176	.512	-	.002	.050		-		14
15	.541	-	-	.015	.125	.500	.200	-	-	.150	1.175	.043		15
16	-		-	.100	.037	-	.625	-	-	-		-		16
17	.537	.218		-	-	.075	.137	-	-	-		-		17
18			.025	-	-	.075	.406	-	-	-	1.218	-		18
19	.400	-	-	-	-	-	.137	.025	-	-	-			19
20		-	-	-	-	.700	.312	.331	-	-	-	.100		20
21	.412	.225	.108		.137	.125	.040	-	-	-	-	-		21
22	.800	.200	-	.062	-	.150	.225	tr	-	.006	-	-		22
23		.050	.375	.150	-	.025		-	-		1.125	-		23
24	1.000	.350	.250	.175	-	.475	.725	-	-	.437		-		24
25			-		-	-	.128	.168	-		.512	-		25
26	-	.475	-	.237	-	-	.015	.075	-	.062		-		26
27	-		-	-	-	.025	.128	.031	-	-	.850			27
28	-	.106	.018	.018	-	.112	.125	-	-	-		.125		28
29	-	X	-	.021	-	-	.103	-	-	-	.675			29
30	-	X	-	.200	-	.006	.125	-	-	.212	.050	-		30
31	-	X	-	X	-	X	.087	.200	X	.272	X	-		31
TOTAL	5.98	2.04	1.39	2.43	.83	2.53	8.038	1.92	2.479	3.10	7.95	3.04	Year's Total	37.57
	5.980	2.038	1.393	2.433	.831	2.530	5.571	1.915	2.479	3.099	7.946	3.041	37.568	
* Days with .01 in. or more.	12	12	10	15	8	11	24	16	5	15	15	11	15.7	"d"
* Days with .04 in. or more.	12	11	8	11	6	10	22	11	5	14	13	11	13.4	

† Spare column, no entries required.

(Signed)

R. E. Holmes

P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 1831/9

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ashmoleigh

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 6 ft. in.

Ground Sea Level 59.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.062	-	.156	.018	-	-	-	-	-	.1175	-		1
2	-	.487	-	.112	-	-	-	-	-	-	.425	-		2
3	.002	.187	-	.112	-	-	.250	-	-	.337	.112	.362		3
4	tr	.287	-	-	-	-	.041	-	-	.425	.843	-		4
5	.162	.050	-	-	-	-	.637	-	-	.031	-	.575		5
6	.050	-	-	-	-	-	.025	-	.009	.175	.800	.1043		6
7	-	-	-	-	-	-	.300	.175	.062	.937	-	-		7
8	-	-	-	-	-	-	.081	.156	.156	.937	-	-		8
9	-	-	-	.112	-	.031	.862	-	-	-	.1362	-		9
10	-	-	.287	-	-	.025	.112	-	.1212	-	.712	-		10
11	-	.025	.712	.350	-	-	.362	-	.400	.362	.650	-		11
12	-	.050	-	.350	-	-	-	-	.487	-	.487	-		12
13	.687	.700	.550	.687	-	-	.164	-	.337	.050	.187	.500		13
14	.825	.175	.125	-	-	-	.175	-	.100	-	-	-		14
15	-	.112	.125	-	-	-	.587	-	.312	.037	.137	-		15
16	-	.156	.042	-	-	-	.162	.050	.4	.200	-	-		16
17	-	-	-	-	.112	-	-	-	-	-	.487	-		17
18	-	-	.181	.137	.068	.525	-	-	.100	.062	.050	-		18
19	-	.250	.162	-	.112	-	-	-	-	-	.050	-		19
20	-	.025	-	-	-	-	.350	-	-	-	-	-		20
21	-	.025	.031	.137	.112	-	-	-	-	-	-	-		21
22	.150	-	-	.500	.018	.418	-	-	-	-	.025	-		22
23	.487	.031	1.175	.100	-	-	-	-	-	-	-	-		23
24	.112	.175	-	.175	-	-	-	-	-	-	-	.012		24
25	.031	.200	1.250	-	.037	-	-	-	-	-	-	-		25
26	.887	.018	.200	-	-	-	-	-	-	.850	-	.400		26
27	.002	.002	.002	.018	.018	-	-	-	-	-	-	.481		27
28	.002	.002	.002	.018	.018	-	-	-	-	-	-	.481		28
29	.002	.002	.002	.018	.018	-	-	-	-	-	-	.481		29
30	.002	.002	.002	.018	.018	-	-	-	-	-	-	.481		30
31	.002	.002	.002	.018	.018	-	-	-	-	-	-	.481		31
TOTAL	3.475	3.359	3.055	4.377	1.240	.748	5.526	.325	2.579	3.866	7.802	4.023	Year's Total	40.37
* Days with .01 in. or more.	109	108	106	171	9	6	20	3	12	17	24	14	17	159
* Days with .04 in. or more.	108	106	103	165	7	2	18	3	12	14	20	13	14	134

† Spare column, no entries required.

(Signed)

R. J. Holmes

[P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of Data
AIR MINISTRY.

FORM 1090.

REGISTER

Kept at WITHERIDGE
in the County of DEVON

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

1832
WITHERIDGE
1931 — 40

780309

1832
FOR OFFICIAL USE.
LL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.27	—	.02	—	—	.33	.03	.07	—	1
2	.18	—	—	.52	—	.13	.04	—	.40	.02	.07	.32	2
3	.09	—	.25	.03	—	—	.03	tr	.53	—	.73	.09	3
4	—	—	.20	.12	.07	.31	.81	.71	.23	.08	.19	—	4
5	—	.28	.02	.47	—	.50	.01	—	.01	.06	.05	.18	5
6	—	—	—	.07	.06	.20	.02	—	—	.36	.37	.50	6
7	—	.18	—	—	.15	.16	.89	.29	—	.07	.64	.08	7
8	—	.07	tr	.25	—	.24	.02	.12	—	.10	.09	.09	8
9	.03	.10	—	—	tr	.03	.03	—	—	—	.19	.03	9
10	—	.12	tr	—	.18	.04	.02	.24	.05	—	.70	.01	10
11	.39	.65	tr	.01	—	.20	.07	.04	.07	—	.34	—	11
12	—	.35	—	—	—	—	.41	—	.26	—	—	—	12
13	—	.09	.09	.02	.07	—	.43	—	—	—	—	—	13
14	—	.06	—	—	.36	.41	.31	.26	—	—	.33	—	14
15	.07	.10	—	—	.07	.06	.02	.57	.07	—	—	.02	15
16	.12	—	—	.16	.16	.65	.03	.44	.02	—	—	—	16
17	.01	—	—	—	—	.03	.39	.44	.13	—	tr	—	17
18	.11	—	.01	.07	—	.14	.25	.44	—	—	.40	—	18
19	.16	—	.09	—	.09	.41	.03	.44	—	—	.46	tr	19
20	.23	.06	.25	—	.10	—	—	.44	—	—	.20	—	20
21	—	.12	—	—	.51	.02	—	.01	—	—	.03	—	21
22	.52	.01	—	—	.07	—	—	.03	—	—	.11	—	22
23	.27	.07	—	.32	—	—	.05	.02	—	—	.47	tr	23
24	.19	.04	.01	1.22	—	.02	.78	.51	—	—	.04	.02	24
25	.21	.25	—	.33	—	—	.17	—	—	—	.24	.08	25
26	.03	.08	—	.46	—	—	.62	—	—	—	.43	.04	26
27	.07	.25	—	—	1.62	.02	.17	—	—	.25	.17	.27	27
28	.02	.08	.15	.05	.06	—	.07	.02	—	.06	—	.31	28
29	—	X	.14	—	.05	—	.05	.05	—	.18	—	—	29
30	—	X	—	—	—	—	.26	.08	.14	.04	.07	—	30
31	1.39	X	.06	X	—	X	—	—	X	—	X	.42	31
TOTAL	4.11	2.96	1.97	4.37	3.62	3.65	5.83	5.05	3.24	1.25	6.39	2.46	43.90
*Days with or in. or more.	19	19	11	16	15	19	26	19	12	11	22	15	20 4
*Days with .04 in. or more.	14	18	8	13	15	14	19	15	10	9	21	12	16 8

40-9999

*See Instruction 2 (f) on other side.

(Signed) J. A. S. Castleman [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WITHERIDGE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.27	—	.06	—	—	.33	.03	.07	—	1
2	.18	—	—	.52	—	.13	.04	—	.40	.02	.07	.32	2
3	.09	—	.05	.03	—	—	.03	tr	.53	—	.73	.09	3
4	—	—	.20	.12	.07	.31	.81	.71	.23	.08	.19	—	4
5	—	.28	.02	.47	—	.50	.01	—	.01	.06	.65	.18	5
6	—	—	—	.07	.06	.20	.02	—	—	.36	.57	.50	6
7	—	.18	—	—	.15	.16	.89	.29	—	.07	.64	.08	7
8	—	.07	tr	.25	—	.24	.02	.12	—	.10	.09	.09	8
9	.03	.10	—	—	tr	.03	.03	—	—	—	.19	.03	9
10	—	.12	tr	—	.18	.04	.02	.24	.05	—	.70	.01	10
11	.39	.65	tr	.01	—	.20	.07	.04	.07	—	.34	—	11
12	—	.35	—	—	—	—	.41	—	.26	—	—	—	12
13	—	.09	.09	.02	.07	—	.43	—	—	—	—	—	13
14	—	.06	—	—	.36	.41	.31	.26	—	—	.33	—	14
15	.07	.10	—	—	.07	.06	.02	.57	.07	—	—	.02	15
16	.12	—	—	.16	.16	.65	.03	.44	.02	—	—	—	16
17	.01	—	—	—	—	.03	.39	.44	.12	—	tr	—	17
18	.11	—	.01	.07	—	.14	.25	.44	—	—	.40	—	18
19	.16	—	.07	—	.09	.41	.03	.41	—	—	.46	tr	19
20	.23	.06	.25	—	.10	—	—	.44	—	—	.20	—	20
21	—	.12	—	—	.51	.02	—	.01	—	—	.03	—	21
22	.52	.01	—	—	.07	—	—	.03	—	—	.11	—	22
23	.27	.07	—	.32	—	—	.05	.02	—	—	.27	tr	23
24	.19	.04	.01	1.22	—	.02	.78	.51	—	—	.04	.02	24
25	.21	.25	—	.33	—	—	.17	—	—	—	.24	.08	25
26	.03	.18	—	.46	—	—	.62	—	—	—	.43	.04	26
27	.07	.25	—	—	1.62	.02	.17	—	—	.25	.17	.27	27
28	.02	.08	.15	.05	.06	—	.07	.02	—	.06	—	.31	28
29	—	X	.14	—	.05	—	.05	.05	—	.18	—	—	29
30	—	X	—	—	—	—	.06	.06	.14	.04	.07	—	30
31	1.39	X	.06	X	—	X	—	—	X	—	X	.42	31
TOTAL	4.11	2.96	1.97	4.37	3.62	3.65	5.83	5.05	2.24	1.25	6.30	2.46	43.90
*Days with .01 in. or more.	19	19	11	16	15	19	26	19	12	11	22	15	20 4
*Days with .04 in. or more.	14	18	8	13	15	14	19	15	10	9	21	12	16 8

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. A. S. Castleman

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WITNERIDGE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	tr	-	.20	.19	.14	.42	.15	.07	-	.02	.02	1
2	.17	-	-	.08		-	.03	.07	1.08	-	.03	.42	2
3	.05	-	tr	-		-	.05	.12	.21	.16	.01	.04	3
4	-	-	-	.03		-	-	.16	.24	.03	.25	.01	4
5	.54	-	.07	tr	tr	-	-	.01	.10	-	-	-	5
6	.69	-	.03	.37	tr	-	.10	.02	.49	.06	-	-	6
7	.03	-	-	.27	tr	-	-	.02	.94	.89	-	-	7
8	.33	-	.67	.23	.07	-	-	-	.01	.47	-	-	8
9	.70	.01	-	.07	.02	-	-	-	.02	.05	-	-	9
10	.48	-	tr	.05	-	-	-	-	.08	.37	-	-	10
11	.06	-	-	.02	.28	-	-	-	-	.34	-	.03	11
12	.49	-	-	.03	.37	-	.13	-	.07	.77	.01	.01	12
13	.11	-	-	.03	.20	-	.17	-	.03	.54	.01	.18	13
14	.21	-	-	-	.18	-	-	.20	.05	.05	.15	.04	14
15	.04	-	-	-	.10	-	-	-	-	.29	.09	.04	15
16	.01	-	-	-	.08	-	.11	-	-	.05	-	-	16
17	-	-	-	.04	-	-	-	-	.52	.02	.19	tr	17
18	-	-	tr	.02	.34	-	-	-	.03	.13	-	tr	18
19	-	-	-	.03	.04	-	-	-	.01	.43	.05	.10	19
20	tr	tr	.01	.08	.12	-	.04	.03	.07	.47	.19	.11	20
21	-	-	.08	-	.04	-	tr	.88	.05	.75	.16	tr	21
22	.04	-	.02	.24	.57	-	.07	.02	.87	.27	.40	.02	22
23	-	.01	-	-	.05	-	.35	-	.03	.58	.33	.27	23
24	-	-	-	-	.07	-	.25	-	.64	.15	.02	.01	24
25	.01	-	.23	-	-	-	.03	-	.18	.47	.18	.02	25
26	-	-	.07	.19	-	-	.05	-	-	.16	.13	-	26
27	-	-	.73	.06	.05	.01	.07	-	-	.37	.02	.07	27
28	-	-	.72	.20	.17	.02	.53	-	-	-	-	.03	28
29	.04	-	.08	.28	.18	.56	.24	-	.65	.74	.01	.37	29
30	-	X	.05	.09	.09	.47	.65	-	.57	.23	.59	-	30
31	-	X	.07	X	.05	X	.25	.38	X	.03	X	.46	31
TOTAL	4.12	.02	2.83	2.61	3.26	1.20	3.64	2.06	6.25	8.87	2.84	2.25	YEAR'S TOTAL 40.05
*Days with or in. or more.	18	2	13	21	23	5	18	12	24	27	20	19	202
*Days with .04 in. or more.	14	-	10	15	22	3	16	7	18	24	12	11	152

Section

A

for the entry of Daily Observations.

Station No.

1832
1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Wetheridge

in the County of

Derby

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

in.

Ground

Sea Level

600

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.38	.18	-	-	.07	-	-	-	-	-	.97		1
2	.16	.01	.55	-	.76	.42	-	-	-	-	.03	.03		2
3	-	.03	-	-	-	-	-	-	-	-	-	-		3
4	.08	.20	.03	-	-	-	-	-	-	-	-	-		4
5	.29	.29	x	-	.04	-	-	-	tr	.05	-	-		5
6	.05	.18	x	-	.26	-	-	-	-	.09	-	-		6
7	.11	.32	-	-	.42	-	.02	.35	-	-	-	-		7
8	.05	.13	✓	tr	-	-	.08	.01	-	.11	-	-		8
9	-	.12	-	tr	.97	-	.16	-	-	.64	-	-		9
10	.10	.33	-	-	-	.01	.05	.16	tr	1.04	-	-		10
11	.06	-	2.10	-	.04	-	.32	.11	-	.08	-	tr		11
12	-	-	-	-	.28	.32	.17	-	.42	.07	-	.08		12
13	-	-	-	-	-	-	.31	.14	-	.03	-	-		13
14	.06	-	-	-	-	.02	.27	.11	-	.07	.28	-		14
15	.40	-	✓	-	-	.07	.04	.01	tr	-	.09	.04		15
16	-	-	✓	-	-	-	-	.03	.05	-	-	-		16
17	-	-	✓	-	-	-	-	-	.10	-	-	-		17
18	.10	-	-	tr	tr	-	-	-	~~tr~~	.40	-	-		18
19	.13	-	✓	.03	-	-	.02	-	.05	tr	.87	-		19
20	-	-	-	-	-	.07	.34	.02	.07	-	-	tr		20
21	-	.07	-	-	-	.03	.01	.08	-	.13	-	-		21
22	-	-	-	.22	.02	.17	-	.49	.22	-	-	-		22
23	-	.53	-	.20	tr	-	-	.02	-	.32	-	-		23
24	-	.48	-	.04	tr	-	tr	.07	-	-	-	-		24
25	-	.52	-	.21	-	-	-	-	-	-	-	.11		25
26	-	-	-	.17	-	-	-	-	.08	.36	-	-		26
27	-	.07	-	-	-	-	-	-	.17	.42	-	-		27
28	-	.23	-	.27	-	-	-	-	-	.17	-	-		28
29	-	X	.01	-	-	-	-	-	-	.07	-	-		29
30	.07	X	.03	.47	.35	-	-	-	.20	.08	-	.14		30
31	.24	X	.27	X	-	X	-	-	X	.24	X	-		31
TOTAL	2.17	3.89	3.17	1.61	3.14	1.18	1.79	1.60	1.36	4.07	1.27	1.37	Year's total	
*Days with .01 in. or more.	15	16	12	8	9	9	12	13	9	18	4	6	138	
*Days with .04 in. or more.	15	14	9	7	8	6	9	9	9	7	3	5	98	

40-9999

*See Instruction 2 (f) on other side.

x average

† Spare column, no entries required.

(Signed)

J. A. S. Castleman

[P.T.O.]

Sec.

For

OFFICE.—BRITISH RAINFALL ORGANIZATION.

FALL IN 193₄.

With apologies for
grouping.

TO THE PREVIOUS DAY.

ing made on January 1st of the following

Jan. 1, following

1 Instructions Overleaf.

										Aug.	Sept.	Oct.	Nov.	Dec.		Date							
										in.	in.	in.	in.	in.	†								
										.46	.21			.30		1							
										-	.47			.27		2							
										.37				.73		3							
										.01				.69		4							
										1.31				.42		5							
										.17				.28		6							
										.32				.21		7							
										.03				.67		8							
										.04						9							
										.20						10							
10																	10						
11		-	.07	.46	-	-	-	.22									11						
12	2.16	-	.03	.07	-	-	-	-									12						
13		-	.14	.30	-	tr	-	-						2.57			13						
14		-	.18	tr	-	-	-	-			2.45						14						
15		-	.18	tr	.32	.01	-	-		2.25							15						
16		tr	.34	-	-	-	-	-					2.71				16						
17		-	.03	.33	.06	-	-	-									17						
18	.25	-	.21	.34	-	-	-	-						.37			18						
19	.07	-	.16	.07	-	-	-	-						.41			19						
20	.02	-	.09	.15	-	-	-	-						.07			20						
21	.32	-	-	.04	tr	.32	-	.26						.12			21						
22	.04	-	-	.07	-	-	-	-						.61			22						
23	.03	-	-	.23	-	.92	-	.07						.34			23						
24	.03	.25	.17	.08	-	.21	-	.02						.33			24						
25	.17	.10	-	.19	-	-	-	.03						.51			25						
26	-	-	.21	-	-	.07	-	-						.17			26						
27	-	-	-	-	-	.36	-	.21						.28			27						
28	-	-	-	-	-	-	.23	.28						.51			28						
29	-	-	-	-	-	-	.22	.47						.09			29						
30	-	X	-	-	-	-	-	.32						.14			30						
31	-	X	-	X	-	X	.12	.03	X	.40	X	.20					31						
TOTAL										3.46	.36	2.76	2.98	1.68	2.27	.77	4.82	2.93	2.85	2.71	10.26	Year's Total	37.85
*Days with .01 in. or more.										3	18	17	7	7	3	19							
*Days with .04 in. or more.										2	15	16	7	6	3	14							

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at, WITHERIDGE

in the County of DEVON

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.....

Ground Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in. .05	in. —	in. tr	in. —	in. —	in. —	in. —	in. .46	in. .21	in. —	in. —	in. .30	†	1
2	.11	—	.07	—	—	tr	—	—	.47	—	—	.27		2
3	.02	tr	tr	—	.57	—	—	.37	—	—	—	.73		3
4	.19	—	—	.10	.07	—	—	.05	—	—	—	.69		4
5	—	—	.03	.01	.06	.38	—	1.31	—	—	—	.42		5
6	—	—	.22	.06	.52	—	—	.17	—	—	—	.28		6
7	—	tr	—	—	—	—	—	.32	—	—	—	.21		7
8	—	—	.24	—	.08	—	—	.03	—	—	—	.67		8
9	—	—	.17	.07	—	—	—	.04	—	—	—	—		9
10	—	.01	.22	.41	—	—	—	.20	—	—	—	—		10
11	—	—	.07	.46	—	—	—	.22	—	—	—	—		11
12	2.16	—	.03	.07	—	—	—	—	—	—	—	—		12
13	—	—	.14	.30	—	tr	—	—	—	—	—	2.54		13
14	—	—	.18	tr	—	—	—	—	—	2.45	—	—		14
15	—	—	.18	tr	.32	.01	—	—	2.25	—	—	—		15
16	—	tr	.34	—	—	—	—	—	—	—	2.71	—		16
17	—	—	.03	.33	.06	—	—	—	—	—	—	—		17
18	.25	—	.21	.34	—	—	—	—	—	—	—	.37		18
19	.07	—	.16	.07	—	—	—	—	—	—	—	.41		19
20	.02	—	.09	.15	—	—	—	—	—	—	—	.07		20
21	.32	—	—	.04	tr	.32	—	.26	—	—	—	.12		21
22	.04	—	—	.07	—	—	—	—	—	—	—	.61		22
23	.03	—	—	.23	—	.92	—	.07	—	—	—	.34		23
24	.03	.25	.17	.08	—	.21	—	.02	—	—	—	.33		24
25	.17	.10	—	.19	—	—	—	.03	—	—	—	.51		25
26	—	—	.21	—	—	.07	—	—	—	—	—	.17		26
27	—	—	—	—	—	.36	—	.21	—	—	—	.28		27
28	—	—	—	—	—	—	.23	.28	—	—	—	.51		28
29	—	—	—	—	—	—	.22	.47	—	—	—	.09		29
30	—	×	—	—	—	—	—	.32	—	—	—	.14		30
31	—	×	—	×	—	×	.12	.03	×	.40	×	.20		31
TOTAL	3.46	.36	2.76	2.98	1.68	2.27	.77	4.82	2.93	2.85	2.71	10.26	Year's Total 37.85	
*Days with .01 in. or more.	3	18	17	7	7	3	19	—	—	—	—	—		
*Days with .04 in. or more.	2	15	16	7	6	3	14	—	—	—	—	—		

Section

A

for the entry of Daily Observations.

Station No.

1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WITHERIDGE

in the County of DEVON

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.03	.37	—	—	—	—	—	.25	.11	.03	.25		1
2	—	.08	.05	—	—	—	—	—	.20	.21	.07	.31		2
3	—	.12	.03	—	.07	.44	.04	—	1.19	.40	.21	.07		3
4	—	—	—	tr	.04	.21	✓	—	.11	.18	.08	.34		4
5	—	.22	.02	.37	—	.10	—	—	.16	1.46	.05	.21		5
6	—	.14	.03	.46	—	.30	—	—	—	.34	.04	.12		6
7	—	.07	.03	.43	—	.14	—	—	—	.13	.08	.07		7
8	—	—	—	.42	—	.03	—	—	—	.27	.39	.04		8
9	.07	—	tr	.59	—	.01	—	tr	.03	.62	.35	.06		9
10	.10	—	.13	.07	—	.17	x	tr	.07	.30	.15	.07		10
11	.21	—	.05	.12	—	.33	—	—	.20	.11	.18	—		11
12	.14	.07	—	.16	—	.03	7.84	—	.01	—	.08	—		12
13	—	.23	—	.13	—	—	—	—	.03	.04	.24	—		13
14	—	.11	—	.39	—	.33	—	—	.50	.16	1.08	.39		14
15	—	.05	—	.48	.23	.10	—	—	.10	.03	.44	—		15
16	—	.21	.02	.37	tr	.07	+	—	.53	.04	.68	—		16
17	—	.09	—	.21	1.15	.32	—	—	.21	—	.18	—		17
18	—	.07	—	.36	.09	.07	+	.34	.27	.03	.07	—		18
19	—	.08	—	.09	.07	.03	+	—	.31	.04	.31	—		19
20	—	.07	—	.36	.35	.06	+	—	.02	.03	.17	—		20
21	—	.13	.03	.21	—	—	+	—	.03	.07	—	—		21
22	—	.02	.09	.47	—	—	—	—	.03	.05	—	—		22
23	.08	.14	.24	.03	.09	—	—	.47	.02	.33	—	—		23
24	.12	.09	—	—	.03	.09	—	.18	.27	.08	—	.49		24
25	.13	.12	—	.03	.04	.04	—	—	.04	.07	—	.58		25
26	—	.07	—	—	—	—	—	.43	.12	.02	.03	.78		26
27	—	.94	—	—	—	—	—	.05	.21	.01	.16	.32		27
28	tr	.13	—	—	tr	—	—	.03	.13	.07	.04	.03		28
29	—	X	—	—	.02	—	—	.21	.07	.11	.20	.27		29
30	—	X	—	—	.03	.14	—	.45	.20	.23	.84	.63		30
31	—	X	—	X	.04	X	—	.07	X	.47	X	.28		31
TOTAL	.89	3.90	1.08	5.75	2.26	3.22	.88	2.23	5.41	4.92	6.16	5.32	Year's Total.	42.02
* Days with .01 in. or more.	8	24	23	12	20	13	20	8	9	27	30	25	19	213
* Days with .04 in. or more.	7	22	21	6	18	10	16	7	8	20	25	23	18	178

Section



for the entry of Daily Observations

Station No. 1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at WITKEDGE

in the County of DEVON

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....6.00 ft. in.

,, Ground ,, Sea Level 6.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.23	.02	.09	-	.11	1.14	✓	✓	-	.23	.12		1
2	.01	.03	.01	.07	-	.09	.02	✓	✓	-	.04	.38		2
3	.04	-	.16	.64	-	.25	.26	✓	✓	-	.12	-		3
4	.03	-	.10	.03	-	-	.07	✓	✓	-	.06	.06		4
5	.53	.01	.05	-	.02	.6	.57	✓	✓	-	.13	.11		5
6	.17	-	.11	-	-	.04	.45	✓	✓	-	.26	✓		6
7	.25	-	.13	-	-	.04	.57	✓	✓	-	.84	-		7
8	.09	-	.42	-	-	.03	.73	✓	✓	-	.96	-		8
9	.26	-	.05	-	-	.01	.42	✓	✓	-	.47	-		9
10	.10	.64	-	-	-	-	.07	✓	✓	-	.43	-		10
11	.17	.02	-	-	-	.11	.32	✓	✓	-	.74	.63		11
12	.14	-	-	.01	-	.07	.52	✓	✓	-	.24	-		12
13	-	.03	.04	.02	-	-	.13	✓	✓	-	.12	.12		13
14	-	-	-	.6	.6	.03	.21	✓	✓	.13	.03	.63		14
15	.07	-	-	-	.03	-	.47	✓	✓	.10	.13	✓		15
16	.6	.10	-	.02	.17	-	.12	✓	✓	-	.23	✓		16
17	.17	.72	-	-	.03	.12	.23	✓	✓	.07	.06	✓		17
18	.02	.02	.07	-	.07	.29	.57	✓	✓	-	.04	✓		18
19	.13	.02	.15	-	-	.16	.09	✓	✓	.02	.02	-		19
20	.23	.61	.16	.04	-	.07	.04	✓	✓	.03	-	.02		20
21	.53	.07	.23	.17	-	-	.02	✓	✓	.02	-	-		21
22	.06	.10	.09	.32	-	-	.10	✓	✓	.05	-	-		22
23	.22	.03	.10	.26	.03	-	.13	✓	✓	.02	-	-		23
24	.17	.05	.04	.42	.18	-	.08	✓	✓	.12	-	-		24
25	.12	.07	.57	.44	-	-	.04	✓	✓	.58	-	-		25
26	.21	.04	.22	-	-	-	✓	✓	✓	.11	-	-		26
27	.32	.09	.13	-	-	-	✓	✓	✓	.07	-	.6		27
28	.37	.06	.38	.02	-	.6	.85	✓	✓	.09	-	.62		28
29	.04	.07	.09	-	.6	.72	✓	✓	✓	.03	-	.28		29
30	.07	✓	.13	-	.6	.04	✓	✓	✓	.53	-	-		30
31	.13	✓	.18	✓	.06	✓	✓	✓	✓	-	✓	.17		31
TOTAL	5.22	3.01	3.67	2.65	.69	2.06	7.05	7.85	7.85	2.14	5.08	2.90	39.48	✓
* Days with .01 in. or more.	28	20	24	14	8	15	29	9	19	16	17	13	(212)	✓
* Days with .04 in. or more.	24	13	22	9	4	14	27	6	15	11	15	11	(171)	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. A. S. Castleman [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at WITHERIDGEin the County of DEVONDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. in.,, Ground ,, Sea Level 600 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.06	—	~~.4~~	—	—	.06	—	—	.21	.05	.30		1
2	.13	~~(.58)~~	—	~~.4~~	—	—	—	—	—	—	—	.17		2
3	.06	~~(.49)~~	—	~~.4~~	.20	—	.05	—	.16	—	—	—		3
4	.13	~~(.38)~~	—	~~2.36~~	.09	—	—	.04	—	—	—	.50		4
5	.21	~~(.48)~~	—	~~.4~~	.06	—	.42	—	—	—	—	—		5
6	.12	—	.07	~~.4~~	.07	—	.08	—	—	—	—	—		6
7	.02	.55	.09	~~.4~~	—	—	—	—	—	.03	—	—		7
8	.01	.07	.02	—	.23	—	.07	—	.15	—	.06	—		8
9	.03	.04	.12	—	.11	—	.02	.12	.76	—	—	—		9
10	.04	—	.72	.20	—	—	.05	—	—	—	—	—		10
11	.12	.07	.12	.07	.13	.12	.71	—	—	—	—	~~.60~~		11
12	.27	.23	.40	—	—	.31	.17	.20	.30	—	—	.17		12
13	.21	.20	.13	.03	~~.4~~	.15	.01	.17	—	—	—	—		13
14	.13	.13	.07	—	—	—	—	.34	.12	—	—	—		14
15	~~(.58)~~	.14	.06	.33	—	—	.21	—	.17	—	—	.62		15
16	~~(.26)~~	.07	.70	.07	—	—	.06	—	.40	—	—	—		16
17	~~(.52)~~	.03	.23	—	—	—	—	.57	.10	—	.03	—		17
18	.07	.40	.08	—	—	.11	—	—	.27	—	.20	.27		18
19	.12	.08	.07	.17	.07	—	—	.02	.43	—	.40	—		19
20	~~(.64)~~	.08	.21	.29	.09	—	—	—	.17	—	—	.20		20
21	~~(.50)~~	.77	.02	.08	.40	—	.16	—	—	.21	—	—		21
22	~~(.30)~~	.20	.03	—	.39	—	.27	—	.13	.63	.43	.03		22
23	~~(.27)~~	.31	.04	—	.35	—	.02	—	—	.34	.47	—		23
24	~~(.14)~~	.51	—	—	—	—	.07	—	.05	.68	—	—		24
25	.03	.82	.35	—	—	—	—	—	—	.13	—	—		25
26	.07	.21	.02	—	—	~~.4~~	—	—	—	—	—	.07		26
27	.22	.21	—	—	—	—	.01	—	—	.40	—	—		27
28	.25	.28	—	~~.4~~	—	.03	—	—	—	—	—	—		28
29	.01	~~X~~	—	—	—	—	—	—	—	.50	.30	—		29
30	.21	~~X~~	—	—	—	.23	—	—	.08	—	.39	—		30
31	~~(.52)~~	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.29	~~X~~	—		31
TOTAL	~~(8.36)~~	~~(7.14)~~	~~5~~	~~3.46~~	~~3.60~~	~~2.19~~	~~9.5~~	~~2.44~~	~~1.46~~	~~3.28~~	~~3.42~~	~~2.33~~	~~2.93~~	Year's Total
* Days with .01 in. or more.	31	26	20	15	12	6	17	6	14	10	9	12	178	~~38~~
* Days with .04 in. or more.	~~26~~	~~25~~	16	13	12	5	13	5	14	9	8	11	150	153

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Witheridge
 in the County of N. Devon
 Diameter of Funnel of Gauge 5.0 in.
 Height of top of Gauge above Ground 1.3 ft. 3 in.
 „ Ground „ Sea Level 600 ft.

Total
avg
W.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.29	TR	—	TR	.56	.31	.81	—	.32	.14	.08		1
2	—	.09	—	.15	—	TR	.09	—	—	.35	—	.19		2
3	—	—	—	TR	—	.06	.05	TR	—	.55	—	.02		3
4	TR	—	—	.05	—	.09	.28	1.52	.08	.57	.10	.02		4
5	.01	—	—	.02	—	.11	.06	.08	.10	.22	—	.27		5
6	.15	—	—	.01	—	TR	.78	.51	.04	.21	TR	.09		6
7	.34	TR	—	—	—	.08	.51	—	TR	—	.11	.05		7
8	.88	.23	.03	—	—	TR	.45	.08	—	—	.30	.19		8
9	.46	.13	.01	—	—	.07	—	—	.02	—	.53	.03		9
10	.22	—	—	—	—	.12	.15	—	—	TR	—	TR		10
11	.23	TR	—	—	—	TR	.04	.50	—	.30	.30	TR		11
12	.27	—	—	—	.28	—	—	.37	TR	—	.52	1.65		12
13	.13	—	—	—	.20	—	—	—	—	—	.13	.04		13
14	.39	TR	—	—	.16	—	.35	—	—	—	—	1.14		14
15	.23	TR	—	—	.10	—	—	.05	—	.62	.37	.04		15
16	.20	TR	—	—	.08	—	—	.02	.02	.10	.25	.24		16
17	—	.18	—	—	.10	—	—	—	.02	.49	—	TR		17
18	.26	TR	TR	—	—	.09	.04	TR	.35	—	.98	.27		18
19	.18	—	TR	—	—	TR	—	.24	.15	—	.56	.12		19
20	.04	—	—	—	—	—	—	.04	.05	—	.96	.05		20
21	TR	—	—	—	—	TR	—	—	.01	—	.52	.30		21
22	TR	—	TR	—	—	.08	—	.77	TR	—	.31	—		22
23	TR	—	—	.12	TR	TR	—	.05	.02	TR	—	TR		23
24	TR	—	—	—	.06	.10	—	.04	.05	—	.52	.03		24
25	.18	.27	—	—	.23	.09	.16	—	.04	.09	.50	TR		25
26	.43	.41	.10	—	.39	—	.10	TR	—	.30	.34	TR		26
27	.15	.38	—	—	.19	.26	.22	.61	—	—	.30	.10		27
28	.68	.16	.02	TR	.26	TR	.01	.40	.06	TR	—	.12		28
29	.28	—	.04	.05	.41	.05	—	—	.20	—	TR	.01		29
30	.26	—	.02	.18	.17	TR	TR	.03	.45	.25	.58	.11		30
31	.74	—	.02	—	.37	—	—	—	—	.35	—	.13		31
TOTAL	6.71	2.44	.62	.58	3.00	1.76	3.71	6.13	1.66	4.72	8.32	5.29	Year's Total	
* Days with .01 in. or more.	22	9	109	7	14	13	16	17	16	14	20	24	44.64	✓
* Days with .04 in. or more.	21	9	54	5	14	13	15	15	11	14	20	19	181 152 160 +61	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. R. Williams [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WITMERIDGE

in the County of DEVON

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 6.00.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.45	-	.23	-	tr	-	.76	.14	-	-	.09	.21		1
2	.22	-	.03	-	-	-	-	tr	.17	-	.12	.13		2
3	.14	-	tr	.28	-	-	.14	.70	-	-	.47	.43		3
4	.22	-	tr	.05	-	-	-	.09	.28	.13	.32	-		4
5	.03	-	.38	.67	.32	-	x	tr	-	.14	.98	-		5
6	.01	-	✓	.29	-	-	1.72	.05	tr	-	.43	-		6
7	.63	.23	.02	.03	-	-	x	-	-	-	.09	.10		7
8	.12	.09	tr	.06	-	-	x	.06	-	.74	.04	.80		8
9	.07	.11	.01	-	.11	-	-	tr	.18	.16	.11	.35		9
10	.06	.02	-	-	-	-	.26	✓	.22	.15	.08	.36		10
11	.27	.21	.23	.14	-	.06	-	x	1.38	.52	.02	.02		11
12	.04	x	tr	.15	-	.05	-	-	tr	.18	.02	-		12
13	.06	-	-	.05	-	.09	tr	-	.61	-	.01	-		13
14	tr	-	tr	.03	-	.03	.29	-	.02	-	.17	tr		14
15	tr	-	-	-	.07	.80	tr	-	.06	.15	.32	-		15
16	.11	.06	-	-	-	.22	tr	1.51	tr	.01	.42	-		16
17	.86	tr	-	-	-	x	.217	-	-	-	.32	-		17
18	.06	-	-	-	.05	.10	1.48	-	-	-	.96	.03		18
19	.44	-	-	-	-	.18	.96	x	-	-	-	.03		19
20	.40	-	-	-	-	.04	.80	x	-	-	-	-		20
21	.52	.18	-	-	-	.11	.22	x	-	-	-	-		21
22	1.12	.42	.21	-	.69	.09	tr	✓	.03	.01	.27	-		22
23	.32	.12	.07	-	-	.13	-	.04	-	.04	.79	-		23
24	.80	.02	.06	.23	-	.51	.86	.60	-	.12	tr	-		24
25	.23	.28	.18	.06	-	-	.20	.08	.03	.10	.37	-		25
26	-	.10	.16	-	-	+	.35	.12	-	.09	.42	.04		26
27	-	.34	.02	.13	-	.04	-	-	-	.05	.81	.01		27
28	tr	.05	.04	-	-	-	-	tr	-	.04	.44	.06		28
29	-	x	-	-	-	.10	-	.05	-	.19	.15	-		29
30	-	x	-	.26	-	-	-	-	-	.07	.41	.01		30
31	-	x	-	x	-	x	.21	-	x	.17	x	-		31
TOTAL	7.18	2.23	1.63	2.43	.64	2.55	9.82	3.44	2.98	3.06	8.22	2.58	46.76	
* Days with .01 in. or more.	23	15	15	14	5	15	17	16	10	19	26	14	189	
* Days with .04 in. or more.	21	12	9	12	5	14	17	14	7	17	23	9	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

1832

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at WITHERIDGE

in the County of DEVON

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.11	-	-	-	h	-	-	-	-	.10	-		1
2	-	.04	-	.08	-	-	.02	-	-	-	1.07	.01		2
3	-	.38	-	.11	-	-	.03	-	-	.15	1.21	.15		3
4	-	.24	-	.24	-	-	.07	-	-	.28	.07	.17		4
5	-	.11	-	-	-	-	.13	-	-	.07	.61	.23		5
6	.05	.29	-	h	-	-	.14	-	-	.39	.25	.30		6
7	.25	-	-	.04	-	-	.75	-	.04	.05	-	.07		7
8	-	-	-	-	-	-	.01	.04	h	.09	.30	.39		8
9	-	-	-	-	-	h	.39	-	.04	.27	.49	.52		9
10	-	-	.01	-	-	.05	.07	.20	.11	.32	.25	.21		10
11	-	.03	.01	.02	-	.26	.50	-	-	-	.78	-		11
12	-	-	-	-	-	-	1.04	-	.89	-	.27	-		12
13	-	h	-	-	-	-	.10	h	.05	-	.68	.14		13
14	-	h	.05	.04	.02	-	.03	-	.30	.33	.23	.46		14
15	h	.06	.80	.04	.02	-	.11	-	.26	.13	.27	.09		15
16	.02	.72	.58	.89	-	-	-	-	.09	.22	.10	-		16
17	-	.23	.27	.05	-	-	.12	-	.01	.17	.05	.23		17
18	.42	.79	.30	.68	-	-	.40	.08	.13	.07	-	-		18
19	-	.07	.12	.17	-	-	.13	-	.20	.09	.18	-		19
20	-	h	.03	.04	-	-	.02	.14	.06	.15	.02	-		20
21	-	.01	.01	.04	.19	.20	-	.01	.08	h	.32	-		21
22	-	-	.21	.02	.10	.24	-	h	.10	.09	.06	-		22
23	-	.46	.10	.06	.33	-	.03	-	.03	-	-	-		23
24	h	-	-	.03	.03	.02	.32	-	.04	-	-	-		24
25	.30	.03	.07	.02	.27	.10	-	-	-	-	-	-		25
26	.98	.10	-	.13	-	-	.30	-	-	-	.05	-		26
27	.56	.27	.13	.04	.31	.02	.01	.03	-	-	-	-		27
28	.48	.08	-	.03	.28	h	-	-	-	-	-	.04		28
29	.32	.01	.05	.88	.10	.05	-	-	-	.03	-	.13		29
30	.03	~~X~~	.13	.08	-	-	-	-	-	.42	-	.42		30
31	.05	~~X~~	-	~~X~~	.05	~~X~~	-	-	~~X~~	.37	~~X~~	.12		31
TOTAL	3.46	3.73	2.86	2.84	1.70	.94	4.72	.50	2.43	3.68	7.36	3.68	Year's Total	37.90
* Days with .01 in. or more.	11	19	16	22	11	8	22	6	16	19	21	17		184
* Days with .04 in. or more.	9	16	12	17	8	6	15	4	15	12	21	16		157

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

FORM 1000.

REGIST

Kept at Messhaw
in the County of Devon

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea Level.....

1832/5
MESHAU
1931—33

780309

1832/5
FOR OFFICIAL USE.
ALL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3									91				3
4													4
5													5
6										45		60	6
7													7
8													8
9											1.26		9
10													10
11													11
12													12
13													13
14													14
15													15
16						1.00							16
17													17
18													18
19													19
20								1.11					20
21													21
22													22
23													23
24							1.32						24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL						4.40	6.12	6.20	3.27	1.34	8.00	3.30	YEAR'S TOTAL
*Days with or in. or more.						18	26	19	17	13	21	17	
*Days with or in. or more.						15	22	13	11	7	20	16	

Section

A

for the entry of I

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1931

Kept at Melsham
in the County of Devon

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 600 ft.

Inspected 28 July 1931
considered that inclusion of 9 no rain
that the approximate result would be given
Type? Maher NP128 B4.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3									91				3
4													4
5													5
6										45		60	6
7													7
8													8
9											1.26		9
10													10
11													11
12													12
13													13
14													14
15													15
16						1.00							16
17													17
18													18
19													19
20								1.11					20
21													21
22													22
23													23
24							1.32						24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL						4.40	6.12	6.20	3.27	1.34	8.00	3.30	YEAR'S TOTAL
*Days with or in. or more.						18	26	19	17	13	21	17	
*Days with or in. or more.						15	22	13	11	7	20	16	

40-9999

*See Instruction 2 (f) on other side.

111.8 155.4 157.5 83.1 34.0 203.2 83.8

(Signed)

REV. H. H. BRETON MA

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at Mesha
in the County of Devon
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 620 ft.

Chin 1931

283/5

OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3													3
4													4
5	.82												5
6													6
7								1.16					7
8			.87										8
9		.02											9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21								.70					21
22													22
23													23
24													24
25													25
26													26
27				.53									27
28													28
29													29
30		X				.74	.82				.61		30
31		X		X		X		X		X	.52		31
TOTAL	4.87	0.02	4.04	4.13	4.09	1.39	4.57	2.11	7.24	10.83	3.40	2.87	49.56
*Days with .01 in. or more.	25	1	14	25	21	7	19	13	26	31	20	22	224
*Days with .04 in. or more.	18	0	13	24	16	4	17	10	20	24	16	15	177

40-9999 123.7 0.5 102.6 104.9 103.9 35.3 116.1 53.6 183.9 275.1 86.4 72.9

*See Instruction 2 (f) on other side.

(Signed)

REV. H. H. BRETON

[P.T.O.]

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

Kept at Beshaw
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		49	16										1
2		02	44										2
3		23	19										3
4		12	03										4
5		05	35										5
6		45	02										6
7		35											7
8		13	08										8
9		07											9
10		22											10
11		12											11
12													12
13			02										13
14													14
15	48		26										15
16		06	100										16
17		10	28										17
18			40										18
19		10	40										19
20		15											20
21		10											21
22													22
23		83											23
24		26											24
25		51											25
26		40											26
27		09											27
28		26											28
29													29
30		X	14										30
31		X	06	X		X			X		X		31
TOTAL	296	511	383										YEAR'S TOTAL
*Days with or in. or more.	21	22	15										
*Days with or in. or more.	18	21	12										

40-9999 75.2

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Kept at High Bickington
in the County of Devon
Diameter of Funnel of Gauge 3/8
Height of top of Gauge above Ground
Ground Sea Level

1833
HIGH BICKINGTON
RECTORY
1931.
780309

after London
28/4/31
further after 18/6/31
base says rain gauge
fully exposed

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.66	.11	.24	—	.51	—	.02	—	.08	—	—	1
2	.02	—	—	.18	.04	—	—	—	.49	.03	—	.01	2
3	.16	.04	—	.47	—	.02	.08	—	.09	.02	.11	.15	3
4	.13	—	.95	—	—	—	.04	—	.62	—	.20	.18	4
5	—	—	.25	.20	.03	.05	.48	.27	.14	.02	—	.03	5
6	—	.32	.08	.22	—	.52	.02	—	—	—	—	.26	6
7	—	.05	—	.05	.04	.13	.63	—	—	.45	.12	.36	7
8	—	.02	—	—	.10	.09	.61	.30	—	.12	.26	.09	8
9	—	.10	—	.08	—	.23	.08	.05	—	—	.09	.05	9
10	.10	.36	—	—	—	.47	.07	—	—	.03	.39	.02	10
11	.12	.06	—	—	.08	.05	.19	.08	—	—	.31	.04	11
12	.23	.45	—	—	.05	.16	.05	.06	.17	—	.22	—	12
13	.07	.12	—	—	.02	—	.18	.01	.13	.14	.01	—	13
14	—	.04	.01	—	.21	—	.21	.06	—	.03	—	—	14
15	.08	.10	—	—	.10	.19	.64	.22	.02	—	.48	—	15
16	.02	.08	—	.05	.07	.02	—	.18	.01	—	—	.04	16
17	.07	.15	—	.10	.13	.65	.03	.38	.07	—	—	—	17
18	—	.01	—	.06	—	.03	.30	—	.03	—	—	—	18
19	.11	—	—	.03	—	.10	.09	.71	—	—	.40	—	19
20	.09	.14	.04	.08	—	.15	.05	.34	—	—	.20	.02	20
21	—	.06	.20	—	—	—	—	.69	—	—	.08	—	21
22	.22	.02	.01	—	.07	—	—	—	—	—	.20	—	22
23	.37	.07	—	—	.09	—	—	—	—	—	.04	—	23
24	.25	—	—	.16	.41	—	—	—	—	—	.17	—	24
25	.04	.10	—	.48	—	.03	.82	.08	—	—	—	—	25
26	.08	.12	—	.24	—	—	.04	—	—	—	.02	.05	26
27	.03	.06	—	.25	—	—	.45	—	—	—	.89	.03	27
28	.10	.21	—	—	.53	—	.03	—	—	.04	.10	.01	28
29	.12	~~—~~	.15	.04	.15	.05	—	.07	—	.05	.01	.11	29
30	.04	×	.12	—	.10	—	.10	.10	—	.08	.04	.15	30
31	.08	×	—	×	.09	×	.02	—	×	.01	×	.03	31
TOTAL	2.61	3.34	1.92	2.93	2.31	3.45	5.21	3.62	1.77	1.10	4.34	1.63	YEAR'S TOTAL 34.23
* Days with "or in. or more.	23	23	10	17	18	18	23	17	10	13	21	18	211
* Days with "or in. or more.	20	19	8	16	16	14	19	15	7	7	18	11	170

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at High Bickington Rectory
in the County of Devon
Diameter of Funnel of Gauge 3/8 in.
Height of top of Gauge above Ground 8 ft.
Ground Sea Level 587 ft.

Jan 1 - 1.0
May 1 - 1.0
Nov 1 - 1.0
Dec 1 - 1.0
Letter London 28/4/32
Further letter 18/10/32
Observer says rain gauge
fully open 10/10/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.66	.11	.24	—	.51	—	.02	—	.08	—	—	1
2	.02	—	—	.18	.04	—	—	—	.49	.03	—	.01	2
3	.16	.04	—	.47	—	.02	.08	—	.09	.02	.11	.15	3
4	.13	—	.95	—	—	—	.04	—	.62	—	.20	.18	4
5	—	—	.25	.20	.03	.05	.48	.27	.14	.02	—	.03	5
6	—	.32	.08	.22	—	.52	.02	—	—	—	—	.26	6
7	—	.05	—	.05	.04	.13	.63	—	—	.45	.12	.36	7
8	—	.02	—	—	.10	.09	.61	.30	—	.12	.26	.09	8
9	—	.10	—	.08	—	.23	.08	.05	—	—	.09	.05	9
10	.10	.36	—	—	—	.47	.07	—	—	.03	.39	.02	10
11	.12	.06	—	—	.08	.05	.19	.08	—	—	.31	.04	11
12	.23	.45	—	—	.05	.16	.05	.06	.17	—	.22	—	12
13	.07	.12	—	—	.02	—	.18	.01	.13	.14	.01	—	13
14	—	.04	.01	—	.21	—	.21	.06	—	.03	—	—	14
15	.08	.10	—	—	.10	.19	.64	.22	.02	—	.48	—	15
16	.02	.08	—	.05	.07	.02	—	.18	.01	—	—	.04	16
17	.07	.15	—	.10	.13	.65	.03	.38	.07	—	—	—	17
18	—	.01	—	.06	—	.03	.30	—	.03	—	—	—	18
19	.11	—	—	.03	—	.10	.09	.71	—	—	.40	—	19
20	.09	.14	.04	.08	—	.15	.05	.34	—	—	.20	.02	20
21	—	.06	.20	—	—	—	—	.69	—	—	.08	—	21
22	.22	.02	.01	—	.07	—	—	—	—	—	.20	—	22
23	.37	.07	—	—	.09	—	—	—	—	—	.04	—	23
24	.25	—	—	.16	.41	—	—	—	—	—	.17	—	24
25	.04	.10	—	.48	—	.03	.82	.08	—	—	—	—	25
26	.08	.12	—	.24	—	—	.04	—	—	—	.02	.05	26
27	.03	.06	—	.25	—	—	.45	—	—	—	.89	.03	27
28	.10	.21	—	—	.53	—	.03	—	—	.04	.10	.01	28
29	.12	~~X~~	.15	.04	.15	.05	—	.07	—	.05	.01	.11	29
30	.04	~~X~~	.12	—	.10	—	.10	.10	—	.08	.04	.15	30
31	.08	~~X~~	—	~~X~~	.09	~~X~~	.02	—	~~X~~	.01	~~X~~	.03	31
TOTAL	2.61	3.34	1.92	2.93	2.31	3.45	5.21	3.62	1.77	1.10	4.34	1.63	YEAR'S TOTAL 34.23
*Days with or in. or more.	23	23	10	17	18	18	23	17	10	13	21	18	211
*Days with .04 in. or more.	20	19	8	16	16	14	19	15	7	7	18	11	170

40-9999

*See Instruction 2 (f) on other side.

(Signed) C. V. Wainwright P.T.O.

1834

1834

** The following register of monthly &c., is NOT required if daily or values are given on the other side

CHITTLEHABOLT MANOR

RAINFALL IN 1931

1931 — 40

n and also the space for

register should be sent:—

At Chittlehamholt ManorIn the County of Devon

780309

berleigh N. Devonin Summer 9 amce. 2 h gauge WestDirection from gauge NE

Rain Gauge Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 420 ft.

Nearest Parish Church at Chittlehamholt Distance 220 yds

Nature of objects nearest to gauge

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
JAN.	4.22	.99	31 st	21	
FEB.	3.33	.69	11 th	23	
MAR.	1.13	.63	2 nd	9	
APRIL	3.88	.69	24 th	15	
MAY	3.23	.88	27 th	19	
JUNE	3.33	.71	16 th	16	
JULY	5.13	.90	24 th	23	
AUG.	4.14	.80	26 th	16	
SEPT.	2.20	.57	14 th	11	
OCT.	1.34	.63	6 th	9	
NOV.	6.68	1.55	3 rd	21	
DEC.	2.53	.57	31 st	14	
Total	41.07			197	

Signature H. Carter (R)

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces." An entry ·005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } ·14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1834

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193/...

At Chittlehamholt ManorIn the County of Devon (N)Diameter of Funnel 5 in.Height of Top above Ground 1 ft. in.Height of Ground above Sea Level 420 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	·04 in. or more
JAN.	4.22	.99	31 st	21	
FEB.	3.33	.69	11 th	23	
MAR.	1.13	.63	24 th	9	
APRIL	3.88	.69	24 th	15	
MAY	3.23	.88	27 th	19	
JUNE	3.33	.71	16 th	16	
JULY	5.13	.90	24 th	23	
AUG.	4.14	.80	26 th	16	
SEPT.	2.20	.57	14 th	11	
OCT.	1.34	.63	6 th	9	
NOV.	6.68	1.55	31 st	21	
DEC.	2.53	.57	31 st	14	
Total	41.07			197	

Signature H. Carter (R)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter.
Chittlehamholt Manor, Umberleigh, N. Devon.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station St. Andrew's Distance 2 m. gauge West

Nearest Parish Church at Chittlehamholt Distance 220 yds. gauge NE

Nature of objects nearest to gauge

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAM & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Chittlehamholt
In the County of Devon (N)
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 420-55 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with or in. or more
	Inches	Inches	Date.
JAN.	4.06	.85	5 th 16
FEB.	.02	.01	23 rd 2
MAR.	2.33	.56	8 th 12
APRIL	2.68	.24	6 th 21
MAY	2.93	.63	20 th 19
JUNE	1.11	.65	30 th 3
JULY	3.21	.46	30 th 19
AUG.	2.05	1.09	2 nd 9
SEPT.	5.56	.90	4 th 18
OCT.	8.60	.87	29 th 26
NOV.	2.93	.64	30 th 13
DEC.	2.19	.57	29 th 10
Total	37.67		168.

Signature H. Carter - (Ref.)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter, MA.
Chittlehamholt Manor, Umberleigh, Devon.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Polshott Arms Distance 2 1/2 gauge W

Nearest Parish Church at Chittlehamholt Distance 220 yds gauge ENE

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .. Distance .. Direction ..

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

This rainfall is to be taken as only approximately accurate.

*See Instruction 2 (f) below.

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933.

At Chittlehamloft
In the County of Devon N
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 420 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more or .04 in. or more
JAN.	2.43	.51	15
FEB.	2.98	.58	26
MAR.	3.05	.61	16
APRIL	1.73	.34	30
MAY	2.25	.79	9
JUNE	1.96	.43	2
JULY	2.58	.56	14
AUG.	1.29	.51	22
SEPT.	1.16	.28	20
OCT.	5.25	1.29	10
NOV.	1.41	.67	19
DEC.	1.31	.75	20
Total	27.40		139

Signature H. Carter (Rev.)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter M.A.
Chittlehamloft Manor, Umberleigh, N. Devon.

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Portsmouth S.R. Distance 2 m. Direction from gauge W.

Nearest Parish Church at Chittlehamloft Distance 220 yds. Direction from gauge N.E.

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } -14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORRIE & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934.

At Chittlehamholt
In the County of Devon (N)
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 420-50 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with or more
JAN.	3.95	.80	14	20
FEB.	.20	.14	24	2
MAR.	2.47	.39	6	14
APRIL	2.35	.43	11	12
MAY	1.66	.54	31	11
JUNE	1.74	.61	23	9
JULY	.32	.10	30	5
AUG.	6.19	1.60	6 th	20
SEPT.	2.74	.54	2	19
OCT.	3.30	.60	4	20
NOV.	1.94	.82	8	7
DEC.	8.12	.80	15	31
Total	34.98			173

Signature

H. Carter. (Rev.)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter, M.A.
Chittlehamholt Manor, Chittlehamholt, Devon.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Portsmouth Arms Distance 2 1/2 gauge W.

Nearest Parish Church at Chittlehamholt Distance 220 yds Direction from gauge NE

Nature of objects nearest to gauge

Heights of objects

Distances


Directions from gauge ..

If gauge has been moved during the year state—

Date of move .. Distance .. Direction ..

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1834

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Chittlehamholt
In the County of N. Devon.
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 420 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	
	Inches	Inches	.01 in. or more	.04 in. or more
JAN.	1.34	.47	11	9
FEB.	3.30	.53	21	16
MAR.	.99	.37	1	7
APRIL	5.02	.65	15	18
MAY	2.32	.82	14	10
JUNE	3.17	.80	12	19
JULY	.66	.18	21	5
AUG.	2.77	.57	15 20	11
SEPT.	5.52	.72	3	21
OCT.	7.14	1.41	5	26
NOV.	6.36	1.30	14	21
DEC.	4.95	.53	4	20
Total	43.54		183	

Signature H. Carter (Rev)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter, MA.
Chittlehamholt, Umberleigh, N. Devon.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.


Nearest Railway Station Portsmouth & Arundel Distance 2 1/2 gauge W.

Nearest Parish Church at Chittlehamholt Distance 230 yds gauge N.E.

Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
 - If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - The heaviest daily fall for each month should be underlined.
3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Chittlehamholt ManorIn the County of Devon

Rain Gauge { Diameter of Funnel..... 5 in.
Height of Top above Ground..... 1 ft..... in.
Height of Ground above Sea Level..... 420 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	<u>5.08</u>	<u>.60</u>	<u>5"</u>	<u>26</u>	
FEB.	<u>2.38</u>	<u>.48</u>	<u>14"</u>	<u>16</u>	
MAR.	<u>2.94</u>	<u>.56</u>	<u>28"</u>	<u>21</u>	
APRIL	<u>2.30</u>	<u>.75</u>	<u>21"</u>	<u>9</u>	
MAY	<u>.41</u>	<u>.30</u>	<u>16"</u>	<u>4</u>	
JUNE	<u>1.20</u>	<u>.19</u>	<u>15"</u>	<u>13</u>	
JULY	<u>4.74</u>	<u>1.54</u>	<u>14"</u>	<u>28</u>	
AUG.	<u>.50</u>	<u>.19</u>	<u>5"</u>	<u>8</u>	
SEPT.	<u>3.90</u>	<u>1.02</u>	<u>3"</u>	<u>14</u>	
OCT.	<u>2.09</u>	<u>.41</u>	<u>24"</u>	<u>12</u>	
NOV.	<u>5.34</u>	<u>1.25</u>	<u>4"</u>	<u>14</u>	
DEC.	<u>4.23</u>	<u>.94</u>	<u>13"</u>	<u>16</u>	
TOTAL	<u>38.44</u>			<u>184</u>	

Signature H. Carter (Rev?)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter
Chittlehamholt Manor, Umberleigh, N. Devon.

Hour of observation by the clock—in Winter..... 10 am. in Summer..... 10 am.Nearest Railway Station..... Polkington Arms S.R. Direction from..... W.Nearest Parish Church at..... Chittlehamholt Distance..... 20 yds. Direction from..... N.E.


Nature of objects nearest to gauge
Height of objects
Distances
Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller.

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

B**C**

1834

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937.

At Chittlehamholt Manor
In the County of Devon N.

Rain Gauge { Diameter of Funnel.....5 in.
Height of Top above Ground.....1 ft.....in.
Height of Ground above Sea Level.....420 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	
	Inches	Inches	0.1 in. or more	0.4 in. or more
JAN.	<u>5.67</u>	<u>.83</u>	<u>17</u>	<u>19</u>
FEB.	<u>6.56</u>	<u>.82</u>	<u>21</u>	<u>24</u>
MAR.	<u>3.61</u>	<u>.49</u>	<u>10</u>	<u>21</u>
APRIL	<u>3.06</u>	<u>.88</u>	<u>10</u>	<u>15</u>
MAY	<u>1.91</u>	<u>.35</u>	<u>8</u>	<u>14</u>
JUNE	<u>.90</u>	<u>.30</u>	<u>12</u>	<u>11</u>
JULY	<u>2.34</u>	<u>1.08</u>	<u>11</u>	<u>12</u>
AUG.	<u>1.62</u>	<u>.59</u>	<u>13</u>	<u>7</u>
SEPT.	<u>3.11</u>	<u>.76</u>	<u>9</u>	<u>16</u>
OCT.	<u>3.72</u>	<u>.80</u>	<u>27</u>	<u>12</u>
NOV.	<u>2.30</u>	<u>.69</u>	<u>22</u>	<u>9</u>
DEC.	<u>3.98</u>	<u>1.01</u>	<u>4</u>	<u>17</u>
TOTAL	<u>38.78</u>		<u>177</u>	

Signature H. Carter (Rev.)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter MA.
Chittlehamholt Umberleigh N. Devon.
Hour of observation by the clock—in Winter.....10 am.....in Summer.....10 am.....
Nearest Railway Station Portsmouth Arms Distance.....2 m......gauge.....W.
Nearest Parish Church at Chittlehamholt Distance.....220 yds......gauge.....N.E.


Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
-4 JAN. 1938

* See Instruction 3 (f) below.

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the

morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

BMonthly
Summary.**C**

Particulars of Station.

1834

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Chittlehamholt
In the County of Devon N.
Rain Gauge { Diameter of Funnel.....5 in.
Height of Top above Ground.....1 ft..... in.
Height of Ground above Sea Level.....420 ft.

Month	Total Depth Inches	Greatest Fall in 24 hours Inches	Date	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	<u>5.94</u>	<u>.80</u>	<u>8th</u>	<u>22</u>	
FEB.	<u>1.45</u>	<u>.27</u>	<u>25th</u>	<u>11</u>	
MAR.	<u>.45</u>	<u>.23</u>	<u>24th</u>	<u>7</u>	
APRIL	<u>.27</u>	<u>.13</u>	<u>2nd</u>	<u>4</u>	
MAY	<u>2.47</u>	<u>.43</u>	<u>27th</u>	<u>17</u>	
JUNE	<u>2.00</u>	<u>.89</u>	<u>14th</u>	<u>11</u>	
JULY	<u>4.22</u>	<u>1.19</u>	<u>6th</u>	<u>18</u>	
AUG.	<u>8.13</u>	<u>2.75</u>	<u>4th</u>	<u>16</u>	
SEPT.	<u>1.41</u>	<u>.38</u>	<u>21st</u>	<u>12</u>	
OCT.	<u>5.66</u>	<u>.74</u>	<u>4th</u>	<u>20</u>	
NOV.	<u>6.01</u>	<u>.70</u>	<u>25th</u>	<u>26</u>	
DEC.	<u>4.46</u>	<u>.78</u>	<u>9th</u>	<u>20</u>	
TOTAL	<u>42.47</u>	<u>5</u>		<u>184</u>	

Signature H. Carter (Rep.)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter, M.A.Chittlehamholt Manor, Underhilly, N. Devon.

Hour of observation by the clock—in Winter.....10 a.m. in Summer.....10 a.m.

Nearest Railway Station.....Portsmouth Arms S.R. Direction from.....W.
Distance.....2 miles gauge.....

Nearest Parish Church at.....Chittlehamholt Direction from.....N.E.
Distance.....220 yds gauge.....

Nature of objects
nearest to gauge

Height of objects

Distances ...


Directions from
gauge ...

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 8079/2165 25,500 12/37 W.H. & S. 668/91

S.O. Code No. 40-9999

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At ChittlehamholtIn the County of Severn

Rain Gauge { Diameter of Funnel.....5.....in.
Height of Top above Ground.....1.....ft.....in.
Height of Ground above Sea Level.....420.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with	
	Inches	Inches	.01 in. or more	.04 in. or more
JAN.	<u>4.32</u>	<u>0.94</u>	<u>22</u>	<u>21</u>
FEB.	<u>2.41</u>	<u>.40</u>	<u>27</u>	<u>16</u>
MAR.	<u>1.90</u>	<u>.41</u>	<u>4</u>	<u>14</u>
APRIL	<u>2.56</u>	<u>.43</u>	<u>3</u>	<u>18</u>
MAY	<u>.94</u>	<u>.37</u>	<u>4</u>	<u>9</u>
JUNE	<u>1.77</u>	<u>.45</u>	<u>15</u>	<u>14</u>
JULY	<u>6.89</u>	<u>1.15</u>	<u>14</u>	<u>24</u>
AUG.	<u>2.06</u>	<u>.54</u>	<u>2</u>	<u>12</u>
SEPT.	<u>1.05</u>	<u>.41</u>	<u>3</u>	<u>5</u>
OCT.	<u>3.33</u>	<u>.66</u>	<u>8</u>	<u>14</u>
NOV.	<u>4.82</u>	<u>.80</u>	<u>23</u>	<u>25</u>
DEC.	<u>3.36</u>	<u>.72</u>	<u>4</u>	<u>12</u>
TOTAL	<u>41.44</u>		<u>184</u>	

Signature H. Carter (Rr):

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter
Chittlehamholt Chilbeley N. DevonHour of observation by the clock—in Winter.....10 a.m......in Summer.....10 a.m......Nearest Railway Station.....Portsmouth.....Distance.....2.....gauge.....W......Nearest Parish Church at.....Chittlehamholt.....Distance.....220 yds......gauge.....N.E......

Nature of objects nearest to gauge

Height of objects

Distances


Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
- 8 JAN. 1940

INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the 18 } morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H. & S. 663/91

S.O. Code No. 40-9999



1834

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1940

At ChittlehamholtIn the County of Devon (N)

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 7 in.
Height of Ground above Sea Level 420 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	3.36	.77	24	8
FEB.	3.52	.64	19	16
MAR.	2.96	.60	12	16
APRIL	4.02	1.35	29	19
MAY	1.50	.30	25	8
JUNE	.74	.29	21	5
JULY	6.68	1.12	19	20
AUG.	.23	.10	9	5
SEPT.	2.04	.68	12	13
OCT.	4.12	.57	30	15
NOV.	7.55	1.08	2	21
DEC.	3.75	.58	14	14
TOTAL	40.47		160	

Signature H. Carter (Rev)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rev. H. Carter, M.A.
Chittlehamholt Manor, Chittlehamholt, N. Devon.

Hour of observation by the clock—in Winter 10 a.m. in Summer 10 a.m.Nearest Railway Station Portsmouth Arms Distance 2 miles Direction from W.Nearest Parish Church at Chittlehamholt Distance 220 yds Direction from N.E.

Nature of objects nearest to gauge

Height of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



A

B

C

D


E

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?



* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

- (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- (c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 14 would show that the reading on the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W.H. & S. 668/91

S.O. Code No. 40-9999

Kept at *Last Anstey Rectory*
in the County of *Devon*
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Level

1835
EAST ANSTLEY RECTORY
1931-1940

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.11		.21		.03				.08			1
2	.29			.75			.06			.06		R	2
3	.02		R.					.02			1.52	.46	3
4	.07		.85		.09	.56	.65	.62		.10		.04	4
5		.31		.43		.17	R.	.07			R.	.37	5
6		.08		.04	Fr.	.60	.67	.01		.45	.22	.54	6
7					.24	.12	.04	.32		.15	.65	.71	7
8		.31		.31		.26		.21	2.75	.03	.20	.14	8
9		.26	S.	.02		.15	.08				.73	.05	9
10		R.			.12	R	.15	.09			.53		10
11	.36	.65				.27	.06				.42	.02	11
12	.01	R.					.23		.40	.22	.03		12
13		.25	.03		.10	.29	.17						13
14		.14			.19	.29	.41		.07		.58		14
15	.10	.20		.06	.06				.15		.02	.03	15
16	.21	.21		.30	.10	.90	.06		.12				16
17				.17		.18	R				R		17
18				R.		.21	.78	1.40			R		18
19			.10	.19		.01	.12		.10		1.14		19
20	R.	.30	.14								R		20
21	.55	.10	.03		.12		.02				.14		21
22	R.	.10	.03	R.	.07						.12		22
23	.78	R.		.63	.56						.36		23
24	.36	.15		.80	.04		1.15						24
25	R.	R.		.27			.15	2.05			.04	.15	25
26	.32	.58		.40			.35				1.16	.06	26
27	R.	.28			2.04	.03	.07			.07	.15		27
28	R.	S.	.22	.05	.08	.03	.25			.17		.17	28
29	.54		.25		.05		.06			.20	.07	.27	29
30	S.	×			.03		.02						30
31	1.58	×		×	.36	×	Fr.	.50	×	.01	×	.41	31
TOTAL	5.24	4.25	1.45	4.61	4.25	3.81	5.55	5.29	3.59	1.54	8.08	2.82	50.48
*Days with or in. or more.	19	21	9	16	16	16	23			11	22	15	
*Days with or in. or more.	19	21	5	16	15	12	21			9	20	13	

John A. Payne

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at *Last Anstey Rectory*
in the County of *Deban*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *750* ft.
Ground „ Sea Level *750* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
Records Imperfect

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.11		.21		.03				.08			1
2	.29			.75			.06			.06		R	2
3	.02		R.					.02			1.52	.46	3
4	.07		.85		.09	.56	.65	.62		.10		.04	4
5		.31		.43		.17	R.	.07			R.	.37	5
6		.08		.04	Fr.	.60	.67	.01		.45	.22	.54	6
7					.24	.12	.04	.32		.15	.65	.11	7
8		.31		.31		.26		.21	2.75	.03	.20	.14	8
9		.26	S.	.02		.15	.08				.73	.05	9
10		R.			.12	R	.15	.09			.53		10
11	.36	.65				.27	.06				.42	.02	11
12	.01	R					.23		.40	.22	.03		12
13		.25	.03		.10	.29	.17						13
14		.14			.19	.29	.41		.07		.58		14
15	.10	.20		.06	.06				.15		.02	.03	15
16	.21	.21		.30	.10	.90	.06		.12				16
17				.17		.18	R				R		17
18				R		.21	.78	1.40			R		18
19			.10	.19		.01	.12		.10		1.14		19
20	R.	.30	.14								R		20
21	.55	.10	.03		.12		.02				.14		21
22	R.	.10	.03	R.	.07						.12		22
23	.78	R.		.63	.56						.36		23
24	.36	.15		.80	.04		1.15						24
25	R	R.		.27			.15	2.05			.04	.15	25
26	.82	.58		.40			.35				1.16	.06	26
27	R.	.28			2.04	.03	.07			.07	.15		27
28	R.	S.	.22	.05	.08	.03	.25			.17		.17	28
29	.54		.25		.05		.06			.20	.07	.27	29
30	S.	×			.03		.02						30
31	1.58	×		×	.36	×	Fr.	.50	×	.01	×	.41	31
TOTAL	5.24	4.25	1.45	4.61	4.25	3.81	5.55	5.29	3.59	1.54	8.08	2.82	50.48
*Days with or in. or more.	19	21	9	16	16	16	23	1		11	22	15	
*Days with or in. or more.	19	21	5	16	15	12	21			9	20	13	

Section

A

for the entry of Daily Observations.

Station No.

1835.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at EAST ANSTEY RECTORY.in the County of DEVON.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground — ft. 9 in.Ground Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.58			.37	.15		.30	.02	.46	.03	.05		1
2	.23			.05	.18		.03	.08	1.07	.08	.07	.43	2
3	.08			.04	.02	.04			.20		.04	.07	3
4	.02						.08				.27		4
5	.66						.02	.22	.47				5
6	.78		.09	.43	.05		.68		.46	.02			6
7	.18		.07	.10		.02		.02	1.17	1.17			7
8			.09		R				.11	.07			8
9	1.21	.04	.78	.27	R		.02		.03	.08			9
10	R			.23	R				.25	.30			10
11	.06			.15	.35				.05	.24		.04	11
12	.71			.02	R			.03	.30	.63	.01		12
13				.18	.65		R		.02	.79		.21	13
14	.24	.02		.05	.14			.23		.11	.45		14
15	.02			.16	.08					.13	.03		15
16	.18			.27									16
17				.02	R					.09	.02		17
18					.18				.33		.26		18
19				R	.46					.75		.25	19
20	.06			.37	.57			.02		.76	.26		20
21			.12	.26			.78	.45		.75	.11	.15	21
22			.03	.13	.09				.55	.25	.50	.15	22
23							.47		.09	.62	.18	.25	23
24					.05		.23		.14	.05	.08		24
25			.22		.04		.72		.09	.95	.19		25
26		.02	R	.17			.19		.04	.43	.18	.03	26
27			.71	R	.18		R			.56		.06	27
28			.17	.40	.08	.03	.79					.06	28
29			.55	.21	.22	.49	R	.45	.58	.80	.16	.44	29
30		X	.45	.05		.88	.81	.15	.93	.09	.66	.05	30
31		X	.25	X	.06	X	.70		X	.06	X	.50	31
TOTAL	5.31	.08	3.53	3.93	3.55	1.46	5.82	1.67	7.34	9.81	3.52	2.69	48.71
*Days with or more.	15	3	13	23	20	5	17	10	20	24	18	14	(18.5)
*Days with or more.	13	1	12	21	22	3	14	6	18	22	15	13	(16.0)
													YEAR'S TOTAL

40-9999

*See Instruction 2 (f) on other side,

(Signed)

John Wayne

P.T.O.

Section **A** for the entry of Daily Observations.
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Last Austley Rectory*
 in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
 Height of top of Gauge above Ground *750* ft.
 „ Ground „ Sea Level *9* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28		R.		.09	.02			.03		.15	.58	1
2	.25		.73		.61	.33					.05	.118	2
3	R	1.02	.14										3
4	.27	.08			.11								4
5	.13	.06	.53		.25								5
6		.40			.24		.05			.06			6
7	.45	.34			.03		.09	.05		.05			7
8	.15	R	.08	.01	.14		.24			.14			8
9	—	.31		.01	.79		.28			.75	.07		9
10	.12	.36			.02		.10			1.60	.03		10
11	—						.54	.29		.26			11
12	.04			.06	.06	✓	.37		.38	.02			12
13					.28	✓	.42	.22		.27	.15	S.	13
14	.22						.07	.06		.02	.35		14
15	.38		.36				.16	.05		.17			15
16		.04	.77			✓		—		.03			16
17	S.18	S.13	.32			✓	.04	.04	.09	—			17
18	.10		.34			✓				—	.06		18
19	S.08	S.02	.22			✓	.05		.16	—	.56		19
20		.11			.02	✓		.17	.19	—			20
21		S.09			—	✓		.17		.12	.02		21
22				.22	.06	✓		.61	.28				22
23		S.40		.28	.01	✓			.29	.33			23
24		S.15		.15				.09		.04			24
25		S.60		.10		✓	R.		.25			.16	25
26		.34		.23	.54					R			26
27		.03		—						S.96		.30	27
28		.19		.40	.03		.20			.47		.03	28
29		X		.11			.06	.03					29
30	.07	X	.12	.04		1.55	.09			.17		.06	30
31	X	X	.06	X	.03	X			X	.03	X	.01	31
TOTAL	2.72	4.67	3.67	1.61	3.31	1.90	2.60	1.78	1.67	5.49	1.44	1.25	YEAR'S TOTAL 32.11
*Days with .01 in. or more.	15	19	13	11	17	13	15	11	8	19	9	8	(158)
*Days with .04 in. or more.	15	17	13	9	11	11	15	10	7	15	7	6	(136)

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Last Austley Rectory*

in the County of *Devon*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *9* ft. in.

Ground Sea Level *750* ft.



THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	—	0	—	—	.02	—	.66	.05	—	.26	R.		1
2	.12	—	.09	—	—	—	—	.25	.71	.03	.16	1.16		2
3	.03	—	—	—	.05	—	—	—	.04	.23	.01	.36		3
4	.24	—	.19	.12	.35	—	—	.07	.05	.70	—	.43		4
5	—	—	.13	—	.20	.20	—	1.17	—	.28	.46	R		5
6	.03	—	.36	.10	.65	—	—	—	.02	.66	.12	1.09		6
7	.13	—	—	—	—	—	—	.10	—	.22	R	.57		7
8	.01	—	—	—	.14	—	—	—	.06	.13	.45	.64		8
9	—	—	.14	.20	.01	—	—	.03	—	.03	.24	.20		9
10	R	—	.37	.30	—	—	—	.36	—	.07	.24	.04		10
11	.94	—	.03	.42	—	—	—	.25	—	—	—	.55		11
12	.26	—	—	.17	—	—	—	.52	—	—	—	.11		12
13	.29	—	.03	.34	—	.02	—	—	—	.16	.10	.21		13
14	.69	—	.44	—	—	—	—	—	—	.37	.10	.26		14
15	.15	—	.15	.02	.17	—	X	.03	—	.18	—	.38		15
16	.14	—	.44	—	.04	—	—	—	.49	—	—	.23		16
17	.37	—	.10	R	—	—	—	—	—	.10	—	.22		17
18	.13	—	.20	.80	—	—	—	.01	.07	.03	—	.44		18
19	—	—	.25	—	—	.11	V	.05	.03	.02	—	.35		19
20	—	—	.10	.20	.06	—	2.87	—	.10	—	.04	.03		20
21	—	—	.13	—	.11	X	.53	.12	—	.18	—	.17		21
22	—	—	.08	.02	—	—	—	.06	.43	.03	—	1.06		22
23	.15	.34	.03	.46	—	X	X	.02	.16	—	—	.17		23
24	—	—	.06	.05	—	X	X	—	.04	.09	—	.13		24
25	.29	.15	—	.40	—	X	J	—	.04	.11	.09	.50		25
26	.06	—	.06	.07	—	X	.24	—	.21	.05	—	.14		26
27	—	—	—	.05	—	X	X	.02	.03	.12	—	.16		27
28	—	—	—	.10	—	—	X	.50	.35	.15	—	.90		28
29	.03	.02	—	—	—	—	.40	.29	.08	.24	.03	.06		29
30	—	X	—	—	.03	.35	—	—	.07	.24	—	.31		30
31	—	X	—	X	—	X	—	.09	X	.08	X	.20		31
TOTAL	4.14	.51	3.38	3.42	1.81	(2.60)	4.39	4.59	3.30	4.26	2.29	11.07	43.16	
*Days with or in. or more.	20	3	20	18	11	10	9	19	19	25	14	30	(198)	
*Days with .04 in. or more.	16	2	17	16	9	8	8	14	17	20	12	31	(140)	

† Spare column, no entries required.

(Signed)

John A. Payne

[P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *East Austrey Rectory*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *-* ft. *9* in.
Ground Sea Level *750.9* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.13	.55			.02	.02			.23	.05	.29		1
2	.01	.14				.20	.05			.37	.19	.16		2
3	.05	.08	.17		.10	.11	.05			.19	.10			3
4	.07	.25	.04	.29	.01	.09	.02			.25	.50	S.66		4
5		.43	.13	.08		R				.47	.22			5
6				.46		.77					.14	.38		6
7				.60		.16				.35		.20		7
8			.01	.30		.02			1.04	.49	.34	.17		8
9				.56						.80	.50			9
10	.04		.12	.37		.07	.09			.15	.04			10
11	.31	R		.02						.07	.46	.02		11
12	.10	R									.11			12
13	.13	R		.31	.02					R	.43			13
14	.01			.28						.12	1.19	.29		14
15		R		.63	.25			.03	.68		.25	.29		15
16		1.30	.02	.29			.05	.04		.35	.85			16
17		.03		.09	1.07 S.		.11	.10			.05			17
18		.06		.59			.16			.17		.11		18
19				.22	.53	1.41	.07			.32	.22	.02		19
20		.31		.29	.28				1.64		.27			20
21		.50		.18			.14		.10	.10				21
22		.08	.17	.57					.12	.04				22
23			.55		.04				.49	.28		.35		23
24	.24	.28	.05	.03	.11	.25		.53	.07	.09		R		24
25	.33	.95		.02	.01	.14						.66		25
26	.01	.46				.02	.02		.23	.15	.19	.45		26
27		.19				.02	.10		.22	.20	R	.39		27
28		.13					.07		.12	.20	.39	.04		28
29		X			.02				.25	.15	.25	.22		29
30	.11	X				.09			.40	.06	1.29	1.00		30
31		X		X	.13	X		1.66	X	.73	X	.33	d'	31
TOTAL	1.49	5.32	1.81	6.18	2.57	3.37	.95	2.36	5.36	6.33	8.03	6.03	49.8	0
* Days with .01 in. or more.	13	20	10	20	12	✓	13	✓	✓	25	23	20		
* Days with .04 in. or more.	9	19	8	17	8	✓	10	✓	✓	25	23	18		

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Last Duke's Rectory*in the County of *Devon*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....ft.....*9*.....in.,, Ground ,, Sea Level *75.6* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.24	.06	.19		.16	1.08	.06			.12	.17		1
2		.02				.28	.19	.26			.12			2
3	.06	.02	.19	.40		.29	.04	.75	1.25		.11	.04		3
4		.04	.27	.01		.16	.02	.04	1.22		.16	.51		4
5	.54		.06			.03	.45	.06	.24		.03	.15		5
6	.18		.04			.04	.29	.02	.10		.24	.05		6
7	.50		.10				.55		.12		1.15	.04		7
8	X.R.		.42				.79				.47	.11		8
9	.45		.21			.02			.19		.27			9
10	.05	S.10					.07				.30			10
11	S.25	.03			.08	.17	.65	.07	.08		X.R.	.09		11
12				S.08				.02	.45	.05	X.94			12
13	.08	.02		.20		.01		.05	.02	.34	.13	X.R.		13
14				.02		.10	.24		.21	.15	.11	X.17		14
15					.04		.64		.43		.36	.14		15
16	X.R.	.13		.07	.24		.09		.03	.16	.33	.25		16
17	X.36	.54		.01	.04		.38	.06			.09	.59		17
18	S.11.	.20	.04		.03	.18	.65	.02		.28	.01	.25		18
19	.45		X.R.	.33		.70	.42	.24						19
20	.10	.45	X.30	.04		.01		.04	.25					20
21	.06		X.R.	.61		.08				.03				21
22	S.32	S.34	X.35				.14					.06		22
23	.05	.08	.18	.23	.06		.11		.01	.08				23
24	.15		X.R.	X.R.	.15	.02	.02		.08	.44		.02		24
25	.30		X.R.	X.37			.37		.40	.58	.04			25
26	.20	.27	X.45					.01	.04	.24				26
27	.17	.22	.15				.04		.04	.18				27
28	.57		.41	.04		.23	.09					.23		28
29	X.R.	.23	.10			.30	.13			.23	.13	.23		29
30	X.33		.20			.05				.36				30
31	.38		.38		.03		.32			.08		.33		31
TOTAL	5.69	2.93	3.91	2.60	.67	2.83	7.77	1.10	5.16	3.20	5.11	4.43	45.40	
* Days with .01 in. or more.	26	16	21	15	8	18	24	14	18	14	20	19	213	
* Days with .04 in. or more.	25	12	21	12	6	13	22	10	15	13	18	18	185	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

John V. Payne [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1835

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ... East Anstey Rectory

in the County of ... Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....9.....in.

„ Ground „ Sea Level 7.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.x			.x			.07			.28	.09	.38		1
2	.68	.52		.x								.22		2
3	tr	.x	.04	.x	.20	.02	.06		.18					3
4	.30	.65		.x	.13	.06		.05				.60		4
5	.93		.01	.x			.48							5
6	.37	.35	.22	.x	.17	.02	.09							6
7		.73	.06	.x	.25	.11			.15	.05				7
8		.x			.37	.26	.08				.08			8
9		.16	.10	.06	.22		.03	.14	.84					9
10	.15		.80	.52		.06	.05							10
11	.03	.05	.25	.29	.20	.03	.78					.71		11
12	.33	.40	.25			.30	.19	.30	.36			.22		12
13		.18	.37	.20	.01	.02	.02	.15						13
14		.05	.45	.08				.34	.12			.61		14
15	.50	.19	.13	.63			.23		.19					15
16	.16	.18	.56	.07			.08		.46					16
17	.92	.12	.54					.61	.16		.07			17
18	.17	.30	.34			.13			.25		.20	.36		18
19	.26	.18	.06	.38	.10	.01	.02	.04	.43		.44	.03		19
20	.58	.11	.16	.36	.11				.15			.31		20
21	.48	.95	.10	.19	.46		.21			.23				21
22		.04	.16	.01	.30		.28		.14	.69	.44	.08		22
23	.37	.10	.03		.05		.x			.34	.55			23
24	.33	.65	.03				.12		.05	.80				24
25		.95	.38					.02	.13		.01			25
26		.26	.07		.09	tr	.02							26
27		.61		.01						.51		.02		27
28	.20	.13	tr			.04						.02		28
29	.10									.56	.33			29
30	.22	x				.27			.10		.48	.01		30
31	.68	x		x		x			x	.37	x			31
TOTAL	7.76	7.81	5.11	4.05	2.41	1.33	2.81	1.63	3.60	3.96	2.68	3.67	46.82	Year's Total
* Days with .01 in. or more.	21	24	22	19	13	13	18	7	16	10	9	16	188	
* Days with .04 in. or more.	20	24	19	16	12	8	14	7	15	10	9	11	164	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

John D. Payne [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1835

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Last Austley (Redbury)*
 in the County of *Devon*
 Diameter of Funnel of Gauge *5* in.
 Height of top of Gauge above Ground *75* ft.
 „ Ground „ Sea Level *9* ft.

Total Area
mesch

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.31				1.14	.20	.75		.68		.55		1
2		.11		.17	.09		.02			.62	.20	.31		2
3		—			.16	.05	.11	.04		.62		—		3
4						.05	—	1.23	.01	.82	.18	.17		4
5				.02		.09	.10	.05	.16	.66	.03	.21		5
6	.30					.29	1.54	.10		.20		.20		6
7	.17						.37	.02	.03	.25	.05	.19		7
8	.79					.01	.29	.05		.49		.05		8
9	.68	.34	.02				.04	.08		.06		.94		9
10	.14	.03					.30	.14		.10		.41		10
11	.23					.03	.07	.38	.01	—	.41	.75		11
12	.41				.31	.08	.02			.56	.93	—		12
13	.12	.01			.15			.01		.20	.11	1.17		13
14	.54	.02			.10		.38		.05	—		—		14
15	.18				.20		.01	.11		.10	.21	.38		15
16	.44	.02	.05		.04			.16		—	.30	—		16
17	—	.11					.07		.19	.32	.07	.02		17
18	.31				.12	.10		.05	.26	.06	.65	—		18
19								.10	.10		.66	.03		19
20											.35	—		20
21	.23					.04			.08		.24	.14		21
22	✓			.06		.18		.69		.04	.47	.05		22
23	—			.04		.03		.03	.01		.17	.02		23
24	✓		✓		.18	.01		.07	.06		.32			24
25	✓		.35		.22	.15	.09			.08	.65			25
26	✓	.55	.13		.56	—	.05		.03		.30	.15		26
27	✓	.34			.44	.27	.29	.45	.04	.36	.35			27
28	✓	.23	.03		.23	.17		.56	.07	.02	.07			28
29	2.02	—	.05		.44		.05		✓	.25	.41	.13		29
30	.18	✗	.03		.08	.12			.30		.40	.09		30
31	.41	✗	.01	✗	.42	✗			✗	.33	✗	.41		31
TOTAL	7.03	2.07	.67	.29	3.74	2.66	3.88	5.07	1.40	6.82	7.53	6.35	47.51	✓
* Days with .01 in. or more.	22	11	8	4	16	16	18	20	16	22	23	21	197	✓
* Days with .04 in. or more.	21	7	5	4	3	16	12	15	17	11	21	22	167	✓

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

John A. Payne [P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 1835

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939Kept at East Anstey Rectoryin the County of DEVON.Diameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....9 ft.....5 in.,, Ground ,, Sea Level 750 ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	—	.08	.07	—	—	.08	.02	—	—	.24	.06		1
2	.29	—	—	.17	—	—	.04	.54	.20	—	.33	.30		2
3	.31	—	.07	R ^x	—	—	—	.06	.15	—	.18	.60		3
4	—	—	.33	1.40	.35	—	.46	.16	—	.38	.59	.59		4
5	—	—	.06	.32	—	—	.64	—	—	.35	.60	—		5
6	.83	—	.16	.03	—	—	.54	.05	—	.01	.25	—		6
7	.12	.15	—	—	—	.07	.16	—	—	—	.20	.69		7
8	.17	.38	.06	—	.07	—	.12	.08	—	.66	.46	.29		8
9	.05	.12	.05	—	—	—	—	.23	—	.12	.12	.10		9
10	.32	.03	—	—	—	.06	—	.22	.25	.18	.10	.39		10
11	.13	.02	.16	—	—	—	—	.02	—	.32	.02	.04		11
12	.23	.11	—	—	.43	.02	—	—	.13	.08	.03	—		12
13	—	—	—	R ^x	.03	.12	.26	—	.07	.18	—	—		13
14	.72	—	.03	.37	.13	.22	.77	—	—	—	.17	.05		14
15	.33	.05	—	.15	.10	.64	1.35	—	—	.09	R ^x	—		15
16	.17	.02	.02	—	.18	—	.48	—	—	—	1.49	—		16
17	.75	.05	—	—	—	.26	R ^x	—	—	—	.11	—		17
18	.19	.19	.04	—	—	.18	1.26	—	—	—	.87	—		18
19	.27	—	—	—	—	.03	.08	—	—	—	.02	—		19
20	.51	—	—	—	.03	.13	.08	x	—	—	—	.04		20
21	.04	.20	.27	—	.20	.24	.02	x	.04	—	—	—		21
22	1.03	.37	.34	.20	—	.30	.20	—	.01	.01	R ^x	—		22
23	.04	.06	xR	.35	—	—	.35	—	—	.20	1.28	—		23
24	.90	—	x40	.09	—	.14	R ^x	—	—	.22	—	—		24
25	1.38	.33	—	—	—	—	.56	x	—	.30	.88	—		25
26	.04	.18	—	.14	—	—	.05	x	—	—	.81	.02		26
27	—	—	.07	—	—	.11	.10	x	—	—	.28	—		27
28	—	xR ^x	.07	.27	—	.20	.22	✓	—	—	1.02	.10		28
29	.04	.37	—	.13	—	.05	.11	—	—	.30	.41	—		29
30	.01	—	—	.35	—	.20	.08	—	—	—	.14	—		30
31	—	—	—	—	—	—	.16	1.88x	—	.68	—	.02		31
TOTAL	9.38	2.63	2.21	4.04	1.09	2.97	8.07	3.26	.85	4.08	10.60	3.29	Year's Total	
* Days with .01 in. or more.	25	16	17	16	8	17	26	16	7	16	26	14	204	
* Days with .04 in. or more.	24	13	15	15	6	15	25	13	6	14	23	12	181	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

John A. Payne [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1835

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at

East Anstley Rectory

in the County of

Devon

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....9 ft.

Ground Sea Level.....756 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.30		.14	.13						.13			1
2		.05		.19			.09				1.33			2
3		.50		Rx						.20	1.67	.21		3
4		.47		.29			.27			.31	.06			4
5	.02	.03								.41	.92	R		5
6	.16	.37					.31			.35	.26	.54		6
7	.09	.07		.05			.17	.02	.04	.12	-	.15		7
8										.24	Rx	Rx		8
9							.42	.08	.12	.36	.78	1.00		9
10			.03				Rx		.12	.23	.28	.46		10
11		S.74		.01			.87				.96			11
12			.39			.13	.84		.70		.15			12
13		S.02	.58				.55		.03	.38	.78	.09		13
14			.03	.12	.04			.18	.18	x	R	.41		14
15		.06	.02	.17	.12		.01		.38	-	.49	.01		15
16	S.08	S.23	.50	.05			.10		.08	x	.07			16
17		S.29	.67	-			.17		.11	✓	.02			17
18	S.56	.94	Rx	.56				.06	Rx	x		.43		18
19		.11	.30	.20			.38		.70	✓	.28			19
20			.06	.05			.19	.25	.11	x	Rx			20
21			-		.22	.29	.01		-	-	.57			21
22			.26	.16	.37	.22			.28	✓				22
23		.20	.17		.13		~~.17~~		.09	✓	.07			23
24	.02				.03	.11	.37			-				24
25	.18			.05	Rx	.16				1.36				25
26	1.45	Rx			.56		.32				.04			26
27	.48	x.33	.05	.44	.10	.05	.05							27
28	.62	S.09	✓R	.20				.03			.02	.07		28
29	S.21	.06	.27	x.65		.09						.47		29
30		~~x~~	.02	.07						Rx	.03	.36		30
31	.04	~~x~~	.02	~~x~~	.03	~~x~~			~~x~~	1.25	~~x~~	.27		31
TOTAL	3.91	4.26	3.37	3.20	1.93	1.05	5.12	.62	2.94	5.21	9.11	4.47	45.19	Year's Total
* Days with .01 in. or more.	12	19	16	18	12	7	18	6	14	19	23	18	179	
* Days with .04 in. or more.	10	17	11	17	10	7	16	4	13	15	20	14	153	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

John A. Payne

[P.T.O.]

Kept at *Barton House*
in the County of *N. Devon*
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
„ Ground „ Sea

1835/2
EAST ANSTLEY BARTON HOUSE
1938-40

780309

Station No. *1835/2*
ALL ORGANIZATION

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.20</i>													1
2	<i>.25</i>													2
3	<i>.34</i>													3
4	<i>.05</i>													4
5														5
6														6
7	<i>1.05</i>													7
8	<i>.20</i>													8
9	<i>.08</i>													9
10	<i>.27</i>													10
11	<i>.18</i>													11
12	<i>.23</i>													12
13	<i>.02</i>													13
14	<i>.68</i>													14
15	<i>.30</i>													15
16	<i>.18</i>													16
17	<i>.95</i>													17
18	<i>.20</i>													18
19	<i>.31</i>													19
20	<i>.45</i>													20
21	<i>.97</i>													21
22	<i>1.09</i>													22
23	<i>.05</i>													23
24	<i>.1</i>													24
25	<i>1.04</i>													25
26														26
27														27
28														28
29	<i>.05</i>													29
30		<i>X</i>												30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>			31
TOTAL	<i>8.24</i>												Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.	<i>24</i>													

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

1835/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Barton House East. And.*

in the County of *N Devon*

Diameter of Funnel of Gauge.....*5* in.

Height of top of Gauge above Ground.....*1* ft.....*6* in.

„ Ground „ Sea Level*7.60*...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	<i>.70</i>													1
2	<i>.25</i>													2
3	<i>.34</i>													3
4	<i>.05</i>													4
5														5
6														6
7	<i>1.05</i>													7
8	<i>.20</i>													8
9	<i>.08</i>													9
10	<i>.27</i>													10
11	<i>.18</i>													11
12	<i>.23</i>													12
13	<i>.02</i>													13
14	<i>.68</i>													14
15	<i>.30</i>													15
16	<i>.18</i>													16
17	<i>.95</i>													17
18	<i>.20</i>													18
19	<i>.31</i>													19
20	<i>.45</i>													20
21	<i>.17</i>													21
22	<i>1.09</i>													22
23	<i>.05</i>													23
24														24
25	<i>1.04</i>													25
26														26
27														27
28														28
29	<i>.05</i>													29
30		<i>X</i>												30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>			31
TOTAL	<i>8.24</i>												Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.	<i>24</i>													

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Barton House East Anstey

in the County of N. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

Ground Sea Level 760 ft.

Jan 18th. 1835 for show.
accs/days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.14		.13	.12						.08			1
2				.18			.11				1.65	.03		2
3		.61		.22			.25			.21	1.75	.21		3
4		.45								.37	.06	.14		4
5		.04					.32			.55	.90			5
6	.21			.05						.40	.24	.50		6
7		.04					.16		.05	.12		.65		7
8								.10	.02	.22				8
9	.09						.44		.12		1.02			9
10		.18					.04		.10		.20	.91		10
11						.04	.97				1.13			11
12			.48			.11	.94		.84		.14			12
13			S.R. .49				.62		.18	.40	.78			13
14			S.R. .14	.15			.12	.17		.55	.11	.51		14
15			.03	S.M. .16	.14		.01		.38	.53	.38			15
16	S. .08	S. .15	.50	S.M. .04			.10		.12			.07		16
17		S. .44	.75				.19		.11		.06			17
18	S. (.55) .75		.22	.64			.40		.07	.10	.07	.56		18
19		1.24	H.R. .10	.21			.21		.67		.23			19
20				.05	.22			.22	.08	.12	.20			20
21			.06		.37	.31		.03		.03	.46			21
22		.21	.28	.14	.13	.20			.27					22
23			.15	.06	.17				.10		.10			23
24						.11	.34							24
25	S. .18			.04	.32	.14								25
26	R. 1.60	.25		.03	.25		.22							26
27	.50	.10		.44	.10	.05	.17				.04			27
28	.54	S.R. .18		.04						.08		.09		28
29	S. .34		.30	.59		.09				.10		.55		29
30				.10	.12					.60		.37		30
31	.22		.04							.55		.15	S.R.	31
TOTAL	4.31	4.03	3.54	3.27	1.94	1.05	5.61	.52	3.11	4.93	9.60	4.74	47.06	46.65
* Days with .01 in. or more.	10	14	12	18	10	8	18	4	14	16	21	15	161	161
* Days with .04 in. or more.	10	14	12	17	10	8	17	3	13	15	21	14	154	154

† Spare column, no entries required.

(Signed)

W. Hancock

[P.T.O.]

* See Instruction 3 (f) on other side.

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Barton House East Anstley

in the County of N. Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 76.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30		.04				.08	.03			.25	.08		1
2	.25			.23			.04	.54	.20		.37	.30		2
3	.34		.06	.72				.08	.16	.40	.23	.65		3
4	.05		.33	.68	.35		.44	.18		.35	.63	.68		4
5	-		.08		.02		.65	.02			.63			5
6	-		.15				.55	.05			.23			6
7	1.05	.15				T.L.	.08	.16			.20	.65		7
8	.20	.38	.06		.08		.17	.14		.65	.56	.30		8
9	.08	.12	.05					.27		.15	.10	.10		9
10	.27	.05				.06		.22	.30	.20	.09	.42		10
24 11	.18		.18						-	.30	.03			11
21 12	.23	.11							.19					12
13	.02			.27	.02	.11	.25			.20	.04			13
14	.68			.11	.13	.24	.65			.07	.18	.17		14
15	.30	.01	.04	.19	.10	.68	.72		.02		.83	.09		15
16	.18	.02		.15	.20		.58				.81			16
17	T.L.	.93	.05			.27	.54				.16			17
18	.20	.19				.16	.76				1.01			18
19	.31					.02	.08				.02			19
20	.45	.19				.12	.09	T.L.	.67					20
21	.17		.40		.20	.25	.02	.21						21
22	1.09	.37	.35			.31	.22				.63			22
23	.05	.05	.34	.07			.33			.23	.82			23
24	+		.02	.38		.20	.32	.03		.25				24
25	1.04	.33		.09			.35	.17		.18	1.17			25
26	+	.17		.12			.04	.37		.13	1.00			26
27	-	.31	.06			.13	.12	.43		.07	.28	.14		27
15 in. deep 28	-	.10	.07	.27		.23	.19				1.14			28
29	.05	X		.14		.04	.14			.32	.45			29
30	-	X		.40		.19	.10			.12	.18			30
31	-	X		X		X	.11	.24	X	.57	X			31
TOTAL	8.44	2.60	2.23	3.82	1.10	3.16	7.70	3.48	.87	4.19	12.04	3.41	Year's Total	
* Days with .01 in. or more.	26	16	15	14	8	16	26	16	5	16	26	10	53.04	
* Days with .04 in. or more.	24.5	16	15	14	6.8	15	26	13	4	16	24	10	180	

Kept at *Rhyll*
in the County of *N.*
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea Level

1836
EAST ANSTLEY, RHYLL HSE
1931 — 38

780309

1836
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06		.28		.04	.08		.40	.15			1
2	.25	.04		.77		.03			.78	.09	.13	.31	2
3	.04		.80				.04	.02	.56	.02	1.85	.20	3
4		.33	.19	.14	.06	.45	.52	.60	.40	.11		.02	4
5		.33	.03	.33	.01	.61	.12	.07	.02		.06	.40	5
6		.08 ²³		.03	.02	.14	.47	.03		.45	.15	.55	6
7		.03 ²⁴		.35	.21	.16	.04	.32		.19	.64	.17	7
8		.39				.27	.07	.27			.37	.09	8
9		.33 ²¹				.26	.10				.74	.03	9
10		.05 ²⁵			.13	.12	.20	.07	.10		.56	.01	10
11		.78 ²⁸			.02	.21	.06	.08	.23	.45	.44	.01	11
12	.51	.14	.03				.26	.01	.19	.25	.04	.00	12
13	.02	.13			.07		.10	.10					13
14	.03 ²⁵	.14			.19	.33	.42	.11	.07		.56		14
15	.08	.22		.06	.09	.03 ²⁴		.80	.18		.03	.02	15
16	.10 ^{S.R.}	.17		.30	.10	.96	.06	.70	.10				16
17	.03	.04 ^S		.15		.13	.60		.04				17
18	.15					.18	.22	.85			.35		18
19	.21	.20	.09	.15		.05	.14	.27	.08		.38		19
20		.18	.14					.90			.39		20
21	.20 ^S	.15			.12						.11		21
22	.48 ^{S.R.}	.11		.04	.07						.12		22
23	.27	.03		.52	.48				.02		.44		23
24	.25	.10		.80	.27		1.14	.07			.01		24
25	.16	.46		.33			.18			30°	.04	.08	25
26	.21	.18		.45			.33			31°	1.27	.02	26
27		.35 ^{S.R.}	.15		2.00	.03	.14			.06	.13	.10	27
28	.41 ^{H.S.}	.22	.14	.07	.08		.23	.04		.18	.01	.33	28
29	.23	X			.04		.25	.10		.25	.05	.14	29
30	.14 ^S	X					.02	.05	.03				30
31	1.51	X		X	.45	X	w		X		X	.45	31
TOTAL	5.31	4.91	1.54	4.77	4.21	4.00	5.79	5.44	3.20	1.75	8.87	2.94	YEAR'S TOTAL
*Days with .01 in. or more.	20.7	25.23	8.1	16.15	18.15	17.14	24.23	29.7	15.12	10.9	24.21	18.11	52.76
*Days with .04 in. or more.													21.5

40-9999

*See Instruction 2 (f) on other side.

10.29 11.79. 16.56. 20.77. 24.77. 30.56. 36.00. 39.20. 40.73. 47.82.

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *Phyll East*
in the County of *Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *8.50* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.06		.28		.04	.08		.40	.15			1
2	.25	.04		.77		.03			.78	.09	.13	.31	2
3	.04		.80				.04	.02	.56	.02	1.85	.20	3
4		.33	.19	.14	.06	.45	.52	.60	.40	.11		.02	4
5		.33	.03	.33	.01	.61	.12	.07	.02		.06	.40	5
6		.08 ²³		.03	.02	.14	.47	.03		.45	.15	.55	6
7		.03 ²⁴		.35	.21	.16	.04	.32		.19	.64	.17	7
8		.39				.27	.07	.27			.37	.09	8
9		.33 ²¹				.26	.10				.74	.03	9
10		.05 ²⁵			.13	.12	.20	.07	.10		.56	.01	10
11		.78 ²⁸			.02	.21	.06	.06	.23	.45	.44	.01	11
12	.51	.14	.03				.26	.01	.19	.25	.04	.80	12
13	.02	.13			.07		.10	.10					13
14	.03 ²⁵	.14			.19	.33	.42	.11	.07		.56		14
15	.08	.22		.06	.09	.03 ²⁴		.80	.18		.03	.02	15
16	.10 ^{S.R.}	.17		.30	.10	.96	.06	.70	.10				16
17	.03	.04 ^S		.15		.13	.60		.04				17
18	.15					.18	.22	.85			.35		18
19	.21	.20	.09	.15		.05	.14	.27	.08		.38		19
20		.18	.14					.90			.39		20
21	.20 ^S	.15			.12						.11		21
22	.48 ^{S.R.}	.11		.04	.07						.12		22
23	.27	.03		.52	.45				.02		.44		23
24	.25	.10		.80	.27		1.14	.07			.01		24
25	.16	.46		.33			.18			.30	.04	.08	25
26	.21	.18		.45			.33			.31	1.27	.02	26
27		.35 ^{S.R.}	.15		2.00	.03	.14			.06	.13	.10	27
28	.41 ^{H.S.}	.22	.14	.07	.08		.23	.04		.18	.01	.33	28
29	.23	X			.04		.25	.10		.25	.05	.14	29
30	.14 ^S	X					.02	.05	.03				30
31	1.51	X		X	.45	X	w		X		X	.45	31
TOTAL	5.31	4.91	1.57	4.77	4.21	4.00	5.79	5.44	3.20	1.75	8.87	2.94	YEAR'S TOTAL
*Days with .01 in. or more.	20.7	25.23	8.1	16.15	18.15	17.14	24.23	20.7	15.12	10.9	24.21	18.11	52.76
*Days with .04 in. or more.													21.5

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rhyl E. Anstey
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 850 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.57

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.93			.40	.15		.25	.35	.72		.10	.66	1
2	.20			.04	.16		.02	.07	1.27	.06	.10		2
3	.03			.05		.04	.05		.19	.05	.03	.59	3
4	.04						.04	.22			.30	.05	4
5	.75		.10						.55				5
6	.74			.46	.05		.70	.06	.43				6
7	.26		.10	.08	.03				1.10	1.12			7
8			.81	.07	.19				.07	.09			8
9	.91	.04		.25	.02				.05	.06			9
10	.45			.37	.06				.41	.44			10
11	.04			.19	.13				.02	.13			11
12	.72				.67			.02	.33	.62			12
13	.17			.16	.03		.30	.25	.02	.80		.03	13
14	.16			.13	.14		.01			.09	.42	.20	14
15	.01			.15	.09		.01			.18	.06	.11	15
16	.22			.35			.69			.04		.02	16
17					.08					.16			17
18					.11				.40		.30		18
19	.07			.22	.35				.08	.84			19
20				.24	.74		.04	.03		.91			20
21			.10	.32				.42	.03	.78	.29	.12	21
22	.04		.02	.12	.14				.54	.24	.17	.13	22
23							.55		.10	.60	.50	.17	23
24					.04		.32		.15	.10	.21	.21	24
25			.22		.10		.76		.06	1.12	.05		25
26			.08	.18	.30		.17		.04	.66	.21		26
27			.70	.25	.14		.38			.65	.21		27
28			.34	.12	.08	.05	.73		.08		.05	.04	28
29			.65	.26	.17	.45	.22	.48	.58	.85		.05	29
30		×	.51	.05	.02	.88	.67	.12	.82	.10	.16	.44	30
31		×	.16	×	.05	×	.64		×		×		31
TOTAL	5.74	.04	3.79	4.46	4.04	1.42	6.55	2.02	8.04	10.69	3.16	2.82	YEAR'S TOTAL 52.77
*Days with or more.	17	1	12	22	25	4	19	10	23	24	16	14	187
*Days with or more.	15	1	11	22	21	4	16	8	20	24	15	12	169

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. **1836**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at **Rhyll**
in the County of **North Denon**

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level **850** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.50	.17		.09					.05	.15	~~.15~~		1
2	.33		.60		.63	T: 32			.03		.03	.15		2
3	.06	.31	.13		.02									3
4	.23	.11			.06									4
5	.15		.70		.25									5
6		.39			.02		.04			.11				6
7	.53	.34	.07		.22		.07	.05		.05				7
8	.06	.09			.16		.37	.02		.09				8
9		.15	.06	.02	.83		.30			.90	.06			9
10	.14	.26				.12				1.67				10
11				.06			.51	.32		.23				11
12					.06		.32		.39	.02	.03	.08		12
13					.30		.60	.29		.25	.15			13
14	.27						.06	.05		.04	.38			14
15	.37		.28				.13	.08		.17				15
16			.93			.16		.03		.03				16
17	.17	.12	.35			.19	.03	.04	.11					17
18	.09		.32			.37								18
19	.07		.28			.05		.12	.10		.62			19
20		.10			.03	.07		.15	.17					20
21		.09						.28		.10				21
22				.20	.08			.63	.25					22
23		.70		.31		.20				.35				23
24		.17		.15				.11	.23					24
25		.52		.11		.39			.15			.09		25
26		.35		.28	.48					.56				26
27					.02				.06	.68		.35		27
28		.19		.40			.25			.48				28
29	.05	X		.10			.03							29
30		X		.03			.13			.23	.75	.08		30
31	.26	X	.28	X	.04	X			X	.02	X			31
TOTAL	2.98	4.39	4.17	1.66	3.29	1.87	2.84	2.17	1.49	6.03	1.42	1.30	Year's Total	33.81
*Days with .01 in. or more.	15	16	13	10	16	9	14	13	9	19	8	5		147
*Days with .04 in. or more.	15	16	13	8	12	9	12	11	8	16	6	5		131

† Spare column, no entries required.

(Signed)

M D
Harroch

P.T.O.

40-9999

*See Instruction 2 (f) on other side.

Section



for the entry of Daily Observations.

Station No.

1836
1826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Rhyll East Anstey*

in the County of *N Devon*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *in.*

Ground Sea Level *850* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09							.65	.07		.22	.73		1
2	.12		.08					.33	.74	.04	.11	.61		2
3	.06				<i>T.L.</i> .05				.02	.27		.42		3
4	.25		.16	.11	.33				.14	.75		.41		4
5			.06	.03	.20	.18		1.26		.32	.48	.95		5
6			.40	.07	.69					.79	.09	.36		6
7	.18							.11	.08	.27	.19	.67		7
8			.02		.15					.10	.35	.76		8
9			.15	.16				.08		.04	.26	.16		9
10	.21		.35	.40				.24		.07	.23	.04		10
11	.85			.42				.31				.62		11
12	.25		.02	.12				.56				.09		12
13	.35			.32						.22	.02	.19		13
14	.63		.38							.14		.27		14
15	.24		<i>S.R.H.</i> .13		.23		.06	.04		.24	.09	.39		15
16	.17		.45		.05				.45	.03	.11	.21		16
17	.35		.08	.24					.04	.11		.18		17
18	.18		.20	.56		.13			.04	.03		.70		18
19		.07	.25		.03			.07	.34	.03		.32		19
20			.08	.25	.10		<i>T.L.</i> .65		.28	.04		.04		20
21			.13		.13	.31		.12	.10	.19		.25		21
22	.10			.04				.08				1.12		22
23	.14		.02	.39		<i>T.L.</i> .57	.05		.52	.06		.16		23
24		.32	.08	.08		.36	.18			.09		.04		24
25		.15		.45		<i>T.L.</i> .41	.02		.07	.19		.62		25
26	.25	.03	.06	.04		.45			.28	.11		.15		26
27	.07			.05		.13	.09		.04	.22	.13	.30		27
28				.10			.51	.53	.30	.11		.74		28
29		<i>X</i>					.04	.25	.11	.22	.03	.07		29
30	.05	<i>X</i>						.03	.08	.31		.35		30
31		<i>X</i>		<i>X</i>		<i>X</i>		.09	<i>X</i>	.06	<i>X</i>	.20		31
TOTAL	4.54	.57	3.10	3.93	1.96	2.54	1.60	4.75	3.70	5.05	2.31	12.12	Year's Total 46.17	
* Days with .01 in. or more.	19	4	19	18	10	8	8	16	18	27	13	31	191	
* Days with .04 in. or more.	19	3	16	17	9	8	7	15	17	24	11	31	177	

W. Hancock

Section **A** for the entry of Daily Observations.

Station No. **1836**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **Rhyll East Angle**

in the County of **N. Devon**

Diameter of Funnel of Gauge.....**5** in.

Height of top of Gauge above Ground.....**1** ft.....in.

„ Ground „ Sea Level**850**.ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	<i>S+R</i>	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.09	.64			.18	.02		.21	.24	.04	.41		1
2	.03	.15	.05			.19	.03		.15	.40	.16	.21	<i>T.L</i>	2
3		.08	.14	.05	.09	.07	.09		.72	.21	.21			3
4	.05	.24	.04	.24		.16	.02		.06	.22	.45	.73		4
5		.47	.15	.18		.71			.23	.39	.25	.14		5
6				.50		.22					.15	.28		6
7				.40						.30		.20		7
8				.35						.45	.33	.18		8
9				.64		.02			.03	1.08	.58			9
10	.04		.15	.40		.07	.09			.20				10
11	.33	.03				.42			.17	.08	.53	.02		11
12	.11	.38		.15		.24					.10			12
13	.14	.15		.30	.02	.02			.03	.10	.45			13
14		.34		.38		.12			.42	.07	1.21	.34		14
15		.24		.67	.25	.17			.27	.09	.23	.37		15
16		.15		.28	~~1.15~~	.03	.10	.02	.80	.23	.85	.05		16
17				.10	<i>S+R</i> 1.15	.48		.08	.24	.20	.08			17
18		.14		.67	.88	.04	.06	.05	.59	.15		<i>S+R</i> .07		18
19		.05		.22	.39	.14	.12		.35	.39	.26			19
20		.46		.20	.25	.07	.13				.30			20
21		<i>S+R</i> .53		.24			.14		<i>T.L</i> .20	.09		.04		21
22		.03	.22	.62					.17	.04				22
23		<i>S+R</i> .35	.55					.43	.37	.30		<i>S+R</i> .34		23
24	.23			.02	.12	<i>T.L</i> .06		.20	.20	.08		.22		24
25	.39	<i>S+R</i> .90	.04	.02		<i>T.L</i> .05						.46		25
26		.47					.04	.41	.29	.15	.19	.44		26
27		.19					.15		.28	.25	.34	.38		27
28	.04	.11			.03		.06	.19	.13	.30	.16	.04		28
29								.02	.35	.21	.30	.41		29
30	.11	~~X~~			.08	.09		.76	.51	.25	1.64	.80		30
31		~~X~~		~~X~~	.04	~~X~~		.08	~~X~~	.65	~~X~~	.39		31
TOTAL	1.57	5.55	1.98	6.63	2.60	3.55	1.05	2.24	6.77	7.12	8.81	6.52	Year's Total 52.39	
* Days with .01 in. or more.	11	21	9	21	11	21	13	10	23	27	22	22	211	✓
* Days with .04 in. or more.	10	19	9	19	9	18	10	9	21	27	22	21	193	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **1836**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **East Austey, Rhyl Manor.**in the County of **N. Devon.**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.25	.07	.20	—	.13	1.06	.12	—	—	.20	.20		1
2	—	—	—	.05	—	.23	.09	.10	.13	—	.12	.04		2
3	.08	—	.18	.41	—	.26	.19	.20	1.09	—	.09	.13		3
4	.02	—	.24	—	—	.20	.02	.02	1.25	—	.15	.52		4
5	.56	.05	.08	—	—	—	.45	.38	.25	—	.05	.12		5
6	.14	—	.04	—	—	.07	.35	.08	.15	—	.25	—		6
7	.50	—	.11	—	—	—	.63	.02	.20	—	1.37	.09		7
8	.22	—	.46	—	—	—	.85	—	.02	—	.72	.12		8
9	.33	.07	.20	—	—	—	.06	—	.20	—	.29	—		9
10	—	.08	—	—	—	—	.02	—	—	—	.30	.10		10
11	.31	—	—	—	.10	—	—	.10	.09	—	.65	.08		11
12	—	—	—	.08	—	.18	.93	—	.50	—	.36	—		12
13	.11	—	—	.07	—	—	.27	.05	—	.33	.08	.90		13
14	—	.03	—	—	.04	.14	.66	—	.16	.24	.07	.54		14
15	—	—	—	—	—	—	.15	—	.23	—	.57	.20		15
16	.03	.13	—	.08	.22	.02	.08	—	—	—	.56	.25		16
17	.36	.58	—	—	.05	.13	.20	—	—	.34	.09	.80		17
18	.05	.22	—	—	—	.78	1.20	.10	—	.28	—	.25		18
19	.59	.03	.09	.45	—	—	.22	.35	—	—	—	—		19
20	.12	.45	.22	.08	—	—	.02	—	.29	—	—	—		20
21	—	—	.20	.67	—	.07	—	—	—	—	—	.02		21
22	.39	.40	X	—	—	—	.12	.03	—	—	—	.03		22
23	.06	.06	.28	.28	.08	—	.13	—	—	.08	—	—		23
24	.18	.03	—	.15	.13	—	—	—	.11	.50	—	—		24
25	.31	—	.34	.38	—	—	.21	—	.56	.80	.04	—		25
26	.23	.29	.17	—	—	—	.14	—	—	.20	—	—		26
27	.20	.17	.15	—	—	—	.09	—	.08	.28	—	—		27
28	.55	.07	.44	—	—	.45	.11	—	—	.08	—	.26		28
29	.11	.27	.08	—	—	.51	—	—	—	.22	.12	.13		29
30	.30	X	.23	—	—	.15	.17	—	—	.42	—	—		30
31	.42	X	.37	X	—	X	.44	—	X	.10	X	.34		31
TOTAL	6.20	3.18	3.95	2.90	.62	3.32	8.86	1.55	5.31	3.87	6.08	5.12	50.96	✓
* Days with .01 in. or more.	25	17	20	12	6	14	27	12	16	13	19	20	201	✓
* Days with .04 in. or more.	22	14	20	12	6	13	24	9	15	13	19	20	187	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at East Anstey, Rhyll Manor
in the County of Denbigh

Copy by B.R.O.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	-	.02	.25	-	-	.10	-	.15	.38	.10	x		1
2	.57	.55		.20	-	-	-	-	.04	-		.57		2
3	-	.33		.18	.19	-	.08	-	.02	-		.06		3
4	.27	.42		.12	.14	.10	-	.06	-	-	.02	.70		4
5	.137	.03		.01	.02	-	.52	-	-	-		.22		5
6	.35	.38	.28	.50	.10	-	.11	-	.06	.05		-		6
7	-	.80	.08	.18	-	.15	-	-	.14	.06	.04	.08		7
8	-	.12			.41	.24	-	-	-	-	.06	.10		8
9	-	.07	.13	.07	.22	-	.01	.18	.87	-		-		9
10	.15	.04	.80	.48	-	.06	.07	.08	-	-		.38		10
11	.03	-	.25	.27	.30	.03	.92	.21	-	-		.06		11
12	.38	.47	.30		-	.30	.22	.09	.39	-		.25		12
13	-	.19	.65	.19	.02	.10	.02	.38	-	-		.12		13
14	-	.06	.15	.08	-	-	.03	.03	.17	-		.30		14
15	.49	.24	.10	.71	-	-	.27	-	.186	-		-		15
16	.20	.14	.66	.12	-	-	.06	.64	.45	-		-		16
17	.98	.13	.53		-	-	.04	.03	.15	-	.09	-		17
18	.22	.40	.33		-	.13	-	.02	.29	-	.22	.44		18
19	.35	.20	.10	.46	.12	.02	.02	-	.45	-	.51	.31		19
20	.56	.11	.09	.46	.08	-	-	-	.10	-	-	-		20
21	.48	.10	.10	.25	.50	-	.23	-	.11	.18	.06	.02		21
22	.05	.03	.13		.32	-	.37	-	.04	.70	.40	.07		22
23	.35	.25	.02		.05	-	.04	-	-	.31	.58	-		23
24	.36	.55			.08	-	.10	-	-	.80		.04		24
25	-	.08	.43		-	-	-	-	-	.12		.13		25
26	-	.42	.05		.04	.02	-	-	-	-		-		26
27	-	.67			-	-	-	-	-	.68		-		27
28	.25	.20			-	.08	-	-	-	.12		-		28
29	-	-			-	-	-	-	-	.33	.38	-		29
30	.32	x			-	.33	-	-	.11	.05	.56	-		30
31	.65	x		x	-	x	-	-	x	.28	x	-		31
TOTAL	8.75	8.98	5.20	4.53	2.59	1.56	3.21	2.22	3.73	4.26	3.02	3.85	51.90	
* Days with .01 in. or more.	21	26	20	17	15	12	18	10	18	13	12	18	189	
* Days with .04 in. or more.	2x	26	18	16	13	9	14	7	15	13	11	18	177	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Rhyll E. Austley
In the County of N. Devon

Rain Gauge { Diameter of Funnel..... 5 in.
Height of Top above Ground..... 1 ft. in.
Height of Ground above Sea Level..... 887 ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	.01 in. .04 in. or more or more
JAN.	<u>8.75</u>	<u>1.37</u>	<u>5</u> <u>21</u>
FEB.	<u>8.98</u>	<u>1.10</u>	<u>21</u> <u>26</u>
MAR.	<u>5.20</u>	<u>.66</u>	<u>16</u> <u>20</u>
APRIL	<u>4.53</u>	<u>.71</u>	<u>18</u> <u>17</u>
MAY	<u>2.59</u>	<u>.50</u>	<u>21</u> <u>15</u>
JUNE	<u>1.56</u>	<u>.30</u>	<u>12</u> <u>12</u>
JULY	<u>3.21</u>	<u>.92</u>	<u>11</u> <u>18</u>
AUG.	<u>2.22</u>	<u>.71</u>	<u>11</u> <u>10</u>
SEPT.	<u>3.73</u>	<u>.87</u>	<u>9</u> <u>16</u>
OCT.	<u>4.26</u>	<u>.80</u>	<u>24</u> <u>13</u>
NOV.	<u>3.02</u>	<u>.58</u>	<u>23</u> <u>12</u>
DEC.	<u>3.85</u>	<u>.70</u>	<u>4</u> <u>18</u>
TOTAL	<u>52.00</u>	<u>51.90</u>	<u>198</u>

Signature M. Hancock

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

M^r E. L. HANCOCK
RHYLL DULYER TON

Hour of observation by the clock—in Winter..... 9 a.m. in Summer..... 10 a.m.

Nearest Railway Station..... East Anstey Distance..... 1 1/2 mile gauge..... S.

Nearest Parish Church at..... E. Anstey Distance..... 1 gauge..... S.

Nature of objects nearest to gauge Wall Tree House

Height of objects 15 ft

Distances ... 15 yds 25 yds 25 yds


Directions from gauge ... W N

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7
-7 JAN. 1938

* See Instruction 3 (f) below.

[D] INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

Section

A

for the entry of Daily Observations

Station No. 1836

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at East Anstey, Rhyll Manor.

in the County of N. Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level 850.....ft.

Terminated
Feb total corrected for arithmetic

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.37												1
2		.12		.24										2
3														3
4	.08													4
5	.06													5
6	.30													6
7	.26													7
8	.88	.10												8
9	.66	.35												9
10	.13													10
11	.24	.03												11
12	.45													12
13	.14													13
14	.43	.03												14
15	.32													15
16	.45		.05											16
17		.23												17
18	.37													18
19	.04													19
20	.20													20
21	.13													21
22	.05			.04										22
23				.04										23
24	.12		.43											24
25	.25	.21	.04											25
26	.43	.41	.17											26
27	.65	.54												27
28	.33	.29	.03											28
29	.46		.05											29
30	.21	~~X~~	.03											30
31	.48	~~X~~		~~X~~	~~X~~	~~X~~			~~X~~		~~X~~			31
TOTAL	8.12	6.68	8.0	.32									Year's Total	
* Days with .01 in. or more.	26	11	7	3										
* Days with .04 in. or more.	26	9	5	3										

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

M. Hancock

[P.T.O.]

EAST ANSTEY (CHILTON)

Section



for the entry of Daily
AIR MINISTRY.—M

FORM 1090

REGISTE

Kept at Chiltons House Date 1836/5
in the County of Devon

Diameter of Funnel of Gauge.....5

Height of top of Gauge above Ground...

„ Ground „ Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.83	.10	.76		.65	.15	.54		1
2	.02	.32		.14	.12		.02			.74	.10	.28		2
3	.02	.05			.20	.05	.20	.03	.03	.48	.11	.01		3
4	.03					.05	.44	1.23		.90	.18	.23		4
5	.07					.12	.04	.04	.20	.71	.04	.24		5
6	.38					.29	1.04	.05		.23	.02	.21		6
7	.17						.39	.05	.10	.28	.06	.19		7
8	.83	.10					.20	.05		.66	.02	.06		8
9	.38	.21				.13	.10	.14		.06	.01	1.05		9
10	.14	.02					.46	.13		.08		.43		10
11	.21	.01				.02	.08	.38		.06	.40	.77		11
12	.40	.02			.28		.01			.73	1.04	.02		12
13	.14	.01			.17		.01			.32	.02	1.22		13
14	.38				.12		.41		.05	.02	.01	.02		14
15	.41				.23			.14		.13	.32	.38		15
16	.28	.02	.05		.04			.17		.01	.26	.02		16
17		.17			.02		.07		.24	.34	.12	.01		17
18	.33				.14	.09	.01	.16	.28	.12	.67			18
19	.05						.02	.11	.13	.02	.68			19
20	.27	.01						.01	.02	.01	.31			20
21	.02			.02		.04		.20	.40	.01	.25	.12		21
22	.05			.08		.13		.63		.04	.53			22
23	.01			.04	.02	.05		.03			.32			23
24	.13	.01	.33		.22	.03	.01	.11	.06		.40			24
25	.21	.21	.04		.14	.02	.11			.07	.69	.05		25
26	.38	.31	.12		.55	.23	.05			.26	.24	.02		26
27	.51	.40			.44	.21	.35	.65	.05	.06	.49	.03		27
28	.23	.25	.02		.21	.31	.03	.46	.08	.02	.10	.03		28
29	.32		.02		.54	.05	.03		.22	.28	.44	.20		29
30	.17	~~X~~	.02		.02	.11	.02		.28	.03	.50	.11		30
31	.36	~~X~~		~~X~~	.46	~~X~~	.01		~~X~~	.42	~~X~~	.47		31
TOTAL	6.90	2.12	.60	.28	3.60	2.76	4.21	5.51	1.84	7.74	8.48	6.71	50.75	Print
* Days with .01 in. or more.	29	16	7	4	18	18	25	21	14	29	29	25	236	96
* Days with .04 in. or more.	24	9	3	3	14	14	15	18	12	22	24	17	175	4/3/39.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

L.B. AKERS ESQ

(Signed)

Lance. B. Akers

P.T.O.

Section



for the entry of Daily Observations

Station No. 1836/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Chiltons Heath, Devon
in the County of Devon
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....2 ft. 6 in.
" Ground " Sea Level.....9.50 ft.

Rainday Total Cor. for ANK. ONLY.

f 625578/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.83	.10	.76		.65	.15	.54		1
2	.02	.32		.14	.12		.02			.74	.10	.28		2
3	.02	.05			.20	.05	.20	.03	.03	.48	.11	.01		3
4	.03					.05	.44	1.23		.90	.18	.23		4
5	.07					.12	.04	.04	.20	.71	.04	.24		5
6	.38					.29	1.04	.05		.23	.02	.21		6
7	.17						.39	.05	.10	.28	.06	.19		7
8	.83	.10					.20	.05		.66	.02	.06		8
9	.38	.21				.13	.10	.14		.06	.01	1.05		9
10	.14	.02					.46	.13		.08		.43		10
11	.21	.01				.02	.08	.38		.06	.40	.77		11
12	.40	.02			.28		.01			.73	1.04	.02		12
13	.14	.01			.17		.01			.32	.02	1.22		13
14	.38				.12		.41		.05	.02	.01	.02		14
15	.41				.23			.14		.13	.32	.38		15
16	.28	.02	.05		.04			.17		.01	.26	.02		16
17		.17			.02		.07		.24	.34	.12	.01		17
18	.33				.14	.09	.01	.16	.28	.12	.67			18
19	.05						.02	.11	.13	.02	.68			19
20	.27	.01						.01	.02	.01	.31			20
21	.02			.02		.04		.20	.10	.01	.25	.12		21
22	.05			.08		.13		.63		.04	.53			22
23	.01			.04	.02	.05		.03			.32			23
24	.13	.01	.33		.22	.03	.01	.11	.06		.40			24
25	.21	.21	.04		.14	.02	.11			.07	.69	.05		25
26	.38	.31	.12		.55	.23	.05			.26	.24	.02		26
27	.51	.40			.44	.21	.35	.65	.05	.06	.49	.03		27
28	.23	.25	.02		.21	.31	.03	.46	.08	.02	.10	.03		28
29	.32		.02		.54	.05	.03		.22	.28	.44	.20		29
30	.17	X	.02		.02	.11	.02		.28	.03	.50	.11		30
31	.36	X		X	.46	X	.01		X	.42	X	.47		31
TOTAL	6.90	2.12	.60	.28	3.60	2.76	4.21	5.51	1.84	7.74	8.48	6.71	507.5	
* Days with .01 in. or more.	29	16	7	4	18	18	25	21	14	29	29	25	236.5	
* Days with .04 in. or more.	24	9	3	3	14	14	15	18	12	22	24	17	175	
Year's Total														507.5

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

L.B. AKERS 450

(Signed)

Lawrence. S. akas

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1836/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Chilton House, Dalvoutin

in the County of Somerset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 9.50ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32		.10	.04	.01		.11	.02	.01		.22	.10		1
2	.16			.21			.02	.60	.19		.34	.30		2
3	.34		.06	1.01				.09	.15		.35	.67		3
4	.02	.01	.35	.36	.36		.48	.15	.01	.40	.44	.64		4
5		.02	.08	.29	.01		.49	.07		.45	.66			5
6	1.08	.01	.14	.03			.55				.19			6
7	.21	.17				.12	.16	.05			.22	.69		7
8	.23	.40	.02		.07		.16	.06		.69	.51	.37		8
9	.10	.17	.05					.37		.10	.09	.15		9
10	.38	.06	.05			.05		.20	.27	.22	.07	.48		10
11	.05	.03	.16							.38	.02	.01		11
12	.23	.08	.01	.01		.01			.13	.11	.02			12
13	.07	.06		.30	.01	.11	.25		.03	.19	.03			13
14	.73	.01	.02	.10	.12	.21	.76		.01	.06	.18	.05		14
15	.37	.07		.36	.13	.68	1.20			.03	.88	.01		15
16	.18	.03	.05	.14	.27		.87				.83			16
17	1.01	.08				.26	.58				.11			17
18	.16	.17	.05			.12	.81				1.12	.01		18
19	.30	.02				.12	.10				.05	.01		19
20	.56					.08	.04	.87						20
21	.17	.19	.37		.22	.30	.08	.10	.03					21
22	1.27	.43	.24	.14		.27	.13				.76	.01		22
23	.02	.09	.06	.34		.01	.49			.25	.69			23
24	.30	.03	.28	.13		.20	.14			.19	.01			24
25	1.25	.33	.01				.33	.13		.17	1.70			25
26	.02	.11		.15			.04	.33		.19	1.05	.01		26
27		.31	.08			.11	.11	.43		.01	.32			27
28	.01	.15	.05	.28		.22	.21	.01			1.23	.08		28
29	.03			.15		.03	.14			.34	.53			29
30			.01	.48		.19	.08			.12	.25	.01		30
31							.07	.25		.50				31
TOTAL	10.07	2.98	2.27	4.52	1.70	3.09	8.40	3.73	.83	4.40	12.60	3.60	56.24	157.69
* Days with .01 in. or more.	27	24	21	18	9	18	26	16	9	18	28	17	231	✓
* Days with .04 in. or more.	22	15	18	16	6	15	25	14	4	16	24	10	185	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Lawrence M. apur [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 1536/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at CHILTONS HOUSE, DULVERTON

in the County of ~~SOMERSET~~ Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ...9.50...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.10		.13	.13						.15			1
2		.07		.17			.09				2.02	.02		2
3		.60		.09						.22	1.74	.24		3
4	.01	.37		.23			.33			.43	.07	.20		4
5	.03						.01			.66	.96	.40		5
6	.18	.41					.37			.36	.24	.25		6
7	.10	.14		.07			.19	.01	.05	.11		.12		7
8	.01									.28	.43	.70		8
9							.45	.17	.15	.26	.68	.49		9
10			.02				.08	.01	.11	.36	.21	.24		10
11		.14		.01		.01	1.48				1.27	.01		11
12			.39			.12	1.02		1.00		.20			12
13		.02	.63				.70	.03	.03	.36		.25		13
14			.06	.14	.03		.01	.08	.15	.63	.90	.26		14
15		.06	.06	.18	.11		.01		.43		.39	.05		15
16		.42	.49	.06			.09		.15	.69	.07	.02		16
17			.81				.24		.10	.01	.02	.01		17
18	.31	1.27	.26	.67			.02	.04	.07	.07	.05	.42		18
19		.13	.11	.23			.46		.38	.05	.29	.01		19
20			.10	.06			.24	.15	.23	.13	.17			20
21		.01	.05	.01	.23	.34	.01	.01	.02		.06			21
22		.01	.22	.17	.34	.18			.30	.02	.01			22
23		.19	.18	.03	.16		.02		.02	.02	.13	.01		23
24				.01		.07	.36							24
25	.22		.02	.04	.44	.12								25
26	1.60	.31		.04	.15		.25				.03			26
27	.54	.14	.04	.44	.11	.05	.13							27
28	.46	.05		.03	.22						.01	.08		28
29		.07	.33	.64	.02	.07				.06		.70		29
30	.55	X	.03	.05						.62	.02	.30		30
31		X	.02	X		X			X	.64	X	.27		31
TOTAL	4.01	4.51	3.82	3.50	1.94	.96	6.56	.50	3.19	5.98	10.12	5.15	50.24	Year's Total
* Days with .01 in. or more.	11	19	18	22	11	8	22	8	15	20	24	22	200	
* Days with .04 in. or more.	8	15	14	17	9	7	16	4	12	17	19	16	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Lawrence B. Allen P.T.O.

Section **A** for the entry of D
AIR MINISTRY.

FORM 1090.

REGIST

Kept at *Castle Hill*
in the County of *N. Devon*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

1837
FOR OFFICIAL USE.
ALL ORGANIZATION.

1837
BARNSTAPLE, CASTLE HILL
1931 — 38

780309
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	—	—	20	—	—	07	—	46	06	—	—	I
2	16	07	—	60	—	02	—	—	16	04	17	28	2
3	08	—	85	—	—	—	50	—	64	01	140	18	3
4	—	—	20	09	01	33	02	28	28	05	—	09	4
5	—	36	—	75	—	46	12	—	05	—	01	46	5
6	—	09	—	16	05	18	44	01	—	47	18	35	6
7	—	—	—	—	19	05	—	51	—	04	45	14	7
8	—	55	—	19	—	35	20	25	—	—	03	18	8
9	03	48	—	—	—	32	02	—	—	03	42	08	9
10	—	—	—	—	—	03	23	20	—	—	45	04	10
II	37	51	—	05	12	22	04	20	21	—	50	—	II
12	05	19	—	03	01	—	25	03	32	17	01	—	12
13	—	06	—	—	02	—	35	06	—	—	—	—	13
14	11	15	—	—	11	28	89	23	17	—	62	—	14
15	03	25	—	04	08	03	—	21	02	—	—	01	15
16	15	13	—	20	15	70	05	44	07	—	—	—	16
17	33	—	—	07	12	10	45	—	06	—	—	—	17
18	05	—	—	04	—	13	26	86	—	—	35	—	18
19	32	26	04	08	—	07	02	37	—	—	19	—	19
20	02	06	18	—	—	—	—	107	—	—	12	01	20
21	21	04	02	—	10	—	01	—	—	—	21	—	21
22	44	17	—	—	11	—	—	01	—	—	05	—	22
23	17	—	—	21	36	02	04	—	—	—	42	—	23
24	21	40	—	62	03	—	105	04	—	—	—	05	24
25	09	26	—	43	—	—	18	—	—	—	02	21	25
26	—	18	—	44	—	—	38	—	—	—	108	07	26
27	20	34	—	—	78	02	04	—	—	07	09	01	27
28	17	11	13	06	26	02	—	01	—	07	—	07	28
29	19	—	10	—	14	—	15	08	—	16	07	16	29
30	14	×	—	—	07	—	—	—	04	—	—	—	30
31	140	×	05	×	50	×	05	—	×	—	×	67	31
TOTAL	492	466	157	436	321	333	581	486	248	117	684	306	4627
*Days with 01 in. or more.	22	20	8	18	19	18	24	18	12	11	21	18	209
*Days with 04 in. or more.	19	20	7	17	15	12	20	14	11	9	14	14	145

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A. S. Daffurn

[P.T.O.]

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Castle Hill Barnstaple*
in the County of *N. Devon*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *1* in.
Ground Sea Level *317* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	20	—	—	07	—	46	06	—	—	1
2	16	07	—	60	—	02	—	—	16	04	17	28	2
3	08	—	85	—	—	—	50	—	64	01	1.40	18	3
4	—	—	20	09	01	33	02	28	28	05	—	09	4
5	—	36	—	75	—	46	12	—	05	—	01	46	5
6	—	09	—	16	05	18	44	01	—	47	18	35	6
7	—	—	—	—	19	05	—	51	—	04	45	14	7
8	—	55	—	19	—	35	20	25	—	—	03	18	8
9	03	48	—	—	—	32	02	—	—	03	42	08	9
10	—	—	—	—	—	03	23	20	—	—	45	04	10
11	37	51	—	05	12	22	04	20	21	—	50	—	11
12	05	19	—	03	01	—	25	03	32	17	01	—	12
13	—	06	—	—	02	—	35	06	—	—	—	—	13
14	11	15	—	—	11	28	89	23	17	—	62	—	14
15	03	25	—	04	08	03	—	21	02	—	—	01	15
16	15	13	—	20	15	70	05	44	07	—	—	—	16
17	33	—	—	07	12	10	45	—	06	—	—	—	17
18	05	—	—	04	—	13	26	86	—	—	35	—	18
19	32	26	04	08	—	07	02	37	—	—	19	—	19
20	02	06	18	—	—	—	—	1.07	—	—	12	01	20
21	21	04	02	—	10	—	01	—	—	—	21	—	21
22	44	17	—	—	11	—	—	01	—	—	05	—	22
23	17	—	—	21	36	02	04	—	—	—	42	—	23
24	21	40	—	62	03	—	1.05	04	—	—	—	05	24
25	09	26	—	43	—	—	18	—	—	—	02	21	25
26	—	18	—	44	—	—	38	—	—	—	1.08	07	26
27	20	34	—	—	78	02	04	—	—	07	09	01	27
28	17	11	13	06	26	02	—	01	—	07	—	07	28
29	19	—	10	—	14	—	15	08	—	16	07	16	29
30	14	×	—	—	07	—	—	—	04	—	—	—	30
31	1.40	×	05	×	50	×	05	—	×	—	×	67	31
TOTAL	4.92	4.66	1.57	4.36	3.21	3.33	5.81	4.86	2.48	1.17	6.84	3.06	46.27
*Days with or in. or more.	22	20	8	18	19	18	24	18	12	11	21	18	209
*Days with or in. or more.	19	20	7	17	15	12	20	14	11	9	14	14	195

40-9999

*See Instruction 2 (f) on other side.

(Signed)

A.S. Daffurn

[P.T.O.]

Section



for the entry of Daily Observations.

1837.
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Castle Hill, Barnsley
in the County of North Devon

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 317 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	29	—	—	16	04	Trace	17	32	10	Trace	Trace	02	I
2	12	—	—	Trace	29	—	Trace	11	93	03	09	58	2
3	06	—	—	14	—	—	10	—	29	07	04	09	3
4	02	—	—	Trace	—	—	08	16	Trace	08	43	Trace	4
5	81	—	07	—	—	—	01	01	56	—	Trace	—	5
6	57	—	05	28	Trace	—	25	07	31	—	—	—	6
7	26	—	02	01	Trace	—	Trace	Trace	1.22	1.20	—	—	7
8	01	—	96	04	20	—	Trace	Trace	17	17	—	—	8
9	56	01	—	17	01	—	Trace	Trace	03	01	—	—	9
10	41	—	01	16	02	Trace	—	—	12	59	—	—	10
II	10	—	—	08	08	—	03	—	03	27	—	Trace	II
12	50	—	—	—	64	—	Trace	02	26	34	—	—	12
13	16	—	—	11	02	—	33	15	02	82	—	18	13
14	16	Trace	—	05	23	—	—	Trace	01	06	06	14	14
15	01	—	—	12	05	—	Trace	—	—	33	03	01	15
16	29	—	—	07	Trace	—	26	—	—	01	—	—	16
17	—	—	—	—	04	—	Trace	—	03	10	—	—	17
18	—	—	—	—	10	—	—	—	13	—	15	—	18
19	01	—	—	10	22	—	—	—	10	72	02	—	19
20	01	—	—	14	62	—	01	02	02	80	46	08	20
21	06	—	11	13	—	—	Trace	85	Trace	62	12	16	21
22	02	—	05	06	07	Trace	07	—	42	19	49	10	22
23	—	—	—	—	Trace	—	74	—	04	63	40	08	23
24	—	—	—	—	03	—	22	—	18	Trace	02	01	24
25	—	—	16	Trace	—	Trace	50	—	13	85	14	—	25
26	—	Trace	05	07	Trace	—	12	—	08	32	16	—	26
27	—	Trace	43	28	24	Trace	28	—	Trace	56	02	08	27
28	—	—	08	10	13	—	47	Trace	—	Trace	—	06	28
29	05	—	31	06	22	37	12	26	48	83	05	57	29
30	—	X	41	05	01	88	52	13	57	30	60	01	30
31	—	X	01	X	01	X	16	—	X	09	X	56	31
TOTAL	4.48	01	2.72	2.38	3.27	1.25	4.44	2.10	6.23	9.99	3.28	2.73	42.88
* Days with or in. or more.	21	21	14	21	21	2	19	11	24	25	17	16	192
* Days with or more.	15	—	11	20	15	2	16	8	18	22	13	12	152

40-9999

*See Instruction 2 (f) on other side

(Signed) A.S. Daffurn

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at Castle Hill, Barnstable
in the County of N. Devon.

Record wrong day during part of October.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 347 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	49	07	—	09	Trace	—	—	02	—	21	85	1
2	25	Trace	48	Trace	33	41	—	—	—	—	02	09	2
3	01	36	24	—	02	Trace	—	—	—	—	—	—	3
4	26	05	02	—	08	—	—	—	—	—	—	—	4
5	19	05	28	—	23	—	—	—	—	05	Trace	—	5
6	01	38	03	Trace	13	—	26	—	—	18	—	—	6
7	35	40	01	—	02	—	18	06	—	05	—	—	7
8	23	10	02	Trace	18	—	23	05	—	07	—	—	8
9	—	Trace	—	02	1.14	Trace	26	06	—	87	07	—	9
10	20	12	—	—	Trace	—	11	02	—	90	07	—	10
11	05	—	—	—	—	—	30	16	Trace	20	—	—	11
12	03	—	—	—	02	20	10	Trace	15	24	—	Trace	12
13	—	—	Trace	—	23	04	38	11	—	03	17	Trace	13
14	11	—	—	—	Trace	—	11	06	—	13	28	—	14
15	37	—	20	—	—	—	12	04	—	05	08	—	15
16	Trace	02	70	—	—	—	—	03	—	18	—	—	16
17	Trace	08	29	—	—	25	06	02	09	13	—	—	17
18	11	—	38	—	—	03	—	—	01	—	04	—	18
19	10	—	31	—	—	35	—	03	23	Trace	82	Trace	19
20	—	11	—	—	06	07	—	24	23	—	—	—	20
21	—	Trace	—	—	—	02	—	08	—	11	—	—	21
22	—	—	—	22	03	10	—	63	13	Trace	—	—	22
23	—	29	—	32	—	Trace	—	06	14	45	—	—	23
24	—	40	—	23	Trace	22	Trace	08	01	02	—	—	24
25	—	25	—	10	Trace	—	Trace	Trace	14	—	—	07	25
26	—	44	—	35	28	02	—	—	—	32	—	—	26
27	—	05	—	Trace	—	—	—	—	Trace	69	—	37	27
28	Trace	10	—	37	—	—	26	Trace	Trace	32	—	Trace	28
29	08	Trace	Trace	06	—	—	Trace	—	—	Trace	—	02	29
30	Trace	x	08	37	01	—	15	—	01	07	—	03	30
31	27	x	03	x	Trace	x	Trace	—	x	10	x	Trace	31
TOTAL	2.76	3.69	3.14	2.04	2.85	1.71	2.52	1.43	1.16	6.16	1.76	1.43	30.95
*Days with or in. or more.	17	17	15	9	15	11	13	16	11	21	9	6	160
*Days with or in. or more.	14	16	10	8	10	8	13	12	7	19	8	4	129

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Filleigh, Castle Hill Gardens
in the County of N. Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

Duplicate.
New gauge does not entirely agree with annual return.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.49	.07	-	.09				.02		.21	.85	1
2	.25		.48		.33	.41					.02	.09	2
3	.01	.36	.24		.02								3
4	.26	.05	.02		.08								4
5	.19	.05	.28		.23					.05			5
6	.01	.38	.03		.13		.26			.18			6
7	.35	.40	.01		.02		.18	.06		.05			7
8	.23	.10	.02		.18		.23	.05		.07			8
9				.02	1.14		.26	.06		.87	.07		9
10	.20	.12					.11	.02		.90	.07		10
11	.05						.30	.16		1.20			11
12	.03				.02	.20	.10		.15	.24			12
13					.23	.04	.38	.11		.03	.17		13
14	.11						.11	.06		.13	.28		14
15	.37		.20				.12	.04		.05	.08		15
16		.02	.70			.25		.03		.18			16
17		.08	.29			.03	.06	.02	.09	.13			17
18	.11		.38			.35			.01		.04		18
19	.10		.31			.01		.03	.23		.82		19
20		.11			.06	.02		.24	.23				20
21						.10		.08		.11			21
22				.22	.03			.63	.13				22
23		.29		.32		.22		.06	.14	.45			23
24		.40		.23				.08	.01	.02			24
25		.25		.10		.02			.14			.07	25
26		.44		.35	.28					.32			26
27		.05								.69		.37	27
28		.10		.37			.26			.32			28
29	.08			.06								.02	29
30		X	.08	.37	.01		.15		.01	.07		.03	30
31	.27	X	.03	X		X			X	.10	X		31
TOTAL	2.76	3.69	3.14	2.04	2.85	1.65	2.52	1.73	1.16	6.16	1.76	1.43	YEAR'S TOTAL 30.89
*Days with "or in. or more.	17	17	15	9	15	11	13	16	11	21	9	6	160
*Days with ".04 in. or more.	14	16	10	8	10	7	13	12	7	19	8	4	128

40-9999

*See Instruction 2 (f) on other side.

(Signed) A. Haggan

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 1837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lilleigh Castle Hill Gardens
in the County of N. Devon

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10							37	17	08	35	47		1
2	15		10					28	75	01	36	32		2
3	09				04			43		11		42		3
4	29		18	13	36			07	09	73		32		4
5			10	06	12	29		78		41	07	75		5
6	01		31	07	49			150		79	02	51		6
7	18							10		38	25	45		7
8					23			04	06	09	48	69		8
9			15					01		03	19	08		9
10	15	02	15	15				20		15	08	03		10
11	83			57				53		01	03	30		11
12	22			01				44		02		09		12
13	38		02	24						16		06		13
14	62		37							05	01	25		14
15	19		14	06	17		02	09	20	37		66		15
16	14		35		10				30	02		16		16
17	25		03	08					04	25		17		17
18	07		08	43		02		04	07	05		41		18
19	03		29			06		03	41	05		29		19
20			03	21	08				15	06	06			20
21	12		22		11	13		24	12	15	12	13		21
22	12		11					14	23	14		77		22
23			01	25		54		02	12			04		23
24	31	24	08	03		34	09		13	03				24
25	15	04		51		64	03		02	09		65		25
26			10	05		36	05		11	09	20	14		26
27						06	01	02	01	22	05	17		27
28							23	63	28	10	03	72		28
29								35	14	27		16		29
30	03	X					08	16	09	41		30		30
31		X		X		X	04	03	X	09	X	11		31
TOTAL	443	30	282	285	170	244	55	650	349	541	230	962	4241	
*Days with .01 in. or more.	21	3	19	15	9	9	8	23	20	30	15	29	201	
*Days with .04 in. or more.	18	2	15	13	9	8	5	18	18	24	11	28	169	

† Spare column, no entries required.

(Signed)

A. Daggum for
The Countess Forlescue

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Filleigh, Castle Hill Gardens

in the County of N. Devon

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	29		53				03		29	37		20		1
2		08	07			13			06	40	18	18		2
3	06	28	14	06	01	36	07		84	30	09			3
4	04	25	02	26		13	02		08	14	27	77		4
5	02	44	08	10		13			21	109	33	17		5
6				44		42				04	18	45		6
7				65		10				25	03	27		7
8				33						33	12	10		8
9	03			72					01	138	45			9
10			07	23		09	07		06	22	26			10
11	43	01				16			01	15	15			11
12	19	24				67					22			12
13	22	18		48					34	12	47			13
14	01	12		40		24			25	05	114	43		14
15		29		78	33	22			31	04	09	22		15
16		13		22			03	05	14	10	66	02		16
17				03	79	33	02	06	43	15	01			17
18		09		62	13	03	03	08		16		08		18
19		01		10	55	28	09	12	35	34	15			19
20		39		25	32	05	12		01		25			20
21		41		19			29		112	13				21
22		06	10	05					07	14				22
23			21		12				25	25		25		23
24	25	26	11	06	06	13		55	24	08		11		24
25	35	48		01		53		15				10		25
26		33				02		48	34	06	21	50		26
27		22					14	59	26	23	23	18		27
28		09					13	22	26	12	12	03		28
29								10	24	09	27	51		29
30	14	X				05		91	18	20	115	70		30
31		X		X	04	X		07	X	61	X	17		31
TOTAL	203	436	133	598	235	407	104	338	635	754	703	544	5090	
*Days with 01 in. or more.	12	20	9	20	9	19	12	12	24	28	23	20	208	
*Days with 04 in. or more.	9	18	8	18	8	17	7	12	21	28	21	18	185	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. D. Duffman

P.T.O.

Section **A** for the entry of Daily Observations. Station No. **1837**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at **Bank the Tillegh.**in the County of **N. Devon.**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **14** ft.,, Ground ,, Sea Level **317** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	29	—	—	—	Trace	Trace	03	—	29	37	Trace	20		1
2	Trace	08	53	—	—	13	Trace	—	06	40	18	18		2
3	06	28	07	06	01	36	07	—	84	30	09	Trace		3
4	04	25	14	26	—	13	02	—	08	14	27	77		4
5	02	44	02	10	—	13	—	—	21	109	33	17		5
6	—	—	08	44	—	42	—	—	Trace	04	18	45		6
7	—	—	—	65	—	10	—	—	—	25	03	27		7
8	—	—	Trace	33	—	Trace	—	—	—	33	12	10		8
9	03	—	—	72	—	Trace	—	—	01	138	45	—		9
10	Trace	—	07	23	—	09	07	—	06	22	26	—		10
11	43	01	Trace	—	—	16	—	—	01	15	15	—		11
12	19	24	—	—	—	67	—	Trace	Trace	Trace	22	—		12
13	22	18	—	48	—	—	—	—	34	12	47	—		13
14	01	12	—	40	—	24	—	—	25	05	114	43		14
15	—	29	—	78	33	22	—	—	31	04	09	22		15
16	—	13	Trace	22	—	—	03	05	14	10	66	02		16
17	—	Trace	—	03	79	33	02	06	43	15	01	—		17
18	—	09	—	62	13	03	03	08	35	16	—	08		18
19	—	01	—	10	55	28	09	12	01	34	15	—		19
20	—	39	—	25	32	05	12	—	112	Trace	25	—		20
21	—	41	Trace	19	—	—	29	—	07	13	Trace	Trace		21
22	—	06	10	05	—	—	—	—	25	14	—	—		22
23	—	Trace	21	—	12	—	—	—	24	25	—	25		23
24	25	26	11	06	06	13	—	55	—	08	—	11		24
25	35	48	Trace	01	—	53	—	15	34	—	—	10		25
26	Trace	33	—	—	—	02	Trace	48	26	06	21	50		26
27	—	22	—	—	—	—	14	59	26	23	23	18		27
28	—	09	—	—	—	—	13	22	24	12	12	03		28
29	—	—	—	—	Trace	Trace	—	10	18	09	27	51		29
30	14	X	—	—	—	05	—	91	—	20	115	40		30
31	—	X	—	X	04	X	—	07	X	61	X	17		31
TOTAL	2.03	436	1.33	5.98	2.35	4.07	1.04	3.38	6.35	7.54	7.03	5.44	50.90	
*Days with or in. or more.	12	20	9	20	9	19	12	12	24	28	23	20	208	
*Days with .04 in. or more.	9	18	8	18	8	17	7	12	21	28	21	18	185	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.
(Signed) **A. Daffurn**

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 1837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Castle Hill Gardensin the County of 7. Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....1.....in.

,, Ground ,, Sea Level 317.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.19	.05	.35	—	.15	1.36	.02	—	—	—	.07		1
2	TRACE	TRACE	—	.01	—	.27	.07	.16	.32	—	.43	.03		2
3	.06	—	.20	.24	—	.04	.12	.04	1.60	—	.07	.12		3
4	.04	—	.18	—	—	.34	.01	—	.73	—	—	.47		4
5	.62	TRACE	.01	—	TRACE	—	.32	.16	.23	—	.18	.14		5
6	.18	—	.02	—	—	.06	.68	.03	.08	—	.56	.02		6
7	.31	—	.11	—	—	.02	.33	—	.05	—	1.08	.06		7
8	.26	—	.28	—	—	.06	.88	—	.03	—	.54	.29		8
9	.11	.23	.10	—	—	.06	.20	—	.35	—	.36	—		9
10	TRACE	—	—	—	—	—	TRACE	.14	.02	—	.25	TRACE		10
11	.20	—	—	—	—	.21	.06	.03	.07	—	.50	.15		11
12	.01	—	—	—	.03	.14	.67	.02	.19	.08	.18	.02		12
13	.08	—	.03	—	—	—	.12	.02	TRACE	.34	.04	1.10		13
14	—	.09	TRACE	—	—	.18	.50	.09	.25	.19	.08	.62		14
15	—	TRACE	—	TRACE	.09	.02	.06	TRACE	.11	TRACE	.29	.02		15
16	—	TRACE	—	TRACE	.36	.01	.05	TRACE	.02	—	.51	.18		16
17	.33	.40	—	—	—	—	.16	.03	TRACE	.32	.02	.68		17
18	.05	.18	.01	—	—	.15	.66	.05	—	.17	.14	.19		18
19	.37	.02	TRACE	.24	—	.43	.16	.26	—	—	—	TRACE		19
20	.16	.20	.15	.07	—	—	.08	.03	.13	.02	—	.02		20
21	.07	TRACE	.10	.86	—	.04	TRACE	TRACE	—	TRACE	—	—		21
22	.27	.37	.10	—	—	—	.10	—	—	TRACE	—	.08		22
23	.05	.13	.06	.25	TRACE	—	.16	—	—	.09	—	—		23
24	.12	TRACE	.04	.11	.04	—	.05	—	.08	.43	—	—		24
25	.20	—	.13	.50	—	—	.06	—	.65	.55	—	—		25
26	.31	.21	.15	—	—	—	.04	—	.02	.12	—	—		26
27	.12	.14	.08	—	—	—	.30	—	.06	.15	TRACE	—		27
28	.50	.05	.58	.05	—	.01	.55	—	—	.04	—	.18		28
29	.10	.16	.05	—	—	.65	.02	—	—	.34	.27	.06		29
30	.24	×	.05	—	.01	.34	.15	—	TRACE	.55	.02	TRACE		30
31	.35	×	.34	×	.02	×	.70	—	×	.02	×	.26	45.10	31
TOTAL	5.17	2.37	2.77	2.68	.65	3.18	8.62	1.08	4.99	3.41	5.52	4.76	45.01	✓
* Days with .01 in. or more.	26	13	22	10	6	19	29	14	19	15	18	21	212	✓
* Days with .04 in. or more.	25	12	18	9	3	15	27	7	15	13	16	16	176	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A. E. Hollister [P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 1837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Filleigh, Castle Hill Ednis.
in the County of N. Devon

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft in.
,, Ground ,, Sea Level ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06	19	05	35										1
2				01										2
3	06		20	24										3
4	04		18											4
5	62		01											5
6	18		02											6
7	31		11											7
8	26		28											8
9	11	23	10											9
10														10
11	20													11
12	01													12
13	08		03											13
14		09												14
15														15
16														16
17	33	40												17
18	05	18	01											18
19	37	02		24										19
20	16	20	10	07										20
21	07		10	26										21
22	27	37	10											22
23	05	13	06	25										23
24	12		04	11										24
25	20		13	50										25
26	31	21	15											26
27	12	14	08											27
28	50	05	58	05										28
29	10	16	05											29
30	24	X	05											30
31	35	X	34	X		X			X		X			31
TOTAL	5.17	2.37	2.77	2.68									Year's Total.	
* Days with .01 in. or more.	26	13	22	10										
* Days with .04 in. or more.	25	12	18	9										

Section

A

for the entry of Daily Observations

Station No.

1837

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at CASTLE HILL GARDENSin the County of DEVON NORTHDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 1 in.,, Ground ,, Sea Level 31.7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.25	.21	.02	—	—	—	.02	—	.15	X	.26	.23		1
2	.16	.51	.02	—	—	—	—	—	.03		TRACE	.09		2
3	.10	.21	TRACE	—	.34	—	.16	—	—		—	.06		3
4	.22	.05	TRACE	—	.02	—	.30	.10	.15	(.50)	—	.12		4
5	.99	TRACE	.02	.01	.67	—	.02	—	—		—	.23		5
6	.40	.20	.25	TRACE	.06	.04	.22	—	—		—	TRACE		6
7	TRACE	.52	.05	.57	.26	.07	.08	—	.15		—	—		7
8	—	.03	TRACE	.02	.02	.10	.18	—	TRACE		—	—		8
9	TRACE	.02	.20	.06	.29	—	.02	.10	.70		—	.02		9
10	.06	—	.30	.93	.03	.04	.08	.21	—		—	.78		10
11	.05	—	.05	.02	—	.06	1.65	—	—		—	.14		11
12	.25	.51	.33	.07	—	.35	.23	.15	—		TRACE	.32		12
13	TRACE	.23	.43	TRACE	—	.03	TRACE	.55	.26		—	.21		13
14	.50	.12	.14	.02	—	TRACE	TRACE	—	.55		—	.16		14
15	—	.18	.05	.68	—	—	—	.35	.45		—	.43		15
16	.12	.07	.33	TRACE	—	—	—	.25	—		—	TRACE		16
17	.79	.04	.51	.05	—	—	.08	.05	.22		TRACE	.12		17
18	.12	.03	.03	—	—	TRACE	TRACE	TRACE	.60		TRACE	TRACE		18
19	.24	.07	.29	.28	—	.25	—	—	.62		.60	.09		19
20	.36	1.02	.07	.25	.04	—	.03	—	.23		TRACE	.25		20
21	.17	.04	.05	.10	.47	—	.19	—	.05	.11	—	TRACE		21
22	.02	.02	.68	TRACE	.19	—	.30	—	—	.42	.45	—		22
23	.22	.20	.33	—	.10	—	—	—	.06	.15	.37	—		23
24	.05	.47	.07	—	—	—	—	—	.11	.50	—	.09		24
25	TRACE	.83	.05	—	—	—	—	—	.04	.26	—	.05		25
26	—	.38	.02	—	—	TRACE	—	—	TRACE	TRACE	—	—		26
27	.04	.32	—	—	TRACE	—	TRACE	—	.03	.65	—	—		27
28	.05	.38	—	—	—	.02	—	—	—	—	—	TRACE		28
29	.23	X	—	—	—	—	—	—	—	.25	.32	—		29
30	.60	X	—	—	.06	.24	—	—	—	.62	.05	—		30
31	TRACE	X	—	X	—	X	—	—	X	—	X	—		31
TOTAL	5.98	6.46	3.63	3.06	2.65	1.20	3.56	1.76	4.39	3.36	2.31	3.98	41.74	42.24
* Days with .01 in. or more.	23	25	13	13	13	10	15	8	17	8	7	17	172	
* Days with .04 in. or more.	21	21	10	9	10	8	11	8	15	8	7	16	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. **1837**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at **CASTLE HILL, FILLBIGH**
in the County of **DEVON** **BARNSTAPLE**

Diameter of Funnel of Gauge.....**5**.....in.

Height of top of Gauge above Ground.....**8** ft.....**1** in.

Ground Sea Level.....**317**.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0.14	—	—	—	0.90	0.80	0.94	—	0.50	0.33	0.52		1
2	0.03	0.17	—	0.24	0.17	—	—	—	—	0.73	0.05	0.44		2
3	—	—	—	—	—	0.06	0.07	—	—	0.50	0.15	—		3
4	—	—	—	—	—	—	0.38	2.15	—	0.40	0.06	0.18		4
5	0.05	—	—	—	—	—	0.15	0.05	0.10	—	0.06	0.06		5
6	0.24	—	—	—	—	0.03	1.03	—	0.07	0.25	—	0.24		6
7	0.11	—	—	—	—	0.40	0.23	0.41	0.05	0.16	—	0.22		7
8	0.67	0.11	—	—	—	—	0.81	0.11	—	0.50	—	0.06		8
9	0.70	0.33	—	—	—	0.10	—	0.32	—	0.10	—	0.83		9
10	0.16	—	0.04	—	—	—	0.33	0.25	—	0.11	—	0.22		10
11	0.24	—	—	—	—	—	0.05	0.07	—	0.05	0.32	0.14		11
12	0.24	—	—	—	0.18	—	—	TRACE	—	0.50	0.72	0.23		12
13	0.14	—	—	—	0.10	—	—	—	—	0.15	—	0.42		13
14	0.46	—	—	—	0.17	—	0.35	—	0.09	—	—	—		14
15	0.26	—	—	—	0.21	—	—	TRACE	—	0.14	0.06	0.32		15
16	0.41	—	0.16	—	0.18	—	—	0.09	—	—	0.17	—		16
17	—	0.06	—	—	0.10	—	0.13	0.11	0.06	0.20	—	—		17
18	0.40	—	—	—	—	0.10	—	0.16	0.47	0.10	0.50	—		18
19	—	—	—	—	—	—	0.06	0.16	0.05	—	0.41	—		19
20	0.13	—	—	—	—	—	—	0.02	—	—	0.67	SNOW		20
21	0.12	—	—	—	—	0.03	—	0.12	0.46	—	0.42	—		21
22	0.02	—	—	—	—	0.22	—	1.12	—	0.06	0.40	0.16		22
23	—	—	—	—	—	0.04	—	0.14	—	—	0.30	—		23
24	—	—	0.46	—	0.12	—	—	0.32	—	—	0.35	—		24
25	0.36	0.34	—	—	0.22	—	0.10	—	0.12	0.13	0.77	—		25
26	0.50	0.32	0.12	—	0.10	0.06	0.14	—	—	0.42	0.34	0.25		26
27	0.55	0.40	—	—	0.50	0.26	0.24	0.54	—	0.16	0.50	—		27
28	0.24	0.20	—	—	0.03	0.23	—	0.53	—	—	0.22	—		28
29	0.32	—	—	—	0.32	—	—	—	—	0.46	0.23	0.23		29
30	0.14	—	0.15	—	0.07	0.06	0.02	—	0.40	—	0.72	0.18		30
31	0.40	—	—	—	0.33	—	—	—	—	—	—	0.28		31
TOTAL	6.89	2.07	0.93	0.24	2.80	2.49	4.89	7.61	1.87	5.64	7.35	4.96	Year's Total	48.14
* Days with .01 in. or more.	24	9	5	1	15	13	16	14	10	20	22	23	17	178
* Days with .04 in. or more.	22	9	5	1	15	12	15	14	10	20	22	19	16	168

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ...**A. E. Stoll**... [P.T.O.]

REGI

Kept at Doune's House
in the County of Devon
Diameter of Funnel of Gauge.....
Height of top of Gauge above G

Ground Se

Station No. 1837/5
NFALL ORGANIZATION
938

1837/5
BISHOPS TANTON CODDOW HILL
1938

780309

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.27	.270	.03	~~.04~~	.725		.90		.53	.07	.34		1
2		.08		.12	.04		.04			.61	.05	.37		2
3	✓	.065			.03	Trace	.045	1.18		.39	.03			3
4		.005					.38	1.0		.31	.04	.31		4
5	✓			.02		.025	.045			.125	.32	.03	.07	5
6	✓	1.215				.20	.86	.33		.125	.20	.03	.13	6
7	✓									.16		.13		7
8	✓					.045	.41	.045		.34		.10		8
9	✓	.17				.015	.03	.35		.13		.55		9
10	✓	.13	.02				.14			.16		.25		10
11	.09		.005	Trace			.03				.20	.33		11
12	.13				.17				.03	.56	.57	.08		12
13	.28				.10					.05	.07	.18		13
14	✓				.05		.43							14
15	.38				.02				.03	.10	.09	.25		15
16	.36				.05			.04			.20	.05		16
17	.18		.02	.20	.045		.12		.03	.36				17
18		.035	.005	Trace	.07	.10	.03	.03	.17	.10	.54			18
19	.255							.135	.08		.46			19
20								.10	.03		.52			20
21	.025					.05		.035	.30	.02	.46	.02		21
22	.08					.12		.20	.02	.07	.29	.01		22
23	Trace	.005		.03	Trace	.005		1.11			.29	.01		23
24					.07				.07		.43			24
25	.110	.04	.29		.19		.07	.03		.20	.77	.04		25
26	.22	.19	.17		.21	.06				.23	.23	.24		26
27	.475	.20	.04		.27	.18	.19			.04	.43	.30		27
28	.32				.015			.48	.09	.11	.23	.03		28
29	.12				.210			.41	.04	.40	.26	.10		29
30	.205		.03		.245				.38	.04	.50	.13		30
31	.045		.02		.34		.015			.37		.34		31
4.215	4.485												Year's Total	
TOTAL	.33	1.185	~~1.050~~	.20	2.13	1.795	2.835	6.375	1.52	5.80	6.79	4.41	38.305	
* Days with .01 in. or more.	23	8	8	4	17	12	15	16	14	24	24	24	189	
* Days with .04 in. or more.	20	7	5	1	14	10	11	13	9	23	21	20	158	

Section **A** for the entry of Daily Observations

Station No. **1837/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Downes House, Bishop's Cleeve

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....13½.....ft.

„ Ground „ Sea Level.....400.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		<u>.27</u>	<u>.270</u>	<u>.03</u>	<u>.04</u>	<u>.725</u>		<u>.90</u>		<u>.53</u>	<u>.07</u>	<u>.34</u>		1
2		<u>.08</u>		<u>.12</u>	<u>.04</u>		<u>.04</u>			<u>.61</u>	<u>.05</u>	<u>.37</u>		2
3	✓	<u>.065</u>			<u>.03</u>	<u>Trace</u>	<u>.045</u>	<u>1.18</u>		<u>.39</u>	<u>.03</u>			3
4		<u>.005</u>					<u>.38</u>	<u>1.0</u>		<u>.31</u>	<u>.04</u>	<u>.31</u>		4
5	✓			<u>.02</u>		<u>.025</u>	<u>.045</u>		<u>.125</u>	<u>.32</u>	<u>.03</u>	<u>.07</u>		5
6	✓	<u>1.225</u>				<u>.20</u>	<u>.86</u>	<u>.33</u>	<u>.125</u>	<u>.20</u>	<u>.03</u>	<u>.13</u>		6
7	✓									<u>.16</u>		<u>.13</u>		7
8	✓					<u>.045</u>	<u>.41</u>	<u>.045</u>		<u>.34</u>		<u>.10</u>		8
9	✓	<u>.17</u>				<u>.015</u>	<u>.03</u>	<u>.35</u>		<u>.13</u>		<u>.55</u>		9
10	✓	<u>.13</u>	<u>.02</u>				<u>.14</u>			<u>.16</u>		<u>.25</u>		10
11	<u>.09</u>		<u>.005</u>				<u>.03</u>				<u>.20</u>	<u>.33</u>		11
12	<u>.13</u>		<u>Trace</u>			<u>.17</u>			<u>.03</u>	<u>.56</u>	<u>.57</u>	<u>.08</u>		12
13	<u>.28</u>					<u>.10</u>				<u>.05</u>	<u>.07</u>	<u>.18</u>		13
14	✓					<u>.05</u>	<u>.43</u>							14
15	<u>.38</u>					<u>.02</u>			<u>.03</u>	<u>.10</u>	<u>.09</u>	<u>.25</u>		15
16	<u>.36</u>					<u>.05</u>		<u>.04</u>		<u>.2</u>	<u>.20</u>	<u>.05</u>		16
17	<u>.18</u>		<u>.02</u>	<u>.20</u>		<u>.045</u>	<u>.12</u>		<u>.03</u>	<u>.36</u>				17
18		<u>.035</u>	<u>.005</u>	<u>Trace</u>		<u>.07</u>	<u>.10</u>	<u>.03</u>	<u>.03</u>	<u>.17</u>	<u>.10</u>	<u>.54</u>		18
19	<u>.255</u>							<u>.135</u>	<u>.08</u>		<u>.46</u>			19
20								<u>.10</u>	<u>.03</u>		<u>.52</u>			20
21	<u>.025</u>					<u>.05</u>		<u>.035</u>	<u>.30</u>	<u>.02</u>	<u>.46</u>	<u>.02</u>		21
22	<u>.08</u>					<u>.12</u>		<u>.20</u>	<u>.02</u>	<u>.07</u>	<u>.29</u>	<u>.01</u>		22
23	<u>Trace</u>			<u>.03</u>	<u>Trace</u>	<u>.005</u>		<u>1.11</u>			<u>.29</u>	<u>.01</u>		23
24						<u>.07</u>			<u>.07</u>		<u>.43</u>			24
25	<u>.110</u>	<u>.04</u>	<u>.29</u>		<u>.19</u>		<u>.07</u>	<u>.03</u>		<u>.20</u>	<u>.77</u>	<u>.04</u>		25
26	<u>.22</u>	<u>.19</u>	<u>.17</u>		<u>.21</u>	<u>.06</u>				<u>.23</u>	<u>.23</u>	<u>.24</u>		26
27	<u>.475</u>	<u>.20</u>	<u>.04</u>		<u>.27</u>	<u>.18</u>	<u>.19</u>			<u>.04</u>	<u>.43</u>	<u>.30</u>		27
28	<u>.32</u>		<u>.03</u>		<u>.015</u>	<u>.18</u>		<u>.48</u>	<u>.09</u>	<u>.11</u>	<u>.23</u>	<u>.03</u>		28
29	<u>.12</u>		<u>.03</u>		<u>.210</u>	<u>.035</u>		<u>.41</u>	<u>.04</u>	<u>.40</u>	<u>.26</u>	<u>.10</u>		29
30	<u>.205</u>	<u>.03</u>	<u>.03</u>		<u>.245</u>	<u>.035</u>			<u>.38</u>	<u>.04</u>	<u>.50</u>	<u>.13</u>		30
31	<u>.045</u>	<u>.02</u>	<u>.02</u>	<u>.03</u>	<u>.34</u>	<u>.015</u>			<u>.37</u>	<u>.37</u>	<u>.34</u>			31
4.215	<u>.485</u>		<u>.05</u>										Year's Total	
TOTAL	<u>.23</u>	<u>1.185</u>	<u>.05</u>	<u>.20</u>	<u>2.13</u>	<u>1.795</u>	<u>2.835</u>	<u>6.375</u>	<u>1.52</u>	<u>5.80</u>	<u>6.79</u>	<u>4.41</u>	<u>38.305</u>	
* Days with .01 in. or more.	<u>23</u>	<u>8</u>	<u>8</u>	<u>4</u>	<u>17</u>	<u>12</u>	<u>15</u>	<u>16</u>	<u>14</u>	<u>24</u>	<u>24</u>	<u>24</u>	<u>189</u>	
* Days with .04 in. or more.	<u>20</u>	<u>7</u>	<u>5</u>	<u>1</u>	<u>14</u>	<u>10</u>	<u>11</u>	<u>13</u>	<u>9</u>	<u>23</u>	<u>21</u>	<u>20</u>	<u>156</u>	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

S. J. Batten

[P.T.O.]

Section **A** for the entry of
AIR MINIST
FORM 1090
Kept at **SWYMB**
in the County of **De**
Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr
,, Ground ,, Sea

Station No. **1837/6**
ALL ORGANIZATION
39 (Part only)

1837/6
SWIMBRIDGE THE VICARAGE
1940

780309

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	.20	.06		1
2										-	.19	.34		2
3										-	.18	.40		3
4										-	.64	.43		4
5										.13	.68	.02		5
6										.20	.12	-		6
7										.04	.23	.62		7
8										-	.17	.38		8
9										.60	-	.16		9
10										.17	.02	.72		10
11										.13	.02	.04		11
12										.40	.04	-		12
13										.14	.28	-		13
14										.08	.42	.01		14
15										.08	.62	.02		15
16										.09	.29	-		16
17										-	.87	-		17
18										-	.12	-		18
19										-	.01	.01		19
20											-	-		20
21										-	-	-		21
22										-	.47	-		22
23										.08	.79	-		23
24										.08	.02	-		24
25										.09	.49	-		25
26										.09	.89	-		26
27										.15	.16	-		27
28										.01	.87	.03		28
29										.01	.31	.12		29
30		X								.10	.07	-		30
31		X		X		X			X	.05	X	.02		31
TOTAL										3.12	9.15	3.38	Year's Total	
* Days with .01 in. or more.										20	27	16		
* Days with .04 in. or more.										18	23	10		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. J. A. Rushin [P.T.O.]

Section **A**

for the entry of Daily Observations

Station No. **1837/6**

16759826

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939 (Part only)

Kept at **SWYMBRIDGE**

in the County of **Derby**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **5** ft. **6** in.

Ground Sea Level **250** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										-	20	06		1
2										-	19	34		2
3										-	18	40		3
4										-	64	43		4
5										13	68	02		5
6										20	12	-		6
7										04	23	62		7
8										-	17	38		8
9										60	-	16		9
10										17	02	72		10
11										13	02	04		11
12										40	04	-		12
13										14	28	-		13
14										08	42	01		14
15										08	62	02		15
16										09	29	-		16
17										-	87	-		17
18										-	12	-		18
19										-	01	01		19
20											-	-		20
21										-	-	-		21
22										-	47	-		22
23										08	79	-		23
24										08	02	-		24
25										09	49	-		25
26										09	89	-		26
27										15	16	-		27
28										01	87	03		28
29										01	31	12		29
30										10	07	-		30
31										05		02		31
TOTAL										312	915	338	Year's Total	
* Days with .01 in. or more.										20	27	16		
* Days with .04 in. or more.										18	23	10		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. J. A. Rushmore [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1837/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at SWIMBRIDGE Vicarage N. Derrin

in the County of Derrin

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 5 ft.

Ground Sea Level 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.17		.05	.11						.11			1
2		.03		.08			.11				1.10	.04		2
3		.70		.08						.16	.83	.26		3
4		.23		.06			.32			.27	.08	.13		4
5		.01			Tr		.02			.48	.51	.15		5
6	.21	.25					.16			.36	.42	.30		6
7	.09	.05		.05	.04		.04		.07	.05		.06		7
8	.01							.01		.22	.13	.40		8
9							.49	.09	.21	.24	.68	.42		9
10		.11	.02				.17		.14	.28	.19	.25		10
11				.10			.46				.67			11
12			.18	.05		.08	1.29		.53		.16			12
13		.01	.44				.12		.01	.10	.34	.11		13
14		.03	.13	.09			.24	.08	.32	.25	.14	.66		14
15		.01	.01	.12	.02				.29	.03	.24			15
16	.09	.49	.38	.13			.15		.13	.09	.05	.11		16
17		.10	.49	.23			.05		.14		.02			17
18	.43	.99	.35	.64			.03	.05	.04			.39		18
19		.10	.09	.21			.82		.31		.16			19
20			.61	.05			.08	.12	.36	.25	.14	.01		20
21			Tr		.12	.16	.04	.02			1.03			21
22		.02	.19		.34	.33			.16					22
23		.29	.19	.10	.13			.01	.18	.01	.07			23
24	.03		.24		.01		.41		.04					24
25	.22		Tr	.09	.18	.09								25
26	1.05	.30		.04	.44		.20				.06			26
27	.74	.11	.08	.02	.49		.08							27
28	.30	.02	.01	.03	.19			.04				.09		28
29	.17	.12	.12	.83	.01	.04				.04	.01	.31		29
30	.01	~~X~~	.03	.22	.04					.32	.01	.25		30
31	.11	~~X~~	.03	~~X~~	.03	~~X~~			~~X~~	.51	~~X~~	.22		31
TOTAL	3.46	4.14	2.99	3.27	2.15	.70	5.28	.42	2.93	3.66	7.15	4.16	40.31	Print WH
* Days with .01 in. or more.	13	21	18	21	14	5	20	8	15	17	23	18	108	193
* Days with .04 in. or more.	10.	13	12.	19	9	5	19	4	14	15	20	17	157	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Rev. H. T. A. Rusbridges

(Signed)

H. J. M. Rushbridge

[P.T.O.]

B

M
S

** The following register of mon
&c., is NOT required if daily
values are given on the other

RAINFALL IN 193

At Tawstock Court
In the County of Devon

Rain Gauge Diameter of Funnel..... in.
Height of Top above Ground..... ft..... in.
Height of Ground above Sea Level..... ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more	·04 in. or more
JAN.	3.55				
FEB.	2.91				
MAR.	1.90				
APRIL	3.19				
MAY	~~1.62~~ (3.50)				
JUNE	4.42				
JULY	5.46				
AUG.	4.39				
SEPT.	1.90				
OCT.	1.12				
NOV.	7.39				
DEC.	2.44				
Total	42.29 (42.17)				

Signature Basil Peto

*See Instruction 2 (f) below.

Nearest Parish Church at..... Distance.....
Nature of objects nearest to gauge.....
Heights of objects.....
Distances ..
Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Note May - rain gauge not reliable

May was estimated by surrounding

stations of 1837, 1865. Observer informed 24/3/32.

1837
1865
Observer informed 4/3/32. Peto

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd, 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces." An entry ·005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } ·14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1838

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Tawstock Court
In the County of Devon
Diameter of Funnel..... in.
Height of Top above Ground..... ft. in.
Height of Ground above Sea Level..... ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ".01 in. or more or more or more
JAN.	3.55			
FEB.	2.91			
MAR.	1.90			
APRIL	3.19			
MAY	~~1.62~~ (3.50)			
JUNE	4.42			
JULY	5.46			
AUG.	4.39			
SEPT.	1.90			
OCT.	1.12			
NOV.	7.39			
DEC.	2.44			
Total	~~40.29~~ (42.77)			

Signature Basil Peto

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Note May - rain gauge not reliable

May was estimated by surrounding stations of 1837, 1847, 1865.

Observer informed 24/3/32.

Stinch

Observer informed 4/3/32. Stinch

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash—(not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

*. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At **TAWSTOCK COURT**
In the County of **Devon**
Diameter of Funnel **8" square** in.
Height of Top above Ground **9** ft. in.
Height of Ground above Sea Level **156** ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Number of Days with or in. or more or in. or more
JAN.	4.69		
FEB.	.05		
MAR.	2.51		
APRIL	2.24		
MAY	3.27		
JUNE	.87		
JULY	3.74		
AUG.	1.33		
SEPT.	5.22		
OCT.	9.72		
NOV.	3.21		
DEC.	2.67		
Total	39.52		

Signature

Basil Peto

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

**Tawstock Court,
Barnstaple, Devon**

Hour of observation by the clock—in Winter **9 a.m.** in Summer **9 a.m.**

Nearest Railway Station **2 miles** Distance **gauge** Direction from **gauge**

Nearest Parish Church at **1/4 mile** Distance **gauge** Direction from **gauge**

Nature of objects nearest to gauge **artificial pond**
Heights of objects **rim 9"**
Distances **none**
Directions from gauge **pond**

If gauge has been moved during the year state—

Date of move **gauge** Distance **gauge** Direction **gauge**

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

**Becke's Automatic dial
Rain Gauge**



*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Taustock Court
In the County of Devon
Diameter of Funnel 8" square in.
Height of Top above Ground 8" ft. in.
Height of Ground above Sea Level 150 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Date.	Number of Days with ·01 in. ·04 in. or more or more
JAN.	2.77			
FEB.	3.71			
MAR.	3.14			
APRIL	1.79			
MAY	2.39			
JUNE	1.44			
JULY	2.51			
AUG.	1.31			
SEPT.	1.45			
OCT.	5.99			
NOV.	1.53			
DEC.	2.04			
Total	30.07			

Signature

Basel Pitt (St. M.P.)

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 in Summer 9
Nearest Railway Station 2 miles Distance Direction from
Nearest Parish Church at 1/4 mile Distance Direction from
Nature of objects nearest to gauge Art. Pond Path Hedge
Heights of objects
Distances onspot onspot 15 ft away
Directions from gauge POND Path Hedge

If gauge has been moved during the year state—

Date of move Distance Direction
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces." An entry ·005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } ·14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Tawstock Court
In the County of Devon
Diameter of Funnel 8" square in.
Height of Top above Ground 8 ft. in.
Height of Ground above Sea Level 150 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	4.11				
FEB.	0.33				
MAR.	2.88				
APRIL	2.86				
MAY	1.49				
JUNE	1.65				
JULY	.37				
AUG.	4.51				
SEPT.	3.85				
OCT.	4.88				
NOV.	2.39				
DEC.	8.86				
Total	38.18				

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Sir Basil Peto, Bart. M.P.
Tawstock Court Banastoke.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Banastoke Junction Distance 2½ m. Direction from gauge

Nearest Parish Church at Tawstock Distance ¼ m. Direction from gauge

Nature of objects nearest to gauge

Height of objects

Distances

Directions from gauge

paths; flower garden; ornamental
pond.
nil; three feet
immediate; 3 yds distant
gauge in centre of paths next
to ornamental pond

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Becks Automatic Gauge.

Signature Basil Peto

*See Instruction 2 (f) below.

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

1838

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At TAWSTOCK COURT

In the County of DEVON

Rain Gauge { Diameter of Funnel 8" square in.
Height of Top above Ground ft 8 in.
Height of Ground above Sea Level 150 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with
	Inches	Inches	'01 in. or more
JAN.	1.41		
FEB.	3.82		
MAR.	1.44		
APRIL	4.85		
MAY	2.31		
JUNE	2.82		
JULY	.84		
AUG.	4.08 (all in last week)		
SEPT.	5.52		
OCT.	6.59		
NOV.	6.37 (rain 1st-20th)		
DEC.	4.45		
Total	44.49		

Signature

Basil Peto

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

SIR BASIL PETO, Bart.,

Tawstock Court, Barnstaple.

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station 2 miles Distance gauge

Nearest Parish Church at 1/4 mile. Distance gauge

Nature of objects nearest to gauge	Art Pond	Path	Hedge
Height of objects			9 ft.
Distances	On spot	on spot	15 ft. away
Directions from gauge	On spot	Path	Hedge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Beck's Automatic Gauge.

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.



* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Tawstock CourtIn the County of DevonRain Gauge (Diameter of Funnel) 4 in.Height of Top above Ground 10 ft.Height of Gauge above Sea Level 10 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
	Inches	Inches	Date	0.1 in. or more	0.4 in. or more
JAN.	4.56				
FEB.	2.89				
MAR.	2.52				
APRIL	2.44				
MAY	0.65				
JUNE	2.21				
JULY	7.53				
AUG.	0.70				
SEPT.	4.52				
OCT.	2.55				
NOV.	4.41				
DEC.	4.67				
TOTAL	39.59				

Signature Basil Peto

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances.....


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.




If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?



* See Instruction 3 (f) below.



INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

REGISTE

Kept at SWIMBRIDGE SC.
in the County of Devonshi

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

1838/5
SWIMBRIDGE SCHOOL
1931

780389

FOR OFFICIAL USE.
L ORGANIZATION.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.03	—	tr.	.02	—	—	.09	—	.43	.04	—	—	I
2	.02	.05	tr.	.15	.03	.02	.04	—	.18	.01	.13	.19	2
3	.14	—	.75	—	—	—	.06	—	.44	.04	1.14	.09	3
4	.02	—	.17	.04	.03	.33	.51	.29	.21	.03	.01	.01	4
5	—	.31	.03	.57	tr.	.37	.02	.01	—	tr.	.03	.32	5
6	—	.06	—	.24	.04	.34	.47	—	—	.51	.20	.29	6
7	—	.07	—	—	.17	.04	.21	.47	—	.02	.22	.10	7
8	—	.30	—	.16	—	.37	.09	.23	—	.04	.08	.15	8
9	—	.40	—	tr.	—	.17	.09	.03	—	.02	.49	.06	9
10	.01	.04	—	—	.10	.05	.09	.14	—	—	.35	.05	10
II	.35	.11	—	—	—	.16	.25	.11	.28	—	.43	—	II
12	.07	.17	—	.03	.02	—	.11	.06	.24	.13	.03	—	12
13	—	.05	—	—	.12	tr.	.21	.07	.03	.01	.03	tr.	13
14	.11	.14	—	—	.09	.31	.63	.11	.15	—	.52	tr.	14
15	.02	.22	—	.05	.15	.72	—	.31	.02	—	—	tr.	15
16	.12	.17	—	.21	.08	.03	.10	.28	.08	—	—	—	16
17	.02	—	—	tr.	—	.15	.28	.02	.04	—	—	—	17
18	.21	—	—	.03	—	.16	.16	.61	—	—	.29	—	18
19	.23	.21	.04	.10	—	.06	.11	.61	—	—	.19	.02	19
20	tr.	.04	.25	.02	—	—	—	.40	—	tr.	.10	.04	20
21	.22	.10	.05	.01	.08	tr.	—	—	—	tr.	.13	—	21
22	.44	.16	.02	.01	.04	tr.	—	—	—	tr.	.04	—	22
23	.13	.02	—	.26	.01	.02	.03	.01	—	—	.38	—	23
24	.15	.22	—	.63	.36	—	.91	.02	—	—	.01	.05	24
25	.08	.16	—	.26	.01	—	.04	—	—	—	.02	.19	25
26	tr.	.12	—	.37	.25	—	.38	—	—	—	.74	.07	26
27	.15	.34	—	—	.73	.01	.69	—	—	.10	.11	.03	27
28	.10	.09	.15	tr.	.07	.02	—	.05	—	.05	—	.02	28
29	.12	×	.03	—	.06	—	.10	.08	.04	.10	.06	.19	29
30	.02	×	—	—	.11	—	—	.03	.03	tr.	.02	—	30
31	.76	×	.10	×	.65	×	.03	—	×	—	×	.55	31
TOTAL	3.62	3.55	1.59	3.16	3.20	3.33	5.70	3.94	2.17	1.10	5.75	2.42	39.53
* Days with or in. or more.	23	23	10	18	21	18	25	21	13	13	25	18	228
* Days with or in. or more.	17	22	7	12	16	13	22	15	10	8	18	14	174

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at SWIMBRIDGE SCHOOL
in the County of Devonshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 252 ft.

Cmp 1929
Lowest 1930
See exposure

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.03	—	tr.	.02	—	—	.09	—	.43	.04	—	—	I
2	.02	.05	tr.	.15	.03	.02	.04	—	.18	.01	.13	.19	2
3	.14	—	.75	—	—	—	.06	—	.44	.04	1.14	.09	3
4	.02	—	.17	.04	.03	.33	.51	.29	.21	.03	.01	.01	4
5	—	.31	.03	.57	tr.	.37	.02	.01	—	tr.	.03	.32	5
6	—	.06	—	.24	.04	.34	.47	—	—	.51	.20	.29	6
7	—	.07	—	—	.17	.04	.21	.47	—	.02	.22	.10	7
8	—	.30	—	.16	—	.37	.09	.23	—	.04	.08	.15	8
9	—	.40	—	tr.	—	.17	.09	.03	—	.02	.49	.06	9
10	.01	.04	—	—	.10	.05	.09	.14	—	—	.35	.05	10
II	.35	.11	—	—	—	.16	.25	.11	.28	—	.43	—	II
12	.07	.17	—	.03	.02	—	.11	.06	.24	.13	.03	—	12
13	—	.05	—	—	.12	tr.	.21	.07	.03	.01	.03	tr.	13
14	.11	.14	—	—	.09	.31	.63	.11	.15	—	.52	tr.	14
15	.02	.22	—	.05	.15	.72	—	.31	.02	—	—	tr.	15
16	.12	.17	—	.21	.08	.03	.10	.28	.08	—	—	—	16
17	.02	—	—	tr.	—	.15	.28	.02	.04	—	—	—	17
18	.21	—	—	.03	—	.16	.16	.61	—	—	.29	—	18
19	.23	.21	.04	.10	—	.06	.11	.61	—	—	.19	.02	19
20	tr.	.04	.25	.02	—	—	—	.40	—	tr.	.10	.04	20
21	.22	.10	.05	.01	.08	tr.	—	—	—	tr.	.13	—	21
22	.44	.16	.02	.01	.04	tr.	—	—	—	tr.	.04	—	22
23	.13	.02	—	.26	.01	.02	.03	.01	—	—	.38	—	23
24	.15	.22	—	.63	.36	—	.91	.02	—	—	.01	.05	24
25	.08	.16	—	.26	.01	—	.04	—	—	—	.02	.19	25
26	tr.	.12	—	.37	.25	—	.38	—	—	—	.74	.07	26
27	.15	.34	—	—	.73	.01	.69	—	—	.10	.11	.03	27
28	.10	.09	.15	tr.	.07	.02	—	.05	—	.05	—	.02	28
29	.12	×	.03	—	.06	—	.10	.08	.04	.10	.06	.19	29
30	.02	×	—	—	.11	—	—	.03	.03	tr.	.02	—	30
31	.76	×	.10	×	.65	×	.03	—	×	—	×	.55	31
TOTAL	3.62	3.55	1.59	3.16	3.20	3.33	5.70	3.94	2.17	1.10	5.75	2.42	39.53
* Days with or in. or more.	23	23	10	18	21	18	25	21	13	13	25	18	228
* Days with .04 in. or more.	17	22	7	12	16	13	22	15	10	8	18	14	174

REGIST

Kept at *Mollan*
in the County of *Devo*

Diameter of Funnel of Gauge... *5*
Height of top of Gauge above Ground...
,, Ground ,, Sea Level

TR39
MOLLAND
1931 — 34

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.11	-	28	-	-	.06	-	.63	.14	-	-	I
2	.24	.05	-	50	-	.04	.01	-	.80	.09	.10	.25	2
3	.04	-	.42	01	-	-	.09	-	.62	.02	1.30	.34	3
4	.02	-	.16	10	.03	.40	.39	.35	.22	.13	-	.05	4
5	-	.33	.02	50	-	.37	.05	.09	.05	-	.01	.39	5
6	-	.08	-	07	.08	.15	.34	.01	-	.41	.11	.34	6
7	-	.01	-	01	.19	.15	.20	.34	-	.14	.56	.14	7
8	-	.54	-	39	-	.28	.11	.21	-	.01	.10	.21	8
9	-	.40	.01	01	-	.61	.08	.01	-	.04	.48	.09	9
10	.01	.08	-	-	.15	.25	.19	.10	.10	-	.40	.01	10
11	.55	.45	-	02	-	.24	.03	.08	.23	-	.53	-	11
12	-	.14	-	-	.03	-	.09	.02	.28	.14	.03	-	12
13	-	.08	.02	-	.05	-	.31	.06	.01	-	-	-	13
14	.10	.14	-	-	.22	.34	.45	.12	.10	-	.55	-	14
15	.05	.21	-	08	.15	.30	.01	.43	.11	-	.01	-	15
16	.25	.23	-	33	.14	.78	.05	.68	.09	-	-	-	16
17	.04	.02	-	14	-	.07	.70	.01	.05	-	-	-	17
18	.24	-	-	03	-	.15	.32	.48	-	-	.34	-	18
19	.44	.14	.05	09	-	.39	.13	.21	.04	-	.30	-	19
20	.01	.31	.14	-	-	-	.01	1.12	-	.01	.34	-	20
21	.18	.06	-	-	.08	.01	.02	-	-	.01	.13	-	21
22	.34	.20	-	-	.06	-	-	-	-	-	.08	-	22
23	.24	.05	-	40	.39	-	.02	-	.01	-	.50	-	23
24	.30	.30	-	.92	.08	-	1.14	.05	-	-	-	.08	24
25	.20	.51	-	39	-	-	.16	-	-	-	.02	.16	25
26	.01	.34	-	40	-	-	.34	-	-	-	1.24	.07	26
27	.23	.36	-	-	.88	.03	.14	-	-	.04	.10	.05	27
28	.34	.20	.09	05	.36	.01	.12	.01	-	.13	.01	.19	28
29	.23	-	.11	-	.05	-	.21	.05	-	.24	.06	.30	29
30	.03	×	-	-	.01	-	.02	-	.02	-	-	-	30
31	1.64	×	.01	×	.12	×	.08	-	×	-	×	.47	31
TOTAL	5.85	5.43	1.33	4.68	3.08	4.58	5.99	4.46	3.36	1.64	4.60	3.19	51.44
Days with or more.	23	25	10	20	18	18	30	20	16	14	23	16	233
Days with or more.	14	23	6	15	15	15	23	15	13	10	18	15	185

M

S. J. Rose

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931 .

Kept at Molland
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 674 in.
,, Ground ,, Sea Level 674 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.11	-	28	-	-	.06	-	.63	.14	-	-	I
2	.24	.05	-	50	-	.04	.01	-	.80	.09	.10	.25	2
3	.04	-	.42	01	-	-	.09	-	.62	.02	1.30	.34	3
4	.02	-	.16	10	.03	.40	.39	.35	.22	.13	-	.05	4
5	-	.33	.02	50	-	.39	.05	.09	.05	-	.01	.39	5
6	-	.08	-	07	.08	.15	.34	.01	-	.41	.11	.34	6
7	-	.01	-	01	.19	.15	.20	.34	-	.14	.56	.14	7
8	-	.54	-	39	-	.28	.11	.21	-	.01	.10	.21	8
9	-	.40	.01	01	-	.61	.08	.01	-	.04	.48	.09	9
10	.01	.08	-	-	.15	.25	.19	.10	.10	-	.40	.01	10
11	.55	.45	-	02	-	.24	.03	.08	.23	-	.53	-	11
12	-	.14	-	-	.03	-	.09	.02	.28	.14	.03	-	12
13	-	.08	.02	-	.05	-	.31	.06	.01	-	-	-	13
14	.10	.14	-	-	.22	.34	.45	.12	.10	-	.55	-	14
15	.05	.21	-	08	.15	.30	.01	.43	.11	-	.01	-	15
16	.25	.23	-	33	.14	.78	.05	.68	.09	-	-	-	16
17	.04	.02	-	14	-	.07	.70	.01	.05	-	-	-	17
18	.24	-	-	03	-	.15	.32	.48	-	-	.34	-	18
19	.44	.14	.05	09	-	.39	.13	.21	.04	-	.30	-	19
20	.01	.31	.14	-	-	-	.01	1.12	-	.01	.34	-	20
21	.18	.06	-	-	.08	.01	.02	-	-	.01	.13	-	21
22	.34	.20	-	-	.06	-	-	-	-	-	.08	-	22
23	.24	.05	-	40	.39	-	.02	-	.01	-	.50	-	23
24	.30	.30	-	.92	.08	-	1.14	.05	-	-	-	.08	24
25	.20	.51	-	39	-	-	.16	-	-	-	.02	.16	25
26	.01	.34	-	40	-	-	.34	-	-	-	1.24	.07	26
27	.23	.36	-	-	.88	.03	.14	-	-	.04	.10	.05	27
28	.34	.20	.09	05	.36	.01	.12	.01	-	.13	.01	.19	28
29	.23	-	.11	-	.05	-	.21	.05	-	.24	.06	.30	29
30	.03	×	-	-	.01	-	.02	-	.02	-	-	-	30
31	1.64	×	.01	×	.12	×	.08	-	×	-	×	.47	31
TOTAL	5.85	5.43	1.33	4.68	3.08	4.58	5.99	4.46	3.36	1.64	4.60	3.19	51.44
Days with "or in. or more.	23	25	10	20	18	18	30	20	16	14	23	16	233
Days with "04 in. or more.	14	23	6	15	15	15	23	15	13	10	18	15	185

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Molland
in the County of Devon
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 644 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. r, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.02</u>	-	-	.40	.06	-	.20	.21	43	-	.08	.02	1
2	.40	-	-	.02	.28	-	.09	.10	<u>1.20</u>	.06	.21	<u>.44</u>	2
3	.14	-	-	.05	.01	-	-	-	27	.07	.04	.07	3
4	.03	-	-	-	-	-	.08	.22	01	.01	.28	.01	4
5	.88	-	.11	-	-	-	.01	.02	61	-	.01	-	5
6	.66	-	.06	.51	-	-	.59	.04	39	.01	-	-	6
7	.26	-	.05	.05	-	-	-	-	68	<u>1.19</u>	-	-	7
8	.01	-	.78	.07	.15	-	-	.01	32	.04	-	-	8
9	.55	<u>.02</u>	-	.24	.01	-	-	-	01	.09	-	-	9
10	.31	-	-	.28	.05	.01	-	-	26	.44	-	-	10
11	.06	-	-	.10	.16	-	.20	.01	11	.40	-	.01	11
12	.63	-	-	.02	.45	-	-	-	36	.38	-	.01	12
13	.15	-	-	.11	.05	-	.24	.20	05	.41	-	.15	13
14	.13	-	-	.12	.06	-	.03	-	14	.08	.12	.05	14
15	.01	-	-	.10	.07	-	-	.01	-	.22	.02	.05	15
16	.24	-	-	.14	-	-	.34	-	-	.03	-	-	16
17	.01	-	-	.01	.04	-	.02	-	01	.15	.01	-	17
18	-	-	-	.17	.09	-	-	-	30	-	.19	-	18
19	.02	-	-	-	.39	-	-	-	06	.96	.01	-	19
20	-	-	.01	.25	.63	-	.02	.12	-	.96	.34	.16	20
21	.03	-	.14	.23	-	-	-	.30	-	.61	.14	.10	21
22	.02	-	.03	.13	.16	-	-	.30	32	.25	.62	.12	22
23	-	-	-	-	-	-	.44	-	03	.62	.22	.30	23
24	-	-	-	-	.09	-	.33	-	12	.10	.04	.01	24
25	-	.01	.15	-	-	-	.72	-	15	<u>1.19</u>	.23	-	25
26	-	-	.10	.26	-	.01	.23	-	03	.46	.25	-	26
27	-	-	.51	.24	.16	44	.35	-	-	.44	.02	.28	27
28	-	-	.22	.06	.08	02	.80	.03	-	.01	-	.04	28
29	-	-	.60	.18	.21	32	.22	.38	51	.91	.05	.37	29
30	-	×	.41	.05	.03	73	.58	<u>.13</u>	64	.13	.65	.01	30
31	-	×	08	×	.01	×	.36	-	×	.04	×	.53	31
TOTAL	5.56	.03	3.25	3.85	3.54	1.09	6.21	1.48	4.01	10.64	3.59	3.06	49.61
*Days with .01 in. or more.	20	2	14	24	22	5	21	14	24	28	20	19	213
*Days with .04 in. or more.	13	-	12	21	18	2	17	9	19	24	15	13	163

Section

A

for the entry of Daily Observations.

Station No. 821404/28

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Nolland

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 694 in.

Ground Sea Level 694 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	.62	.11		.02	.02			.05		.11	.50	1
2	.19		.55		.32	.30					.03	.15	2
3	.04	.34	.10		.03								3
4	.21	.15	.09		.10								4
5	.16	.06	.51		.22					.01			5
6	.01	.39	.04		.26		.06			.03			6
7	.65	.40			.02		.06	.02		.10		.01	7
8	.22	.21	.04	.01	.15		.21	.03		.15			8
9		.08		.02	.88		.38			.85	.04		9
10	.13	.08					.06			1.40	.08		10
11					.01		.45	.24		.25			11
12	.04				.02	.20	.33		.13	.05			12
13					.30	.08	.60	.04		.25	.19		13
14	.15						.10	.16		.01	.42		14
15	.40		.14				.37			.10	.14		15
16		.03	.80			.24		.05		.14			16
17	.14	.11	.58			.16	.03	.06	.12	.01			17
18	.06		.35			.40			.01		.02		18
19	.06		.36			.04		.07	.05		.80	.02	19
20		.15			.02	.05		.23	.50			.01	20
21		.05						.11		.05			21
22				.21				.64	.11	.01	.01		22
23		.55		.36		.20		.01	.21	.18			23
24		.42		.16		.01		.05	.02	.03			24
25		.20		.06		.11			.42	.02		.16	25
26		.36		.44	.39				.01	.33			26
27		.04							.01	.45		.24	27
28		.10		.35			.24			.64		.01	28
29	.03			.10			.04					.04	29
30	.01	x	.15	.06			.13			.11		.02	30
31	.25	x	.05	x	.02	x			x	.04	x	.01	31
TOTAL	2.94	4.34	3.91	1.77	2.46	1.81	3.06	1.44	1.64	5.60	1.84	1.14	YEAR'S TOTAL 32.64
*Days with .01 in. or more.	18	19	14	10	15	12	14	13	12	23	10	11	141
*Days with .04 in. or more.	15	18	13	8	8	10	13	10	8	16	7	4	130

Section

A

for the entry of Daily Observations.

Station No. 1839

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *Molland, Green Port*
in the County of *h. Devon**Terminated, Obs. died in march.*Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft _____ in.
„ Ground „ Sea Level _____ ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10												1
2	10												2
3	08	01											3
4	31												4
5	01												5
6	03												6
7	17												7
8	01												8
9	01												9
10	18	01											10
11	60												11
12	23												12
13	38												13
14	68												14
15	17												15
16	22												16
17	41												17
18	16												18
19	01												19
20													20
21													21
22	15												22
23	14												23
24		32											24
25	25	19											25
26	09												26
27													27
28													28
29													29
30	02	X											30
31		X		X		X			X		X		31
TOTAL	451	53											YEAR'S TOTAL
*Days with 0.1 in. or more.	24	4											
*Days with 0.4 in. or more.	18	2											

Section **A** for the entry of
AIR MINISTRY
Form 1090.

REGIS

Kept at West BUCKLAND
in the County of Devon

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

„ Ground „ Sea Level 640.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.14	.47	—	—	.01	.01	—	.80	.48	—	.22		1
2	.25	.14	.05	—	—	.09	.02	—	.30	.42	.14	.32		2
3	—	.08	.16	—	.02	.33	.05	—	.06	.28	.10	—		3
4	.08	.08	.06	—	.02	.17	.02	—	.90	.24	.23	.71		4
5	—	.32	.11	.32	—	.03	.01	—	.13	.57	.26	.20		5
6	—	—	—	.11	—	.27	—	—	.22	.01	.16	.56		6
7	—	—	—	.40	—	.02	—	—	—	.20	.02	.33		7
8	—	—	—	.72	—	—	—	—	—	.57	.15	.20		8
9	—	—	—	.42	—	.05	—	—	—	1.45	.42	—		9
10	—	—	—	.68	—	.13	.08	—	—	.21	—	—		10
11	.04	—	.04	.15	—	.16	—	—	—	.19	.40	—		11
12	.35	.31	—	—	—	.55	—	—	.06	.02	.21	—		12
13	.16	.15	—	—	—	.01	—	—	—	.09	.57	—		13
14	.19	.17	—	.24	—	.37	—	—	—	.10	1.15	.45		14
15	.03	.31	—	.27	.40	.21	—	—	.41	.07	.08	.19		15
16	—	.20	—	.85	—	—	—	—	.44	.10	.72	.02		16
17	—	—	—	.39	.67	.38	.12	—	.24	.13	~~4~~	—		17
18	—	.09	—	.04	.13	.02	.03	.10	.34	.11	—	—		18
19	—	.02	—	.65	.47	.23	.14	.04	.30	.40	.13	—		19
20	—	.32	—	.14	.34	.14	.10	—	.03	—	.27	—		20
21	—	.43	.08	.25	—	—	.27	—	1.00	.10	—	—		21
22	—	.05	.10	.12	—	—	—	—	.17	.06	—	—		22
23	—	.02	.24	.07	.06	—	—	—	.45	.38	—	—		23
24	—	.16	.12	—	.02	.04	—	.41	.11	.08	—	.19		24
25	.26	.51	—	—	—	.77	—	.17	—	—	—	.12		25
26	.34	.23	—	.06	—	.01	.02	—	.36	.04	.10	.09		26
27	—	.26	—	—	—	—	.16	.49	.37	.22	.24	.49		27
28	—	.11	—	—	—	—	.10	.38	.19	.12	.16	.19		28
29	—	~~X~~	—	—	.03	—	—	.21	.39	.11	.21	.04		29
30	—	~~X~~	—	—	—	.03	—	.23	.48	.16	1.12	.56		30
31	.14	~~X~~	—	~~X~~	.06	~~X~~	—	1.27	~~X~~	.59	~~X~~	.57		31
TOTAL	1.95	4.20	1.38	5.88	2.22	4.02	1.13	3.30	8.35	7.50	6.84	5.45	52.22	Year's Total
* Days with .01 in. or more.	11	21	10	18	11	22	14	9	22	29	21	18	206	
* Days with .04 in. or more.	10	19	9	18	7	15	8	9	21	27	20	17	180	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

A. J. C. Cotton
B.A.

[P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **1839/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **West Buckland School**in the County of **Devonshire**Diameter of Funnel of Gauge **5** insHeight of top of Gauge above Ground **9** ft. **ins**,, Ground ,, Sea Level **640** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.11	.14	.47	—	—	.01	.01	—	.80	.48	—	.22		1
2	.25	.14	.05	—	—	.09	.02	—	.30	.42	.14	.32		2
3	—	.08	.16	—	.02	.33	.05	—	.06	.28	.10	—		3
4	.08	.08	.06	—	.02	.17	.02	—	.90	.24	.23	.71		4
5	—	.32	.11	.32	—	.03	.01	—	.13	.57	.26	.20		5
6	—	—	—	.11	—	.27	—	—	.22	.01	.16	.56		6
7	—	—	—	.40	—	.02	—	—	—	.20	.02	.33		7
8	—	—	—	.72	—	—	—	—	—	.57	.15	.20		8
9	—	—	—	.42	—	.05	—	—	—	1.45	.42	—		9
10	—	—	—	.68	—	.13	.08	—	—	.21	—	—		10
11	.04	—	.04	.15	—	.16	—	—	—	.19	.40	—		11
12	.35	.31	—	—	—	.55	—	—	.06	.02	.21	—		12
13	.16	.15	—	—	—	.01	—	—	—	.09	.57	—		13
14	.19	.17	—	.24	—	.37	—	—	—	.10	1.15	.45		14
15	.03	.31	—	.27	.40	.21	—	—	.41	.07	.08	.19		15
16	—	.20	—	.85	—	—	—	—	.44	.10	.72	.02		16
17	—	—	—	.39	.67	.38	.12	—	.24	.13	~~4~~	—		17
18	—	.09	—	.04	.13	.02	.03	.10	.34	.11	—	—		18
19	—	.02	—	.65	.47	.23	.14	.04	.30	.40	.13	—		19
20	—	.32	—	.14	.34	.14	.10	—	.03	—	.27	—		20
21	—	.43	.02	.25	—	—	.27	—	1.60	.10	—	—		21
22	—	.05	.10	.12	—	—	—	—	.17	.06	—	—		22
23	—	.02	.24	.07	.06	—	—	—	.45	.38	—	—		23
24	—	.16	.12	—	.02	.04	—	.41	.11	.08	—	.19		24
25	.26	.51	—	—	—	.77	—	.17	—	—	—	.12		25
26	.34	.23	—	.06	—	.01	.02	—	.36	.04	.10	.09		26
27	—	.26	—	—	—	—	.16	.49	.37	.22	.24	.49		27
28	—	.11	—	—	—	—	.10	.38	.19	.12	.16	.19		28
29	—	~~X~~	—	—	.03	—	—	.21	.39	.11	.21	.04		29
30	—	~~X~~	—	—	—	.03	—	.23	.48	.16	1.12	.56		30
31	.14	~~X~~	—	~~X~~	.06	~~X~~	—	1.27	~~X~~	.59	~~X~~	.57		31
TOTAL	1.95	4.20	1.38	5.88	2.22	4.02	1.13	3.30	8.35	7.50	6.84	5.45	52.22	Year's Total
* Days with .01 in. or more.	11	21	10	18	11	22	14	9	22	29	21	18	206	
* Days with .04 in. or more.	10	19	9	18	7	15	8	9	21	27	20	17	180	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries returned.

(Signed) **A. J. C. Cotton** B.A. [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. 1839/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at West Buckland School
in the County of Devon
Diameter of Funnel of Gauge.....5" in.
Height of top of Gauge above Ground.....7 ft. 7 ins
,, Ground ,, Sea Level 630 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	.10	.05	.48	—	—	1.30	.08	—	—	.47	.22		1
2	—	.02	—	—	—	.30	.06	—	—	—	.12	.06		2
3	—	—	.17	.18	—	—	.13	.14	—	—	.07	.23		3
4	—	—	.21	—	—	.50	—	—	1.45	—	.13	.56		4
5	.07	.02	.02	—	—	—	.37	.20	.56	—	—	.24		5
6	.37	—	.02	—	.02	.08	.75	.21	.19	—	.69	.00		6
7	.19	—	.12	—	—	—	.64	—	.08	—	.77	.06		7
8	.25	—	.24	—	—	—	.37	—	.07	—	.28	.22		8
9	.26	.05	.03	—	—	.04	.16	—	—	—	.33	—		9
10	.17	—	—	—	—	—	.02	—	.44	—	.32	—		10
11	.07	—	—	—	—	.26	.48	.20	—	—	.62	.17		11
12	.18	—	—	—	.06	.08	.20	—	.03	—	.25	.07		12
13	—	—	—	—	—	—	.12	—	.22	.07	.12	.67		13
14	—	.02	—	—	—	.17	.56	.10	.09	.33	.08	.42		14
15	—	—	—	—	.09	.02	.12	—	.36	.26	.24	.10		15
16	—	—	—	—	.35	—	.02	—	.02	—	.49	.13		16
17	.24	.30	—	—	.04	—	.11	.08	—	—	.25	.57		17
18	.07	.14	—	—	—	.05	.53	—	—	.22	—	.22		18
19	.30	.06	.08	.28	—	.27	.30	—	—	.13	—	—		19
20	.07	.11	—	.07	—	—	.11	.36	—	—	—	—		20
21	.11	—	.09	.58	—	.02	—	.05	.18	—	—	—		21
22	.30	.31	.09	—	—	—	.15	—	—	.04	—	—		22
23	.05	.07	.08	.30	.07	—	.12	—	—	.10	—	—		23
24	.05	—	.04	.04	.08	—	.04	—	—	.24	—	—		24
25	.23	—	.10	.52	—	—	.12	—	.08	.71	—	—		25
26	.35	.25	.08	—	—	—	.06	—	.76	.23	—	—		26
27	.08	.16	.11	—	—	—	.33	—	.03	.16	—	—		27
28	.38	.02	.58	.05	—	—	.12	—	.10	.02	—	.23		28
29	.17	.18	.15	—	—	.31	—	—	—	.39	.10	.07		29
30	.23	~~X~~	.02	—	.02	.60	.07	—	—	.53	.12	—		30
31	.31	~~X~~	.25	~~X~~	.16	~~X~~	.78	—	~~X~~	.04	~~X~~	.26		31
TOTAL	4.88	1.81	2.53	2.70	.84	2.70	8.14	1.32	4.76	3.47	5.44	4.50	43.14	✓
* Days with .01 in. or more.	24	15	20	9	9	13	28	9	16	15	18	18	194	✓
* Days with .04 in. or more.	24	11	16	9	7	11	26	9	13	14	18	18	176	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) R. J. Dyer B.A., F.R.G.S. [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

1839/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at West Buckland School

in the County of Devon

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft. 10.....in.

,, Ground ,, Sea Level 650.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.19	-	.05	-	-	-	-	-	-	.09	-		1
2	-	.03	-	.10	-	-	.18	-	-	-	1.00	-		2
3	-	.64	-	.09	-	-	.03	-	-	.20	.88	.45		3
4	-	.23	-	.10	-	-	.20	-	-	.32	.06	.12		4
5	-	.15	-	-	-	-	.02	-	-	.57	.43	.14		5
6	.26	.28	-	-	-	-	.12	-	-	.32	.50	.15		6
7	.13	.05	-	-	.01	-	.30	-	.04	.01	-	.14		7
8	-	-	-	-	-	-	-	-	-	.23	.19	.75		8
9	-	-	-	.06	-	-	.41	.09	.24	.23	.46	.19		9
10	-	-	-	-	-	-	.11	.02	.14	.32	.26	.30		10
11	-	.12	Trace	-	-	-	.66	-	-	-	.69	.07		11
12	-	-	.23	-	-	.11	1.60	-	.67	-	.08	-		12
13	-	-	.43	-	-	-	.16	-	.20	.17	.24	.10		13
14	-	-	.07	.10	-	-	.18	-	.31	.20	.09	-		14
15	-	.02	-	.11	.02	-	-	-	.36	.01	.21	.10		15
16	-	.53	.34	-	-	-	.17	-	.20	.09	.05	-		16
17	-	-	.67	.39	-	-	.12	-	.04	-	.03	-		17
18	-	1.16	.18	.68	-	-	.02	.14	.03	-	.02	-		18
19	-	-	.38	.21	-	-	.87	.37	.24	-	.15	-		19
20	-	-	.05	-	-	-	.12	.07	.47	.19	.13	-		20
21	-	.15	-	-	.09	-	.01	-	-	-	.91	-		21
22	-	.02	.24	-	.23	.22	-	-	.14	.02	-	-		22
23	-	.40	.20	.17	.16	-	.01	-	.10	-	.07	-		23
24	.01	-	.02	-	-	-	.42	-	.02	-	-	-		24
25	.08	-	-	-	.16	.22	-	-	-	-	-	-		25
26	1.75	.27	-	.11	.41	-	.27	-	-	-	.04	-		26
27	.45	.09	.09	-	.34	-	-	-	-	-	-	-		27
28	.51	.01	-	-	.22	-	-	.06	-	-	-	-		28
29	-	.05	.18	.71	-	.05	-	-	-	.04	-	.46		29
30	-	X	Trace	.21	.04	-	-	-	-	.36	Trace	.24		30
31	.14	X	.02	X	.02	X	-	-	X	.50	X	.15		31
TOTAL	3.33	4.39	3.10	3.09	1.70	6.60	5.98	0.38	3.20	3.78	6.58	3.36	Year's Total	39.49
* Days with .01 in. or more.	8	18	14	14	11	4	21	5	15	17	22	14		163
* Days with .04 in. or more.	7	14	12	14	8	4	16	4	13	3	20	14		129

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

The Headmaster

[P.T.O.]

REGIST

Kept at *Barnstaple*
in the County of *N. Devon*

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

1840
FOR OFFICIAL USE.
L ORGANIZATION.

1840
BARNSTAPLE, NTH DEVON ATH.
1931 — 40

780309

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	-	.10	-	-	.10		.42	.04	.01	.01	1
2	.12	.05	-	.49	.01	-	.01		.15	.03	.18	.20	2
3	.12	-	.80	-	.02	-	.03		.35	tr	1.18	.03	3
4	.04	.04	.16	.04	.07	.37	.50	.41	.25	.03	.03	-	4
5	-	.25	.04	.54	.01	.56	.16	.01	-	-	.09	.38	5
6	-	.04	-	.14	.03	.46	.35		-	.49	.20	.27	6
7	-	.02	-	-	.14	.04	.10	.46	.01	.03	.19	.12	7
8	-	.17	-	.07	.01	.15	.11	.20	tr	-	.62	.08	8
9	.02	.41	.02	trace	-	.04	.10		-	.04	.20	.08	9
10	.01	.03	.01	.01	.12	.10	.08	.15	.01	.01	.12	.02	10
11	.35	.59	trace	trace	.05	.14	.14	.06	.28	tr	.54	-	11
12	.03	.12	.01	-	.01	-	.34	.02	.20	.10	.02	trace	12
13	-	.05	-	trace	.10	trace	.36	.06	-	.02	.04	-	13
14	.11	.14	trace	-	.15	.20	.75	.02	.05	-	.52	.02	14
15	-	.21	-	.06	.05	.04	tr	.22	.03	.01	.01	.01	15
16	.09	.20	-	.14	.15	.74	.02	.26	.06	-	-	-	16
17	-	-	-	.03	-	.01	.22	.01	.08	-	-	-	17
18	.20	-	.02	.02	-	.24	.25	.58	-	-	.28	.02	18
19	.21	.21	.07	.15	-	.03	.07	.72	-	-	.17	.04	19
20	.01	.03	.35	.02	-	-	-	.53	-	-	.07	.02	20
21	.24	.06	.23	.01	.08	-	-			tr	.14	trace	21
22	.42	.19	.02	trace	.11	-	-	.01	-	-	.05	.01	22
23	.12	.02	-	.45	.34	-	.08		-	-	.32	-	23
24	.07	.11	-	.49	.02	-	1.00	.02	-	-	.01	.04	24
25	.04	.23	-	.09	-	-	.03	.01	-	.01	.03	.13	25
26	.04	.07	.01	.38	-	.01	.34		-	.01	.78	.06	26
27	.20	.30	-	-	1.16	.02	.10		-	.11	.12	.01	27
28	.12	.04	.16	.03	.04	.01	.03	.05	-	.06	.01	.04	28
29	.11	X	.16	.01	.10	-	.08	.06	.01	.04	.06	.21	29
30	.18	X	-	-	.12	.01	.01	.03	.04	-	.01	.01	30
31	.80	X	.03	X	.51	X	.03		X	-	X	.51	31
TOTAL	3.66	3.58	2.09	3.27	3.40	3.17	5.39	3.89	1.94	1.03	6.00	2.32	39.74
*Days with or in. or more.	24	24	15	20	23	18	27	21	14	15	28	23	252
*Days with or in. or more.	19	20	8	13	16	12	20	13	10	7	20	13	171

40-9999 93.0 90.9 53.1 83.1 86.4 80.5 136.9 98.8 49.3 26.2 152.4 58.9 1009.5
(Signed) The Librarian P.T.O.

Section

A

for the entry of D

1840
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1931 .

Kept at Barnstaple
in the County of N. Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

100
150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	-	.10	-	-	.10		.42	.04	.01	.01	1
2	.12	.05	-	.49	.01	-	.01		.15	.03	.18	.20	2
3	.12	-	.80	-	.02	-	.03		.35	tr	1.18	.03	3
4	.04	.04	.16	.04	.07	.37	.50	.41	.25	.03	.03	-	4
5	-	.25	.04	.54	.01	.56	.16	.01	-	-	.09	.38	5
6	-	.04	-	.14	.03	.46	.35		-	.49	.20	.27	6
7	-	.02	-	-	.14	.04	.10	.46	.01	.03	.19	.12	7
8	-	.17	-	.07	.01	.15	.11	.20	tr	-	.62	.08	8
9	.02	.41	.02	trace	-	.04	.10		-	.04	.20	.03	9
10	.01	.03	.01	.01	.12	.10	.08	.15	.01	.01	.12	.02	10
11	.35	.59	trace	trace	.05	.14	.14	.06	.28	tr	.54	-	11
12	.03	.12	.01	-	.01	-	.34	.02	.20	.10	.02	trace	12
13	-	.05	-	trace	.10	trace	.36	.06	-	.02	.04	-	13
14	.11	.14	trace	-	.15	.20	.75	.02	.05	-	.52	.02	14
15	-	.21	-	.06	.05	.04	tr	.22	.03	.01	.01	.01	15
16	.09	.20	-	.14	.15	.74	.02	.26	.06	-	-	-	16
17	-	-	-	.03	-	.01	.22	.01	.08	-	-	-	17
18	.20	-	.02	.02	-	.24	.25	.58	-	-	.28	.02	18
19	.21	.21	.07	.15	-	.03	.07	.72	-	-	.17	.04	19
20	.01	.03	.35	.02	-	-	-	.53	-	-	.07	.02	20
21	.24	.06	.23	.01	.08	-	-	-	-	tr	.14	trace	21
22	.42	.19	.02	trace	.11	-	-	.01	-	-	.05	.01	22
23	.12	.02	-	.45	.34	-	.08		-	-	.52	-	23
24	.07	.11	-	.49	.02	-	1.00	.02	-	-	.01	.04	24
25	.04	.23	-	.09	-	-	.03	.01	-	.01	.03	.13	25
26	.04	.07	.01	.38	-	.01	.34		-	.01	.78	.06	26
27	.20	.30	-	-	1.16	.02	.10		-	.11	.12	.01	27
28	.12	.04	.16	.03	.04	.01	.03	.05	-	.06	.01	.04	28
29	.14	X	.16	.01	.10	-	.08	.06	.01	.04	.06	.21	29
30	.18	X	-	-	.12	.01	.01	.03	.04	-	.01	.01	30
31	.80	X	.03	X	.51	X	.03		X	-	X	.51	31
TOTAL	3.66	3.58	2.09	3.27	3.40	3.17	5.39	3.89	1.94	1.03	6.00	2.32	YEAR'S TOTAL 39.74
*Days with or in. or more.	24	24	15	20	23	18	27	21	14	15	28	23	252
*Days with .04 in. or more.	19	20	8	13	16	12	20	13	10	7	20	13	171

40-9999 93.0 90.9 53.1 83.1 86.4 80.5 136.9 98.8 49.3 26.2 152.4 58.9 1004.5
(Signed) X The Librarian X [P.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Barnstaple
in the County of N. Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

Daily values

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	-	-	.11	.09	-	.02	-	.07	.02	.04	.14	1
2	.06	-	-	-	.24	-	.04	.10	.92	.01	.01	.26	2
3	.02	-	tr	.07	tr	-	.13	-	.07	.09	.18	.05	3
4	.01	-	-	-	-	-	.07	.04	-	.08	.39	.01	4
5	.60	-	.09	tr	tr	-	-	-	.57	-	tr	.01	5
6	.24	-	.06	.13	.01	-	.02	.06	.08	.04	-	-	6
7	.09	-	-	-	.02	-	-	-	.46	1.52	-	-	7
8	.07	-	.73	.03	.15	tr	.01	.01	.09	.14	-	-	8
9	.58	.02	.01	.11	.02	-	.01	-	.03	.05	-	-	9
10	.46	.07	.01	.07	.03	-	-	tr	.05	.57	-	-	10
11	.09	-	-	.03	.06	-	.06	.01	.05	.05	-	.03	11
12	.37	.01	-	.02	.53	-	.02	-	.11	.46	-	.07	12
13	.16	trace	-	.18	-	-	.32	.11	.01	.62	.01	.11	13
14	.38	-	-	.09	.31	-	tr	.01	-	.10	.07	.05	14
15	.01	.01	-	.05	.05	-	-	-	tr	.14	.02	.02	15
16	.21	.01	.01	.09	-	-	.39	.01	.02	-	-	tr	16
17	trace	-	-	-	.06	-	-	tr	.01	.03	-	-	17
18	-	-	tr	-	.09	-	-	-	.12	tr	.22	-	18
19	trace	-	-	.15	.20	-	-	-	.15	.56	.01	.01	19
20	trace	-	-	.40	.61	-	-	.05	.01	.50	.35	.02	20
21	.06	-	.18	.08	.01	tr	.03	.39	-	.87	.13	.18	21
22	.03	-	.01	.02	.01	-	.05	-	.58	.23	.44	.08	22
23	trace	-	-	tr	.01	-	.62	-	.02	.51	.33	.23	23
24	trace	-	-	-	-	-	.18	-	.27	.03	tr	.01	24
25	trace	-	.07	-	-	-	.38	-	.10	.62	.09	tr	25
26	trace	-	.04	.06	-	-	.07	-	.12	.30	.06	-	26
27	-	-	.50	.05	.25	.01	.14	.01	tr	.71	-	.04	27
28	-	-	.07	.14	.16	.02	.12	.03	-	.04	.06	.03	28
29	.06	-	.32	.08	.16	.22	.02	.23	.42	.63	.18	.47	29
30	trace	X	.17	.04	.02	.60	.44	.15	.47	.29	.28	.03	30
31	.01	X	-	X	.03	X	.16	-	X	.04	X	.65	31
TOTAL	3.56	0.12	2.27	2.00	3.12	0.85	3.30	1.21	4.80	9.25	2.87	2.50	35.85
* Days with or in. or more.	20	5	14	21	23	4	22	14	24	28	18	21	214
* Days with .04 in. or more.	15	1	10	17	14	2	15	8	18	24	14	12	150

40-9999 90.4 3.0 57.7 50.8 79.2 21.6 83.8 30.7 121.9 184.2 72.9 63.5

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM **10**.

REGISTER OF RAINFALL IN 1933.

Kept at *Barnstaple*

in the County of *Devon*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

Daily Values

100

150.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.45	.10	tr	.12	.06	-	tr			.06	.17	1
2	.22	tr	.37	-	.16	.34	tr	tr			.05	.06	2
3	.03	.29	.20	-	.03	.01	-	tr		.01	-	-	3
4	.18	.01	.08	-	.07	-	-	-		tr	tr	-	4
5	.21	-	.28	-	.20	.01	tr	-		.15	.02	-	5
6	.02	.31	.02	-	.12	tr	.27	-		.08	-	-	6
7	.24	.13	.01	-	.02	-	.18	.09		.04	-	.02	7
8	.05	.03	.03	tr	.06	-	.22	.02		.01	-	-	8
9	.03	.02	-	-	.73	-	.23	-		.79	.04	-	9
10	.27	.10	-	-	.02	tr	.04	.01		1.38	.05	-	10
11	.02	.01	.01	-	-	-	.07	.26	.01	.07	tr	-	11
12	.04	-	tr	-	.07	.23	.28	tr	.20	.06	.01	.03	12
13	.02	.01	-	tr	.21	.19	.13	.08	-	.20	.16	-	13
14	.22	-	tr	tr	-	-	.08	.07	-	.05	.26	-	14
15	.17	.02	.19	-	-	.02	.12	.06	.01	.22	.01	-	15
16	-	.02	.78	tr	-	.07	tr	.02	-	.12	-	tr	16
17	.07	.02	.34	-	-	.04	.03	-	.06	tr	-	-	17
18	.06	-	.34	-	-	.14	tr	-	-		.03	-	18
19	.10	-	.13	.04	-	.02	.01	.03	.36		.60	.01	19
20	-	.02	tr	-	.07	.04	tr	.34	.10		.01	.01	20
21	tr	.11	-	-	-	tr	-	.02	-	.09	-	.01	21
22	-	-	-	.18	.03	-	-	.26	.10	.01	-	.01	22
23	-	.91	-	.34	tr	.17	-	.01	.11	.59	.01	tr	23
24	-	.16	-	.09	-	.02	.01	.02	.05	.09	-	tr	24
25	-	.31	-	.13	tr	.02	-	.01	.27	.01	tr	.10	25
26	-	.23	tr	.30	.43	-	-	-	.01	.33	.02	.02	26
27	-	.21	.01	.02	tr	-	-	-	.01	.18	-	.43	27
28	tr	.13	-	.25	.01	-	.09	.04	.01	.24	-	tr	28
29	.28	X	.02	tr	tr	-	tr	.02	-	-	-	.03	29
30	.01	X	.03	.20	-	tr	.09	.01	.02	.10	-	.02	30
31	.18	X	.04	X	-	X	-	-	X	.06	X	.01	31
TOTAL	2.60	3.50	2.98	1.55	2.35	1.38	1.85	1.37	1.32	4.88	1.33	1.93	27.04
*Days with .01 in. or more.	21	21	18	9	16	15	15	18	14	23	14	8	192
*Days with .04 in. or more.	15	12	11	8	11	9	12	8	8	19	7	6	126

Section **A**

for the entry of Daily Observations.

1840
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Barnstaple
in the County of Devon

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

100
Daily Values.
150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	-	-	-	-	-	.01	.63	.31	.03	.34	.47	1
2	.08	-	.12	-	-	-	-	.06	.41	Gr	.32	.15	2
3	.07	Gr	Gr	-	.01	-	Gr	.03	.21	.08	Gr	.31	3
4	.24	-	.12	.10	.26	-	-	.02	.30	.35	.02	.50	4
5	.02	.01	.20	.04	.13	.12	-	.51	Gr	.45	.14	.80	5
6	.02	Gr	.13	.05	.29	-	-	.22	Gr	.66	Gr	.73	6
7	.25	-	Gr	Gr	-	-	-	.10	Gr	.29	.53	.42	7
8	.02	.01	-	-	.27	-	-	.05	.09	.06	.52	.54	8
9	.02	Gr	.21	-	Gr	-	-	-	Gr	.04	.44	.05	9
10	.35	.03	.19	.13	-	-	-	.45	-	.04	.02	.15	10
11	.75	.01	.01	.69	.01	-	-	.25	.01	.02	.01	.13	11
12	.13	Gr	-	Gr	-	Gr	Gr	.27	Gr	-	-	.02	12
13	.34	.01	.04	.19	-	.02	-	-	.01	.02	.01	.02	13
14	.43	.01	.27	Gr	-	-	-	.04	Gr	.10	.01	.22	14
15	.02	-	.09	-	.37	-	.03	-	Gr	.08	-	.50	15
16	.06	Gr	.34	-	.04	-	Gr	.01	.26	.06	.01	.16	16
17	.10	Gr	.03	.10	.02	Gr	-	Gr	.08	.14	Gr	.29	17
18	.09	Gr	.12	.30	-	.05	.03	.03	.05	.04	.01	.36	18
19	.02	.01	.30	-	.01	-	-	.02	.31	.04	-	.18	19
20	.01	.01	.06	.20	.04	.01	-	-	.15	.02	.05	.02	20
21	Gr	Gr	.17	Gr	.06	.07	-	.13	.13	.15	.16	.15	21
22	.10	Gr	.08	.04	.01	-	-	.29	.30	.10	-	.30	22
23	.03	Gr	.02	.30	Gr	.46	.09	.01	.12	-	-	.02	23
24	.01	.20	.09	.01	-	.48	.03	Gr	.04	.05	Gr	.06	24
25	.24	.06	-	.27	.01	.01	Gr	Gr	.01	.06	-	.65	25
26	.12	Gr	.07	.02	-	.32	-	Gr	.13	.11	.14	.23	26
27	.01	-	.01	-	-	.01	-	.01	.02	.10	.04	.08	27
28	-	-	-	-	-	Gr	.12	.38	.25	.06	.01	.43	28
29	Gr	X	-	-	-	-	-	.26	.06	.30	-	.15	29
30	.06	X	-	-	-	Gr	Gr	.05	.08	.20	.02	.18	30
31	-	X	-	X	.01	X	.08	Gr	X	.12	X	.10	31
TOTAL	3.79	0.36	2.67	2.44	1.54	1.55	0.39	3.82	3.33	3.77	2.80	8.37	34.83
*Days with ".01 in. or more.	27	10	21	14	15	10	7	22	22	28	19	31	226
*Days with ".04 in. or more.	17	2	17	12	8	6	3	15	18	24	10	27	159
40-9999	9.63	67.8	62.0	59.1	9.9	84.6	95.8	71.1	22.6				

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

18240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Barnstaple

in the County of

Devon

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level ft.

100
150
Daily Values
TL

278/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.03	.58	—	.02	.06	.03	—	.29	.09	.02	.07		1
2	.01	.03	.16	Tr	Tr	.01	Tr	T	.16	.29	.22	.10		2
3	.02	.02	.11	.05	.05	.08	.01	T	.36	.11	.10	.02		3
4	Tr.	.21	.01	.11	.01	.09	.03	T	.08	.39	.28	.68		4
5	Tr.	.35	.05	.07	Tr	.03	—	—	.20	1.19	.25	.27		5
6	—	.01	.01	.41	Tr	.47	Tr	T	.01	.01	.10	.33		6
7	—	Tr	.01	.41	—	.07	—	.01	—	.36	.05	.24		7
8	Tr.	Tr	Tr	.30	—	Tr	—	—	—	.22	.12	.07		8
9	.01	—	—	.47	—	—	—	T	Tr	.87	.40	Tr		9
10	.02	—	.02	.06	—	.06	Tr	—	—	.27	.01	—		10
11	.30	.03	Tr	.02	—	.07	Tr	—	.10	.11	.43	—		11
12	.10	.33	Tr	Tr	—	.16	—	—	.01	.2	.25	—		12
13	.10	.02	.01	.26	.01	.05	—	T	.02	.07	.32	.01		13
14	.01	.20	—	.20	—	.64	.01	—	.42	.04	.90	.34		14
15	Tr.	.01	—	.58	.30	.20	Tr	—	.18	.02	.05	.11		15
16	—	.06	.01	.25	.02	—	.04	.02	.18	.09	.36	.03		16
17	Tr.	.01	—	.03	.72	.29	.08	.04	.03	.15	Tr	—		17
18	—	.05	—	.46	.19	.01	.01	.09	.21	.08	.01	.09		18
19	—	.04	.01	.11	.29	.10	.28	—	.30	.38	.15	—		19
20	—	.28	.01	.25	.26	.11	—	—	.01	.03	.21	.01		20
21	—	.37	.02	.06	Tr	Tr	.40	.01	.31	.08	.02	.15		21
22	—	.05	.06	.11	—	—	Tr	Tr	.05	.09	.02	Tr		22
23	—	.01	.07	.02	.25	Tr	Tr	.85	.30	.27	.01	.22		23
24	.13	.25	.11	.07	.02	Tr	Tr	.07	.03	.40	Tr	.14		24
25	.22	.70	.01	.02	—	.04	—	Tr	Tr	.01	.01	.05		25
26	Tr.	.36	Tr	.01	—	.01	.01	.31	.29	.01	.08	.36		26
27	—	.16	.01	Tr	—	.01	.04	.53	.29	.04	.24	.06		27
28	.01	.05	Tr	.01	.19	.01	.09	.13	.18	.01	.06	.03		28
29	.5	X	—	Tr	.07	—	Tr	.29	.25	.10	.37	.35		29
30	.13	X	—	.02	Tr	.06	Tr	1.22	.35	.13	.51	.35		30
31	Tr.	X	—	X	.03	X	—	.02	X	.53	X	.14		31
TOTAL	1.14	3.63	1.27	4.35	2.43	2.63	1.03	3.59	4.61	6.44	5.55	4.22	Year's Total	40.89
*Days with ".01 in. or more.	13	24	18	25	15	22	12	13	25	30	28	24		249
*Days with ".04 in. or more.	4	15	7	18	9	16	6	9	19	24	21	19		170

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

1840
278/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at

Barnstaple

in the County of

Devon

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft.

Ground Sea Level ft.

Daily Values

100
150
400

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.07	.02	.21	-	.30	1.33	.01	-	.01	.20	.02		1
2	.01	L	.01	.01	L	.05	.10	-	.36	-	.10	.02		2
3	.04	L	.13	.34	-	.01	.04	.01	.74	-	.04	.05		3
4	.03	-	.19	-	-	.11	-	-	.41	L	.22	.41		4
5	.16	.05	.02	-	.03	-	.68	.23	.16	-	.02	.13		5
6	.22	L	.03	Tr	-	.02	.52	.01	.03	L	.68	.01		6
7	.22	-	.16	-	-	-	.18	.01	.03	.01	.52	.03		7
8	.14	-	.39	-	-	-	.58	Tr	-	-	.32	.21		8
9	.15	.15	.01	-	-	.03	.04	-	.22	.02	.18	L		9
10	.02	.04	L	-	L	L	.04	Tr	L	L	.18	L		10
11	.21	.01	-	.01	-	.24	.08	.05	.50	L	.53	.17		11
12	.01	L	-	.03	.04	.44	.19	.01	.22	.07	L	.04		12
13	.08	.02	L	.01	L	L	.16	-	.13	.19	.08	.75		13
14	L	L	L	Tr	-	.10	.58	.03	.19	.03	L	.41		14
15	L	.01	L	.04	.18	L	.02	.01	L	-	.24	.16		15
16	.02	.04	L	-	.23	-	.01	-	L	-	.30	.18		16
17	.11	.47	L	Tr	.04	.03	.28	.02	L	.11	.11	.47		17
18	.02	.27	.03	Tr	-	.17	.34	.01	-	.11	-	.18		18
19	.45	.04	.02	.24	L	.05	.10	.16	-	-	-	L		19
20	.08	.22	L	.03	-	-	.08	.02	.18	L	L	.02		20
21	.07	.08	.19	.53	L	.02	L	Tr	L	.01	L	.02		21
22	.22	.39	L	.01	-	-	.17	.01	.01	.01	-	.04		22
23	.04	.14	.04	.26	.04	-	.09	-	L	.09	-	.02		23
24	.14	.01	.02	.02	.04	L	.20	Tr	.13	.24	.01	-		24
25	.16	.01	.08	.48	-	-	.01	-	.52	.35	-	-		25
26	.28	.19	.14	-	-	-	.02	Tr	L	.06	-	-		26
27	.11	.13	.08	.01	-	-	.07	Tr	.03	.07	.01	L		27
28	.40	.01	.48	.05	L	L	.01	Tr	L	.10	L	.07		28
29	.14	.12	.04	L	-	.02	.02	.01	L	.32	.14	.19		29
30	.26	X	.01	L	.04	.45	.14	-	L	.60	-	L		30
31	.17	X	.30	X	.03	X	.47	-	X	L	X	.36	35.12	31
TOTAL	4.02	2.47	2.39	2.28	0.67	2.04	6.55	6.0	3.86	2.40	3.88	3.96	35.02	✓
*Days with or in. or more.	29	21	21	16	9	15	29	15	16	18	18	23	230	✓
*Days with or in. or more.	23	15	12	8	7	9	23	3	12	12	15	16	155	✓

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

278/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Barnstaple (N. Devon, alt.)*

in the County of *Devon*

Diameter of Funnel of Gauge.....*8* in.

Height of top of Gauge above Ground.....*1* ft.....in.

„ Ground „ Sea Level.....*25* ft.

Daily Values
TL
150
100
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.35	tr	.07	.07	tr	tr	.02	tr	.15	.20	tr	.24		1
2	.03	.42	tr	.04	.01	-	-	tr	.03	.01	-	.26		2
3	.01	.22	-	tr	.07	-	.24	tr	-	-	-	.06		3
4	.36	.12	-	.05	.06	-	.01	tr	-	-	-	.55		4
5	.54	.02	tr	-	.03	-	.25	.05	-	-	-	.21		5
6	.25	.30	.25	.38	.54	.13	.06	.01	.03	-	-	tr		6
7	.01	.46	.04	.01	-	.06	-	-	.06	tr	.02	tr		7
8	-	.01	-	-	.24	.10	.14	tr	.05	-	tr	-		8
9	.4	tr	.04	.08	.09	.01	.02	.08	.57	-	-	-		9
10	.03	.02	.48	.70	-	.04	.11	-	-	-	-	.51		10
11	.02	tr	.26	.15	.19	.06	1.71	.20	-	-	tr	.07		11
12	.20	.44	.17	-	tr	.22	.11	.06	.53	-	-	.30		12
13	.02	.40	.53	.06	.03	.03	-	.60	.23	-	-	.20		13
14	.02	.06	.11	-	tr	-	-	tr	.13	tr	-	.25		14
15	.35	.23	.11	.45	-	tr	-	.02	.26	-	-	.38		15
16	.10	.04	.24	.07	tr	-	.04	-	.16	-	.01	tr		16
17	.72	.12	.29	-	tr	-	-	.30	.30	tr	.01	-		17
18	.23	.21	.18	.01	-	.20	.03	-	1.13	-	.36	.44		18
19	.19	.01	.03	.32	.06	-	tr	-	.43	-	.42	.02		19
20	.34	.13	.07	.23	.05	tr	.08	-	-	-	tr	.33		20
21	.12	.75	-	.02	.21	tr	.02	tr	.13	.08	-	tr		21
22	.04	-	.05	-	.16	tr	.22	.01	-	.30	.42	.05		22
23	.15	.38	.03	tr	.11	-	tr	-	-	.44	.19	tr		23
24	.19	.45	.01	-	-	tr	.01	-	.13	.35	tr	.03		24
25	.06	.51	.31	-	.05	tr	-	-	tr	.04	tr	.02		25
26	.01	.35	.03	-	.01	-	-	-	-	-	tr	-		26
27	-	.68	.01	tr	-	-	-	-	-	.68	-	-		27
28	.02	.11	tr	-	-	.01	-	-	-	.10	-	-		28
29	.04	-	-	-	-	.02	-	-	-	.37	.42	-		29
30	.29	~~tr~~	-	-	.01	.15	tr	-	.12	.08	.24	-		30
31	.62	~~tr~~	-	~~tr~~	~~tr~~	~~tr~~	-	-	~~tr~~	.30	~~tr~~	-		31
TOTAL	5.31	6.44	3.31	2.64	1.92	1.03	3.07	1.33	4.44	2.95	2.09	3.92	38.45	✓
* Days with .01 in. or more.	28	24	21	15	17	12	16	9	14	12	9	17	197	✓
* Days with .04 in. or more.	19	20	16	12	12	8	10	6	15	11	6	14	149	✓

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 1840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Barnstaple (N. Devon Athl.)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	10	tr	-	-	81	08	90	-	35	06	29		1
2	01	04	-	08	01	-	-	-	-	32	09	30		2
3	01	tr	-	-	03	06	06	1.83	-	31	tr	tr		3
4	-	-	tr	-	-	01	37	67	-	60	03	16		4
5	02	-	-	03	-	03	04	tr	24	36	02	24		5
6	25	-	-	-	-	16	94	30	05	13	-	11		6
7	07	-	-	-	-	-	14	09	01	10	01	14		7
8	64	14	-	-	-	-	43	32	-	22	-	12		8
9	42	10	01	-	-	tr	-	35	-	04	-	59		9
10	09	01	tr	-	-	-	07	01	-	11	-	27		10
11	13	-	-	-	-	02	02	-	-	02	22	33		11
12	29	-	-	-	16	-	-	-	tr	65	46	07		12
13	02	-	-	-	12	-	-	-	tr	tr	04	19		13
14	41	-	-	-	05	-	25	-	tr	-	-	tr		14
15	21	-	-	-	01	-	-	03	-	01	06	34		15
16	19	-	03	-	10	-	-	02	-	-	09	01		16
17	tr	07	tr	-	03	-	14	-	04	23	02	-		17
18	20	-	-	-	01	09	03	16	12	04	43	-		18
19	tr	-	-	-	-	-	02	03	11	-	49	-		19
20	03	-	-	-	-	-	-	04	01	-	58	-		20
21	04	-	-	-	-	06	-	23	31	03	35	02		21
22	tr	-	-	tr	-	09	-	1.30	tr	07	27	01		22
23	-	-	-	02	-	-	-	tr	tr	tr	29	01		23
24	06	05	24	-	14	-	tr	12	05	-	45	-		24
25	22	20	11	-	14	-	07	tr	-	20	74	04		25
26	44	17	02	-	22	13	-	-	-	29	27	24		26
27	33	17	-	-	37	07	19	71	03	07	42	-		27
28	09	15	-	-	05	13	01	27	03	14	16	01		28
29	15	X	03	tr	30	-	-	-	05	50	16	07		29
30	03	X	01	-	tr	-	tr	-	18	tr	61	13		30
31	25	X	02	X	33	X	tr	-	X	25	X	30		31
TOTAL	4.60	1.20	4.7	13	207	1.66	2.86	7.38	1.23	5.04	6.32	4.02	36.98	
* Days with .01 in. or more.	25	11	8	3	16	12	16	18	13	23	24	23	192	
* Days with .04 in. or more.	19	10	2	1	11	9	12	14	9	20	20	18	145	
Year's Total														36.98

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) _____ P.T.O.

Section



for the entry of Daily Observations

Station No. 1840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Barnstaple (N. Devon Ath.)

in the County of Devon

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 25 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	-	.02	.06	.30	-	-	.02	-	-	.12	.07		1
2	.23	-	-	.10	tr	-	tr	.58	.13	-	.07	.20		2
3	.16	-	.06	.31	-	-	-	.01	-	-	.34	.36		3
4	tr	-	.33	.21	.26	-	.25	.01	-	.11	.55	.24		4
5	tr	-	.01	.75	.09	-	.31	✓	-	.08	.60	tr		5
6	.61	-	.02	.01	-	-	.52	.03	-	.06	.02	-		6
7	tr	.02	-	-	-	-	.05	.03	-	-	.20	.54		7
8	tr	.19	.08	-	.09	-	.09	.07	-	.54	.34	.31		8
9	.04	.03	.01	-	.01	-	-	.24	-	.08	.01	.22		9
10	.14	tr	tr	-	-	tr	-	.16	.26	.14	-	.54		10
11	.02	.06	.15	-	-	.01	-	-	-	.45	-	.02		11
12	.20	.01	-	.06	-	-	✓	-	.14	.13	tr	-		12
13	.02	-	-	.16	.01	.02	.26	-	.05	.06	.02	-		13
14	.51	tr	-	.04	.02	.15	.48	-	tr	.01	.13	-		14
15	.55	.04	-	tr	.06	.29	.34	-	-	.12	.49	-		15
16	.13	tr	-	.07	.11	tr	.33	-	-	-	.44	-		16
17	.40	.04	-	-	.01	.13	.22	-	-	-	.04	-		17
18	.04	.13	.04	-	-	-	.24	-	-	-	.72	-		18
19	.30	tr	-	-	-	-	.04	tr	-	-	-	-		19
20	.45	-	-	-	-	-	.31	.35	-	-	-	-		20
21	.11	.18	.09	.05	.10	.07	.12	tr	-	-	-	-		21
22	.54	.31	.19	.03	-	.20	.14	.01	-	.01	.38	-		22
23	-	.01	.12	.07	-	-	.21	-	-	.04	.59	-		23
24	.68	.02	.24	.09	-	.08	.23	.01	-	.05	tr	-		24
25	.35	.23	-	.09	-	-	.71	.05	-	.07	.41	-		25
26	.01	.02	-	tr	-	-	.05	1.10	-	.13	.80	-		26
27	-	.20	.05	-	-	.03	.11	.10	-	-	.14	tr		27
28	-	.01	.01	-	-	.06	.07	-	-	-	.73	.05		28
29	-	-	.01	.04	-	.03	.09	-	-	.20	.35	-		29
30	-	✕	-	.21	-	-	.03	-	-	.01	.05	-		30
31	-	✕	-	✕	-	✕	.05	.06	✕	.03	✕	.01		31
TOTAL	5.81	1.50	1.43	2.35	1.06	1.07	5.28	2.86	.61	2.35	7.54	2.59	34.48	
* Days with .01 in. or more.	21	16	16	17	11	11	24	16	4	19	23	11	189	
* Days with .04 in. or more.	18	9	10	15	7	7	23	9	4	15	20	9	146	
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 1840

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Barnstaple (N. Devon A.H.)

in the County of Devon

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...1.....ft. 0.....in.

,, Ground ,, Sea Level 25.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.20	-	.03	.07	-	-	-	-	-	.90	-		1
2	-	tr	-	.06	-	-	.09	-	-	-	1.14	.04		2
3	-	.62	-	.07	-	-	-	-	-	.13	.78	.35		3
4	-	.07	-	.02	-	-	.21	-	-	.26	.01	.05		4
5	-	-	-	-	-	-	.11	-	-	.26	.45	.12		5
6	.19	.26	-	-	-	-	.19	-	-	.17	.28	.26		6
7	.07	.03	-	tr	.03	-	.05	-	.02	.02	tr	.02		7
8	tr	-	-	-	-	-	-	-	-	.20	.40	.38		8
9	-	-	-	-	-	-	.59	.06	.19	.26	.45	.31		9
10	-	-	.01	-	-	-	.02	-	.06	.16	.06	.16		10
11	-	.09	tr	.10	-	-	.45	-	-	-	.46	-		11
12	-	-	.07	-	-	.11	1.12	-	.45	-	.08	-		12
13	-	-	.53	-	-	-	.02	.07	.02	.03	.23	.10		13
14	-	.01	-	.07	-	-	.08	-	.16	.11	.18	.35		14
15	.03	-	tr	.21	.01	-	-	-	.25	.05	.18	tr		15
16	tr	.50	.39	.09	-	-	.10	-	.09	.02	.01	.04		16
17	-	.14	.25	tr	-	-	.04	-	.04	-	tr	tr		17
18	.31	.95	.25	.74	-	-	.01	-	.01	-	.02	.34		18
19	-	.12	.05	.28	-	-	.28	-	.33	.06	.01	tr		19
20	-	-	-	.01	-	-	.13	.04	.09	.20	.07	tr		20
21	-	-	-	-	.06	.34	-	-	tr	tr	1.09	-		21
22	tr	.01	.18	.06	-	.10	-	-	.10	-	tr	-		22
23	.01	.21	.14	.04	.03	-	.02	-	.16	tr	.03	-		23
24	.01	-	.18	-	tr	-	.64	-	-	-	tr	-		24
25	.22	-	-	.07	.27	.01	-	-	-	-	-	-		25
26	1.15	.24	-	.01	.28	-	.25	-	-	-	.02	-		26
27	.67	.09	.06	tr	.25	-	-	-	-	-	-	-		27
28	.29	.02	tr	.03	.15	-	-	.04	-	-	-	.10		28
29	.10	.03	.07	1.30	.01	-	-	-	-	.02	-	.28		29
30	.01	~~X~~	tr	.09	-	-	-	-	-	.31	.01	.25		30
31	.16	~~X~~	tr	~~X~~	tr	~~X~~	-	-	~~X~~	.30	~~X~~	.15		31
TOTAL	3.22	3.59	2.18	3.28	1.16	.56	4.40	.21	1.97	2.66	6.95	3.30	33.48	
* Days with .01 in. or more.	13	17	12	18	10	4	19	4	14	17	22	17	167	
* Days with .04 in. or more.	9	12	11	13	6	3	15	4	11	13	16	16	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Kept at *Thorpehaven*
in the County of *Dev*

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
Ground Sea

1841
BARNSTAPLE, THORPEHAVEN
1931,32

780309

1841
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
93/.

No. 1841.

35.1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

January, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.07	—	Trace	.12	—	.47	.03	Trace	Trace	1
2	.12	.05	—	.50	.02	Trace	Trace	.01	.20	.03	.20	.23	2
3	.11	—	.86	—	.01	—	.03	—	.40	—	1.80	.10	3
4	.02	—	.18	.03	.06	.29	.47	.39	.20	.02	.02	—	4
5	.01	.28	.03	.50	.02	.58	.13	Trace	—	—	.06	.43	5
6	Trace	.03	—	.25	.02	.44	.24	Trace	—	.57	.18	.27	6
7	—	.02	—	—	.16	.05	.06	.41	Trace	.02	.25	.13	7
8	Trace	.16	—	.18	.01	.35	.14	.32	Trace	—	.14	.08	8
9	Trace	.46	Trace	Trace	—	.04	.08	Trace	—	.03	.56	.11	9
10	—	.01	Trace	Trace	.11	.07	.06	.16	Trace	.01	.32	.01	10
11	.39	.56	Trace	—	.03	.16	.15	.03	.27	—	.53	—	11
12	.01	.13	Trace	Trace	.02	—	.35	.02	.23	.08	—	—	12
13	Trace	.03	—	—	.13	Trace	.43	.05	—	.07	Trace	—	13
14	.07	.14	—	—	.13	.31	.75	Trace	.03	Trace	.65	.01	14
15	—	.18	—	.05	.06	.04	—	.27	.02	—	Trace	.01	15
16	.11	.17	—	.15	.15	.77	.01	.39	.06	—	—	—	16
17	—	—	—	.04	—	—	.30	.03	.09	—	—	Trace	17
18	.20	—	—	Trace	—	.29	.27	.56	—	—	.31	—	18
19	.25	.23	.06	.12	—	.01	.02	.84	—	—	.26	Trace	19
20	.01	.02	.39	.01	—	—	—	.68	—	Trace	.08	.01	20
21	.28	.02	.25	.01	.08	—	Trace	—	—	Trace	.14	—	21
22	.51	.16	Trace	—	.12	—	.01	Trace	—	—	.04	—	22
23	.15	Trace	—	.36	.34	.01	.08	—	—	—	.37	—	23
24	.07	.09	—	.58	.03	—	.92	.02	—	—	Trace	.03	24
25	.05	.15	—	.14	Trace	—	.01	Trace	—	Trace	.01	.15	25
26	.02	.12	—	.40	—	Trace	.43	—	—	Trace	.93	.07	26
27	.23	.33	Trace	—	1.18	.02	.15	—	—	.13	.14	—	27
28	.13	.02	.13	.03	.03	Trace	.01	.06	—	.03	.01	.07	28
29	.07	X	.22	—	.06	—	.10	.06	Trace	.05	.07	.15	29
30	.11	X	—	—	.04	Trace	—	.02	.02	—	.01	.01	30
31	.85	X	.02	X	.73	X	.02	Trace	X	—	X	.52	31
TOTAL	3.77	3.36	2.14	3.42	3.54	3.43	5.34	4.32	1.99	1.07	7.08	2.39	41.85
*Days with or in. or more.	22	22	9	17	23	15	26	18	11	12	23	18	216
*Days with .04 in. or more.	17	15	7	13	14	12	19	12	8	5	19	12	153

40-9999

*See Instruction 2 (f) on other side.

(Signed)

M. B. B. Heath P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at *Thorpehaven, Hele Manor Park, Bournemouth.*
in the County of *Dorset.*

Diameter of Funnel of Gauge *6* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *130* ft.

Station No. 1841.

AVERAGE *35.1*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.07	—	Trace	.12	—	<u>.47</u>	.03	Trace	Trace	1
2	.12	.05	—	.50	.02	Trace	Trace	.01	.20	.03	.20	.23	2
3	.11	—	<u>.86</u>	—	.01	—	.03	—	.40	—	<u>1.80</u>	.10	3
4	.02	—	.18	.03	.06	.29	.47	.39	.20	.02	.02	—	4
5	.01	.28	.03	.50	.02	.58	.13	Trace	—	—	.06	.43	5
6	Trace	.03	—	.25	.02	.44	.24	Trace	—	<u>.57</u>	.18	.27	6
7	—	.02	—	—	.16	.05	.06	.41	Trace	.02	.25	.13	7
8	Trace	.16	—	.18	.01	.35	.14	.32	Trace	—	.14	.08	8
9	Trace	.46	Trace	Trace	—	.04	.08	Trace	—	.03	.56	.11	9
10	—	.01	Trace	Trace	.11	.07	.06	.16	Trace	.01	.32	.01	10
11	.39	<u>.56</u>	Trace	—	.03	.16	.15	.03	.27	—	.53	—	11
12	.01	.13	Trace	Trace	.02	—	.35	.02	.23	.08	—	—	12
13	Trace	.03	—	—	.13	Trace	.43	.05	—	.07	Trace	—	13
14	.07	.14	—	—	.13	.31	.75	Trace	.03	Trace	.65	.01	14
15	—	.18	—	.05	.06	.04	—	.27	.02	—	Trace	.01	15
16	.11	.17	—	.15	.15	<u>.77</u>	.01	.39	.06	—	—	—	16
17	—	—	—	.04	—	—	.30	.03	.09	—	—	Trace	17
18	.20	—	—	Trace	—	.29	.27	.56	—	—	.31	—	18
19	.25	.23	.06	.12	—	.01	.02	<u>.84</u>	—	—	.26	Trace	19
20	.01	.02	.39	.01	—	—	—	.68	—	Trace	.08	.01	20
21	.28	.02	.25	.01	.08	—	Trace	—	—	Trace	.14	—	21
22	.51	.16	Trace	—	.12	—	.01	Trace	—	—	.04	—	22
23	.15	Trace	—	.36	.34	.01	.08	—	—	—	.37	—	23
24	.07	.09	—	<u>.58</u>	.03	—	<u>.92</u>	.02	—	—	Trace	.03	24
25	.05	.15	—	.14	Trace	—	.01	Trace	—	Trace	.01	.15	25
26	.02	.12	—	.40	—	Trace	.43	—	—	Trace	.93	.07	26
27	.23	.33	Trace	—	<u>1.18</u>	.02	.15	—	—	.13	.14	—	27
28	.13	.02	.13	.03	.03	Trace	.01	.06	—	.03	.01	.07	28
29	.07	X	.22	—	.06	—	.10	.06	Trace	.05	.07	.15	29
30	.11	X	—	—	.04	Trace	—	.02	.02	—	.01	.01	30
31	<u>.85</u>	X	.02	X	.73	X	.02	Trace	X	—	X	<u>.52</u>	31
TOTAL	3.77	3.36	2.14	3.42	3.54	3.43	5.34	4.32	1.99	1.07	7.08	2.39	41.85
*Days with "or in. or more.	22	22	9	17	23	15	26	18	11	12	23	18	216
*Days with "or in. or more.	17	15	7	13	14	12	19	12	8	5	19	12	153

Section

A

for the entry of Daily Observations.

Station No. 1841.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Thorpehaven, Hele Manor Park, Barnstaple.

in the County of Devon.

Diameter of Funnel of Gauge. 6 in.

Height of top of Gauge above Ground. 1 ft. 0 in.

Ground Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	—	—	.09	.07	—	.03	—	.08	Trace	.01	.03	1
2	.09	—	—	—	.28	—	.04	.10	1.07	.03	.02	.43	2
3	.02	—	Trace	.15	—	—	.12	—	.10	.09	.02	.06	3
4	.01	—	—	.03	—	—	.09	.05	—	.09	.54	Trace	4
5	.71	—	.09	Trace	—	—	Trace	—	.58	—	—	—	5
6	.45	—	.05	.20	Trace	Trace	.01	.08	.19	.02	—	—	6
7	.26	—	Trace	.01	.01	—	—	—	.46	1.66	—	—	7
8	.08	—	.73	.02	.17	.01	.01	.01	.20	.21	—	—	8
9	.62	.02	Trace	.12	—	Trace	.01	—	.01	.03	—	—	9
10	.50	.02	Trace	.16	.01	Trace	—	—	.07	.27	—	—	10
11	.10	—	—	.01	.06	—	.05	Trace	—	.09	—	.02	11
12	.44	—	—	Trace	.52	—	.01	—	.11	.49	—	—	12
13	.21	Trace	—	.20	.01	—	.38	.15	Trace	.67	Trace	.16	13
14	.55	—	—	.09	.40	—	Trace	Trace	Trace	.08	.05	.03	14
15	Trace	.01	—	.06	.05	—	—	—	Trace	.14	.01	Trace	15
16	.28	Trace	.01	.09	Trace	—	.50	Trace	.01	—	—	—	16
17	—	—	—	—	.05	—	—	Trace	.01	.06	—	—	17
18	—	—	Trace	—	.09	—	—	Trace	.11	—	.24	—	18
19	Trace	—	—	.13	.14	—	—	Trace	.16	.59	Trace	Trace	19
20	Trace	—	—	.44	.68	Trace	Trace	.05	—	.54	.39	.02	20
21	.06	—	.15	.11	—	Trace	.05	.35	—	.99	.11	.19	21
22	.02	—	.05	.01	Trace	Trace	.05	—	.59	.19	.46	.07	22
23	Trace	—	—	—	—	Trace	.65	—	.01	.60	.42	.28	23
24	Trace	—	—	Trace	—	—	.21	—	.31	.02	—	Trace	24
25	Trace	—	.07	—	—	Trace	.41	—	.10	.60	.10	Trace	25
26	—	—	.02	.06	Trace	Trace	.09	—	.13	.39	.04	Trace	26
27	—	—	.55	.18	.23	Trace	.13	.01	—	.73	Trace	.03	27
28	—	—	.03	.16	.16	.02	.17	.04	—	.01	.06	.02	28
29	.07	—	.42	.06	.14	.20	.01	.25	.43	.70	.07	.51	29
30	Trace	X	.16	.06	.01	.59	.50	.15	.54	.20	.45	.01	30
31	.01	X	—	X	.02	X	.11	Trace	X	.02	X	.21	31
TOTAL	4.54	.10	2.33	2.44	3.10	.82	3.63	1.24	5.27	9.51	2.99	2.57	38.54
*Days with .01 in. or more.	19	3	12	22	19	4	22	11	21	27	16	15	191
*Days with .04 in. or more.	15	1	9	17	14	2	16	9	17	21	12	8	141

40-9999

*See Instruction 2 (f) on other side.

(Signed)

M. B. B. Heath. F.T.O.